(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
14 February 2002 (14.02.2002)

PCT

(10) International Publication Number
WO 02/12440 A2

(51) International Patent Classification[7]: C12N

(21) International Application Number: PCT/US01/24708

(22) International Filing Date: 7 August 2001 (07.08.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/223,323 7 August 2000 (07.08.2000) US
09/873,319 5 June 2001 (05.06.2001) US

(71) Applicants *(for all designated States except US)*: **GENE LOGIC, INC.** [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). **JAPAN TABACCO, INC.** [JP/JP]; Central Pharmaceutical Research Institute, 1-1, Murasaki-cho, Takatsuki, Osaka, Akita 569-1125 (JP).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: **MUNGER, William, E.** [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). **KULKARNI, Prakash** [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). **GETZENBERG, Robert, H.** [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). **WAGA, Iwao** [JP/JP]; Japan Tabacco, Inc., Central Pharmaceutical Research Institute, 1-1, Murasaki-cho, Takatsuki, Akita 569-1125 (JP). **YAMAMOTO, Jun** [JP/JP]; Japan Tabacco, Inc., Central Pharmaceutical Research Institute, 1-1, Murasaki-cho, Takatsuki, Akita 569-1125 (JP).

(74) Agent: **TUSCAN, Michael S.**; Morgan, Lewis & Bockius Llp, 1800 M St., Nw, Washington, Dc 20036 (US).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

[Continued on next page]

(54) Title: IDENTIFYING DRUGS FOR AND DIAGNOSIS OF BENIGN PROSTATIC HYPERPLASIA USING GENE EXPRESSION PROFILES



(57) Abstract: The present invention is based on the elucidation of the global changes in gene expression in prostate tissue isolated from patients exhibiting different clinical states of prostate hyperplasia as compared to normal prostate tissue as well as the identification of individual genes that are differentially expressed in diseased prostate tissue.

WO 02/12440 A2

patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

IDENTIFYING DRUGS FOR AND DIAGNOSIS OF BENIGN PROSTATIC HYPERPLASIA USING GENE EXPRESSION PROFILES

RELATED APPLICATIONS

This application claims priority of U.S. Provisional Application No. 60/223,323, filed August 7, 2000, and U.S. Application No. 09/873,319, filed June 5, 2001, which are herein incorporated by reference in their entirety.

BACKGROUND OF THE INVENTION

Benign Prostatic Hyperplasia (BPH) is the most common benign tumor in men aged >60 years. It is estimated that one in four men living to the age of 80 will require treatment for this disease. BPH is usually noted clinically after the age of 50, the incidence increasing with age, but as many as two thirds of men between the ages of 40 and 49 demonstrate histological evidence of the disease.

The anatomic location of the prostate at the bladder neck enveloping the urethra plays an important role in the pathology of BPH, including bladder outlet obstruction. Two prostate components are thought to play a role in bladder outlet obstruction. The first is the relative increased prostate tissue mass. The second component is the prostatic smooth muscle tone.

The causative factors of BPH in man have been intensively studied. See Ziada *et al.*, *Urology*, 53: 1-6, 1999. In general, the two most important factors appear to be aging and the presence of functional testes. Although these factors appear to be key to the development of BPH, both appear to be nonspecific.

Little is known about the molecular changes in prostate cells associated with the development and progression of BPH. It has been demonstrated that the expression levels of a number of individual genes are changed compared to normal prostate cells. These changes in gene expression include decreased expression of Wilm's tumor gene (WT-1) and increased expression of insulin growth factor II (IGF-II) (Dong *et al.*, *J. Clin. Endocrin. Metab.*, 82(7): 2198-220).

While the changes in the expression levels of a number of individual genes have been identified, the investigation of the global changes in gene expression has not been reported. Accordingly, there exists a need for the investigation of the changes in global gene expression levels as well as the need for the identification of new molecular markers associated with the development and progression of BPH. Furthermore, if intervention is expected to be successful in halting or slowing down BPH, means of accurately assessing the early manifestations of BPH need to be established. One way to accurately assess the early manifestations of BPH is to identify markers which are uniquely associated with disease progression. Likewise, the development of therapeutics to prevent or stop the progression of BPH relies on the identification of genes responsible for BPH growth and function.

SUMMARY OF THE INVENTION

The present invention is based on the elucidation of the global changes in gene expression in BPH tissue isolated from patients exhibiting different clinical states of prostate hyperplasia as compared to normal prostate tissue as well as the identification of individual genes that are differentially expressed in BPH tissue.

The invention is also based on the discovery of a means of effectively selecting disease-linked drug targets from gene expression results. The invention includes methods of classifying genes whose expression levels are changed in diseased tissues, during disease induction or during disease progression into specific groups. By using this method it is possible to classify genes whose expression are regulated by the same mechanism into the same group, and it is possible to identify representative marker genes by selecting typical genes from each cluster.

The invention includes methods of screening for or identifying an agent that modulates the onset or progression of BPH, comprising: preparing a first gene expression profile of BPH cells; exposing the cells to the agent; preparing a second gene expression profile of the agent exposed cells; and comparing the first and second gene expression profiles. In a preferred embodiment of these methods, the gene expression profile comprises the expression levels of one or more or preferably two or more genes in Tables 1-5. In another preferred embodiment of these methods, the cell is a prostate cell from a BPH patient, a cell line in Table 6, or a derivative thereof.

The invention also includes methods of monitoring a treatment of a patient with BPH, comprising administering a pharmaceutical composition to the patient; preparing a gene expression profile from a prostate cell or tissue sample from the patient; and comparing the patient gene expression profile to a gene expression profile from a normal prostate cell population, a BPH tissue or BPH cells without treatment with the pharmaceutical composition. In preferred embodiments of these methods, the gene expression profile comprises the expression levels of one or more or, preferably two or more genes in Tables 1-5.

The invention also includes methods of diagnosing benign prostatic hyperplasia (BPH) in a subject comprising the step of detecting the level of expression in a tissue or cell sample from the subject of two or more genes from Tables 1-5 (preferably Tables 3-5, and more preferably Table 5); wherein differential expression of the genes is indicative of BPH progression.

The invention further includes methods of detecting the onset or progression of benign prostatic hyperplasia (BPH) in a patient comprising the step of detecting the level of expression in a tissue or cell sample of two or more genes from Tables 1-5 (preferably Tables 3-5, and more preferably Table 5); wherein differential expression of the genes is indicative of BPH progression.

The invention also includes methods of differentiating benign prostatic hyperplasia (BPH) from prostate cancer in a patient comprising the step of detecting the level of expression in a tissue or cell sample of two or more genes from Tables 1-5 (preferably Tables 3-5, and more preferably Table 5); wherein differential expression of the genes is indicative of BPH rather than prostate cancer.

The invention also includes methods of selecting or identifying cells that can be used for drug screening.

All of these methods may include the step of detecting the expression levels of at least about 2, 3, 4, 5, 6, 7, 8, 9, 10 or more genes in any of Tables 1-5, or preferably Table 5. In a preferred embodiment, expression of all of the genes or nearly all of the genes in Tables 1-5, or preferably Table 5, may be detected.

The invention further includes sets of at least two or more probes, wherein each of the probes comprises a sequence that specifically hybridizes to a gene in Tables 1-5 as well as solid supports comprising at least two or more of the probes.

The invention also includes computer systems comprising or linked to a database containing information identifying the expression level in BPH tissue or cells of a set of genes comprising at least two genes in Tables 1-5, preferably from Table 5; and a user interface to view the information. The database may further comprise sequence information for the genes as well as information identifying the expression level for the set of genes in normal prostate tissue or cells, and prostate cancer tissue. The database may further contain or be linked to descriptive information from an external database, which information correlates said genes to records in the external database.

The invention further includes methods of using the disclosed computer systems to present information identifying the expression level in a tissue or cell of a set of genes comprising at least one of the genes in Tables 1-5, preferably Table 5, comprising comparing the expression level of at least one gene in Tables 1-5, preferably Table 5, in the tissue or cell to the level of expression of the gene in the database.

Lastly, the invention includes kits comprising probes or solid supports of the invention. In some embodiments, the kits also contain written materials or software concerning gene expression information for the genes of the invention, preferably in electronic format.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1. Figure 1 shows the expression of cellular retinol binding protein RNA in various tissues.

Figure 2. Figure 2 shows the expression of cellular retinol binding protein RNA in various prostate tissues samples. In all of the figures, "Normal", "-Sym", "Cancer" and "+Sym" refer to normal prostate, BPH without symptoms, prostate cancer, and BPH with symptoms, respectively.

Figure 3. Figure 3 shows the expression of S100 calcium binding protein RNA in various tissues.

Figure 4. Figure 4 shows the expression of S100 calcium binding protein RNA in various prostate tissue samples.

Figure 5. Figure 5 shows the expression of human prostate-specific membrane antigen (PSMA) RNA in various tissues.

Figure 6. Figure 6 shows the expression of PSMA RNA in various prostate tissue samples.

DETAILED DESCRIPTION

Many biological functions are accomplished by altering the expression of various genes through transcriptional (*e.g.* through control of initiation, provision of RNA precursors, RNA processing, etc.) and/or translational control. For example, fundamental biological processes such as cell cycle, cell differentiation and cell death, are often characterized by the variations in the expression levels of groups of genes.

Changes in gene expression also are associated with pathogenesis. For example, the lack of sufficient expression of functional tumor suppressor genes and/or the over expression of oncogene/protooncogenes could lead to tumorgenesis or hyperplastic growth of cells (Marshall, Cell, 64: 313-326 (1991); Weinberg, Science, 254:1138-1146 (1991)). Thus, changes in the expression levels of particular genes (*e.g.* oncogenes or tumor suppressors) serve as signposts for the presence and progression of various diseases.

Monitoring changes in gene expression may also provide certain advantages during drug screening development. Often drugs are screened for the ability to interact with a major target without regard to other effects the drugs have on cells. Often such other effects cause toxicity in the whole animal, which prevent the development and use of the potential drug.

The present inventors have examined tissue from normal prostate, BPH and BPH prostate tissue immediately adjacent to malignant prostate tissue to identify the global changes in gene expression in BPH. These changes in gene expression, also referred to as expression profiles, provide useful markers for diagnostic uses as well as markers that can be used to monitor disease states, disease progression, toxicity, drug efficacy and drug metabolism.

Assay Formats

The genes identified as being differentially expressed in BPH tissue or BPH cells (Tables 1-5) may be used in a variety of nucleic acid detection assays to detect or quantititate the expression level of a gene or multiple genes in a given sample. For example, traditional Northern blotting, nuclease protection, RT- PCR and differential display methods may be used for detecting gene expression levels. Those methods are useful for some embodiments of the invention, particularly when smaller numbers of genes are assayed. For instance, when fewer than 50 genes are assayed, RT-PCR techniques can be used to prepare high-throughput assays. However, methods and assays of the invention are most efficiently designed with hybridization-based methods for detecting the expression of a large number of genes.

Any hybridization assay format may be used, including solution-based and solid support-based assay formats. Solid supports containing oligonucleotide probes for differentially expressed genes of the invention can be filters, polyvinyl chloride dishes, silicon or glass based beads or chips, etc. Such supports and hybridization methods are widely available, for example, those disclosed by Beattie (WO 95/11755). Any solid surface to which oligonucleotides can be bound, either directly or indirectly, either covalently or non-covalently, can be used.

A preferred solid support is a high density array or DNA chip. These contain a particular oligonucleotide probe in a predetermined location on the array. Each predetermined location may contain more than one molecule of the probe, but each molecule within the predetermined location has an identical sequence. Such predetermined locations are termed features. There may be, for example, from 2, 10, 100, 1000 to 10,000, 100,000 or 400,000 of such features on a single solid support. The solid support, or the area within which the probes are attached may be on the order of about a square centimeter.

Oligonucleotide probe arrays for expression monitoring can be made and used according to any technique known in the art (see for example, Lockhart *et al.*, Nat. Biotechnol. (1996) 14, 1675-1680; McGall *et al.*, *Proc. Nat. Acad. Sci. USA* (1996) 93, 13555-13460). Such probe arrays may contain at least two or more oligonucleotides that are complementary to or hybridize to two or more of the genes described in Tables 1-5 . For instance, such arrays may contain oligonucleotides that are complementary or hybridize to at least about 2, 3, 4, 5, 6, 7, 8, 9, 10, 20, 30, 50, 70 or more the genes described herein.

The genes which are assayed according to the present invention are typically in the form of mRNA or reverse transcribed mRNA. The genes may be cloned or not. The genes may be amplified or not. The cloning itself does not appear to bias the representation of genes within a population. However, it may be preferable to use polyA+ RNA as a source, as it can be used with less processing steps.

The sequences and related information of the genes described herein are available in the public databases. Tables 1-5 provide the Accession numbers and name for each of the sequences. Each Accession Number corresponds to a sequence in the attached sequence listing. The sequences and related information of the genes listed in the Tables according to their GenBank identifiers are expressly incorporated herein as of the filing date of this application, as are sequences in the databases related to those herein described, such as fragments, variant sequences, etc. (see: www.ncbi.nlm.nih.gov/).

Probes based on the sequences of the genes described above may be prepared by any commonly available method. Oligonucleotide probes for interrogating the tissue or cell sample are preferably of sufficient length to specifically hybridize only to appropriate, complementary genes or transcripts. Typically the oligonucleotide probes will be at least 10, 12, 14, 16, 18, 20 or 25 nucleotides in length. In some cases longer probes of at least 30, 40, or 50 nucleotides will be desirable.

As used herein, oligonucleotide sequences that are complementary to one or more of the genes described in Tables 1-5 refer to oligonucleotides that are capable of hybridizing under stringent conditions to at least part of the nucleotide sequence of said genes. Such hybridizable oligonucleotides will typically exhibit at least about 75% sequence identity at the nucleotide level to said genes, preferably about 80% or 85% sequence identity or more preferably about 90% or 95% or more sequence identity to said genes.

"Bind(s) substantially" refers to complementary hybridization between a probe nucleic acid and a target nucleic acid and embraces minor mismatches that can be accommodated by reducing the stringency of the hybridization media to achieve the desired detection of the target polynucleotide sequence.

The terms "background" or "background signal intensity" refer to hybridization signals resulting from non-specific binding, or other interactions, between the labeled target nucleic acids and components of the oligonucleotide array (*e.g.*, the oligonucleotide probes, control probes, the array substrate, *etc.*). Background signals may also be produced by

intrinsic fluorescence of the array components themselves. A single background signal can be calculated for the entire array, or a different background signal may be calculated for each target nucleic acid. In a preferred embodiment, background is calculated as the average hybridization signal intensity for the lowest 5% to 10% of the probes in the array, or, where a different background signal is calculated for each target gene, for the lowest 5% to 10% of the probes for each gene. Of course, one of skill in the art will appreciate that where the probes to a particular gene hybridize well and thus appear to be specifically binding to a target sequence, they should not be used in a background signal calculation. Alternatively, background may be calculated as the average hybridization signal intensity produced by hybridization to probes that are not complementary to any sequence found in the sample (*e.g.* probes directed to nucleic acids of the opposite sense or to genes not found in the sample such as bacterial genes where the sample is mammalian nucleic acids). Background can also be calculated as the average signal intensity produced by regions of the array that lack probes.

The phrase "hybridizing specifically to" refers to the binding, duplexing, or hybridizing of a molecule substantially to or only to a particular nucleotide sequence or sequences under stringent conditions when that sequence is present in a complex mixture (*e.g.*, total cellular DNA or RNA).

Assays and methods of the invention may utilize available formats to simultaneously screen at least about 100, preferably about 1000, more preferably about 10,000 and most preferably about 1,000,000 different nucleic acid hybridizations.

As used herein a "probe" is defined as a nucleic acid molecule, capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (*i.e.*, A, G, U, C, or T) or modified bases (7-deazaguanosine, inosine, *etc.*). In addition, the bases in probes may be joined by a linkage other than a phosphodiester bond, so long as it does not interfere with hybridization. Thus, probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages.

The term "stringent conditions" refers to conditions under which a probe will hybridize to its target subsequence, but with only insubstantial hybridization to other sequences or to other sequences such that the difference may be identified. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer

sequences hybridize specifically at higher temperatures. Generally, stringent conditions are selected to be about 5oC lower than the thermal melting point (Tm) for the specific sequence at a defined ionic strength and pH.

Typically, stringent conditions will be those in which the salt concentration is at least about 0.01 to 1.0 M Na ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (*e.g.*, 10 to 50 nucleotide). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide.

The "percentage of sequence identity" or "sequence identity" is determined by comparing two optimally aligned sequences or subsequences over a comparison window or span, wherein the portion of the polynucleotide sequence in the comparison window may optionally comprise additions or deletions (*i.e.*, gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical submit (*e.g.* nucleic acid base or amino acid residue) occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity. Percentage sequence identity when calculated using the programs GAP or BESTFIT (see below) is calculated using default gap weights.

Probe design

One of skill in the art will appreciate that an enormous number of array designs are suitable for the practice of this invention. The high density array will typically include a number of probes that specifically hybridize to the sequences of interest. See WO 99/32660 for methods of producing probes for a given gene or genes. In addition, in a preferred embodiment, the array will include one or more control probes.

High density array chips of the invention include "test probes." Test probes could be oligonucleotides that range from about 5 to about 500 or 5 to about 45 nucleotides, more preferably from about 10 to about 40 nucleotides and most preferably from about 15 to about 40 nucleotides in length. In other particularly preferred embodiments the probes are 20 or 25 nucleotides in length. In another preferred embodiment, test probes are double or single strand DNA sequences. DNA sequences are isolated or cloned from natural sources or

amplified from natural sources using native nucleic acid as templates. These probes have sequences complementary to particular subsequences of the genes whose expression they are designed to detect. Thus, the test probes are capable of specifically hybridizing to the target nucleic acid they are to detect (the genes of Tables 1-5).

The term "perfect match probe" refers to a probe that has a sequence that is perfectly complementary to a particular target sequence. The probe is typically perfectly complementary to a portion (subsequence) of the target sequence. The perfect match (PM) probe can be a "test probe", a "normalization control" probe, an expression level control probe and the like. A perfect match control or perfect match probe is, however, distinguished from a "mismatch control" or "mismatch probe."

In addition to test probes that bind the target nucleic acid(s) of interest, the high density array can contain a number of control probes. The control probes fall into three categories referred to herein as 1) normalization controls; 2) expression level controls; and 3) mismatch controls.

Normalization controls are oligonucleotide or other nucleic acid probes that are complementary to labeled reference oligonucleotides or other nucleic acid sequences that are added to the nucleic acid sample to be screened. The signals obtained from the normalization controls after hybridization provide a control for variations in hybridization conditions, label intensity, "reading" efficiency and other factors that may cause the signal of a perfect hybridization to vary between arrays. In a preferred embodiment, signals (*e.g.*, fluorescence intensity) read from all other probes in the array are divided by the signal (*e.g.*, fluorescence intensity) from the control probes thereby normalizing the measurements.

Virtually any probe may serve as a normalization control. However, it is recognized that hybridization efficiency varies with base composition and probe length. Preferred normalization probes are selected to reflect the average length of the other probes present in the array, however, they can be selected to cover a range of lengths. The normalization control(s) can also be selected to reflect the (average) base composition of the other probes in the array, however in a preferred embodiment, only one or a few probes are used and they are selected such that they hybridize well (*i.e.*, no secondary structure) and do not match any target-specific probes.

Expression level controls are probes that hybridize specifically with constitutively expressed genes in the biological sample. Virtually any constitutively expressed gene

provides a suitable target for expression level controls. Typically expression level control probes have sequences complementary to subsequences of constitutively expressed "housekeeping genes" including, but not limited to an actin gene, the transferrin receptor gene, the GAPDH gene, and the like.

Mismatch controls or mismatch probes may also be provided for the probes to the target genes, for expression level controls or for normalization controls. Mismatch controls are oligonucleotide probes or other nucleic acid probes identical to their corresponding test or control probes except for the presence of one or more mismatched bases. A mismatched base is a base selected so that it is not complementary to the corresponding base in the target sequence to which the probe would otherwise specifically hybridize. One or more mismatches are selected such that under appropriate hybridization conditions (*e.g.*, stringent conditions) the test or control probe would be expected to hybridize with its target sequence, but the mismatch probe would not hybridize (or would hybridize to a significantly lesser extent). Preferred mismatch probes contain a central mismatch. Thus, for example, where a probe is a 20 mer, a corresponding mismatch probe will have the identical sequence except for a single base mismatch (*e.g.*, substituting a G, a C or a T for an A) at any of positions 6 through 14 (the central mismatch).

Mismatch probes thus provide a control for non-specific binding or cross hybridization to a nucleic acid in the sample other than the target to which the probe is directed. Mismatch probes also indicate whether a hybridization is specific or not. For example, if the target is present the perfect match probes should be consistently brighter than the mismatch probes. In addition, if all central mismatches are present, the mismatch probes can be used to detect a mutation. The difference in intensity between the perfect match and the mismatch probe provides a good measure of the concentration of the hybridized material.

Nucleic Acid Samples

As is apparent to one of ordinary skill in the art, nucleic acid samples used in the methods and assays of the invention may be prepared by any available method or process. Methods of isolating total mRNA are well known to those of skill in the art. For example, methods of isolation and purification of nucleic acids are described in detail in Chapter 3 *of Laboratory Techniques in Biochemistry and Molecular Biology*: *Hybridization With Nucleic Acid Probes*, Part I Theory and Nucleic Acid Preparation, P. Tijssen, Ed., Elsevier, N.Y.

(1993). Such samples include RNA samples, but also include cDNA synthesized from a mRNA sample isolated from a cell or tissue of interest. Such samples also include DNA amplified from the cDNA, and RNA transcribed from the amplified DNA. One of skill in the art would appreciate that it is desirable to inhibit or destroy RNase present in homogenates before homogenates can be used.

Biological samples may be of any biological tissue or fluid or cells from any organism as well as cells raised in vitro, such as cell lines and tissue culture cells. Biological samples may also include sections of tissues, such as frozen sections or formalin fixed sections taken for histological purposes. Frequently, the sample will be a "clinical sample" which is a sample derived from a patient. Typical clinical samples include, but are not limited to prostate tissue, urine, sputum, blood, blood-cells (*e.g.*, white cells or peripheral blood leukocytes (PBL), tissue or fine needle biopsy samples, peritoneal fluid, and pleural fluid, or cells therefrom.

Forming High Density Arrays.

Methods of forming high density arrays of oligonucleotides with a minimal number of synthetic steps are known. The oligonucleotide analogue array can be synthesized on a solid substrate by a variety of methods, including, but not limited to, light-directed chemical coupling, and mechanically directed coupling. See Pirrung *et al.*, U.S. Patent No. 5,143, 854.

In brief, the light-directed combinatorial synthesis of oligonucleotide arrays on a glass surface proceeds using automated phosphoramidite chemistry and chip masking techniques. In one specific implementation, a glass surface is derivatized with a silane reagent containing a functional group, *e.g.*, a hydroxyl or amine group blocked by a photolabile protecting group. Photolysis through a photolithogaphic mask is used selectively to expose functional groups which are then ready to react with incoming 5' photoprotected nucleoside phosphoramidites. The phosphoramidites react only with those sites which are illuminated (and thus exposed by removal of the photolabile blocking group). Thus, the phosphoramidites only add to those areas selectively exposed from the preceding step. These steps are repeated until the desired array of sequences have been synthesized on the solid surface. Combinatorial synthesis of different oligonucleotide analogues at different locations on the array is determined by the pattern of illumination during synthesis and the order of addition of coupling reagents.

In addition to the foregoing, additional methods which can be used to generate an array of oligonucleotides on a single substrate are described WO 93/09668. High density nucleic acid arrays can also be fabricated by depositing premade or natural nucleic acids in predetermined positions. Synthesized or natural nucleic acids are deposited on specific locations of a substrate by light directed targeting and oligonucleotide directed targeting. Another embodiment uses a dispenser that moves from region to region to deposit nucleic acids in specific spots.

Hybridization

Nucleic acid hybridization simply involves contacting a probe and target nucleic acid under conditions where the probe and its complementary target can form stable hybrid duplexes through complementary base pairing. See WO 99/32660. The nucleic acids that do not form hybrid duplexes are then washed away leaving the hybridized nucleic acids to be detected, typically through detection of an attached detectable label. It is generally recognized that nucleic acids are denatured by increasing the temperature or decreasing the salt concentration of the buffer containing the nucleic acids. Under low stringency conditions (*e.g.*, low temperature and/or high salt) hybrid duplexes (*e.g.*, DNA:DNA, RNA:RNA, or RNA:DNA) will form even where the annealed sequences are not perfectly complementary.

Thus specificity of hybridization is reduced at lower stringency. Conversely, at higher stringency (*e.g.*, higher temperature or lower salt) successful hybridization tolerates fewer mismatches. One of skill in the art will appreciate that hybridization conditions may be selected to provide any degree of stringency. In a preferred embodiment, hybridization is performed at low stringency in this case in 6X SSPE-T at 37°C (0.005% Triton X-100) to ensure hybridization and then subsequent washes are performed at higher stringency (*e.g.*, I X SSPE-T at 37oC) to eliminate mismatched hybrid duplexes. Successive washes may be performed at increasingly higher stringency (*e.g.*, down to as low as 0.25 X SSPET at 37°C to 50°C) until a desired level of hybridization specificity is obtained. Stringency can also be increased by addition of agents such as formamide. Hybridization specificity may be evaluated by comparison of hybridization to the test probes with hybridization to the various controls that can be present (*e.g.*, expression level control, normalization control, mismatch controls, *etc.*).

In general, there is a tradeoff between hybridization specificity (stringency) and signal intensity. Thus, in a preferred embodiment, the wash is performed at the highest stringency that produces consistent results and that provides a signal intensity greater than approximately 10% of the background intensity. Thus, in a preferred embodiment, the hybridized array may be washed at successively higher stringency solutions and read between each wash. Analysis of the data sets thus produced will reveal a wash stringency above which the hybridization pattern is not appreciably altered and which provides adequate signal for the particular oligonucleotide probes of interest.

Signal Detection

The hybridized nucleic acids are typically detected by detecting one or more labels attached to the sample nucleic acids. The labels may be incorporated by any of a number of means well known to those of skill in the art. See WO 99/32660.

Databases

The present invention includes relational databases containing sequence information, for instance for the genes of Tables 1-5, as well as gene expression information in various prostate tissue samples. Databases may also contain information associated with a given sequence or tissue sample such as descriptive information about the gene associated with the sequence information, metabolic pathway information for the gene or descriptive information concerning the clinical status of the tissue sample, or the patient from which the sample was derived. Such information for the patient may include, but is not limited to sex, age, disease status, general health information, surgical or treatment status, PSA levels, as well as information concerning the patient's clinical symptoms. The database may be designed to include different parts, for instance a sequence database and a gene expression database. Methods for the configuration and construction of such databases are widely available, for instance, see U.S. Patent 5,953,727, which is herein incorporated by reference in its entirety.

The databases of the invention may be linked to an outside or external database. In a preferred embodiment, as described in Tables 1-5, the external database is GenBank and the associated databases maintained by the National Center for Biotechnology Information (NCBI).

Any appropriate computer platform may be used to perform the necessary comparisons between sequence information, gene expression information and any other information in the database or provided as an input. For example, a large number of computer workstations are available from a variety of manufacturers, such has those available from Silicon Graphics. Client/server environments, database servers and networks are also widely available and appropriate platforms for the databases of the invention.

The databases of the invention may be used to produce, among other things, electronic Northerns that allow the user to determine the cell type or tissue in which a given gene is expressed and to allow determination of the abundance or expression level of a given gene in a particular tissue or cell.

The databases of the invention may also be used to present information identifying the expression level in a tissue or cell of a set of genes comprising at least two of the genes in Tables 1-5, comprising the step of comparing the expression level of at least one gene in Tables 1-5 found or detected in the tissue to the level of expression of the gene in the database. Such methods may be used to predict the hyperplastic state of a given tissue by comparing the level of expression of a gene or genes in Tables 1-5 from a sample to the expression levels found in normal prostate cells, BPH cells or tissue and/or malignant or cancerous prostate tissue. Such methods may also be used in the drug or agent screening assays as described below.

Selection of BPH-Associated Genes

BPH associated genes may be identified or selected by any available method, including subtractive hybridization protocols, differential display protocols and high-throughput hybridization formats, including oligonucleotide and cDNA microarray technologies.

Unprocessed or raw expression levels may be normalized, standardized and/or analyzed by any available computational method, including the expression level normalization, analysis and clustering methods herein described. The normalization method as described in Example 4 may be combined with any further analysis method, including any clustering methods available in the art.

Diagnostic Uses for the BPH Markers

As described above, the genes and gene expression information provided in Tables 1-5 may be used as diagnostic markers for the prediction or identification of the hyperplastic state of a prostate or other tissue. For instance, a prostate tissue or other patient sample may be assayed by any of the methods described above, and the expression levels from a gene or genes from Tables 1-5 may be compared to the expression levels found in normal prostate tissue, BPH tissue or BPH tissue from a patient with metastatic or nonmetastatic prostate cancer. In some instances, patient PBLs may be used as the patient sample. The comparison of expression data, as well as available sequence or other information may be done by researcher or diagnostician or may be done with the aid of a computer and databases as described above.

Use of the BPH Markers for Monitoring Disease Progression

As described above, the genes and gene expression information provided in Tables 1-5 may also be used as markers for the monitoring of disease progression, such as the development of BPH. For instance, a prostate tissue or other patient sample may be assayed by any of the methods described above, and the expression levels from a gene or genes from Tables 1-5 may be compared to the expression levels found in normal prostate tissue, BPH tissue or BPH tissue from a patient with metastatic or nonmetastatic prostate cancer. The comparison of the expression data, as well as available sequence or other information may be done by researcher or diagnostician or may be done with the aid of a computer and databases as described above.

The BPH markers of the invention may also be used to track or predict the progress or efficacy of a treatment regime in a patient. For instance, a patient's progress or response to a given drug may be monitored by creating a gene expression profile from a tissue or cell sample after treatment or administration of the drug. The gene expression profile may then be compared to a gene expression profile prepared from normal cells or tissue, for instance, normal prostate tissue. The gene expression profile may also be compared to a gene expression profile prepared from BPH or malignant prostate cells, or from tissue or cells from the same patient before treatment. The gene expression profile may be made from at least one gene, preferably more than one gene, and most preferably all or nearly all of the genes in Tables 1-5.

Use of the BPH Markers for Drug Screening

According to the present invention, the genes identified in Tables 1-5 can be used as markers to screen for potential therapeutic agents or compounds to treat BPH or prostate cancer. A candidate drug or agent can be screened for the ability to stimulate the transcription or expression of a given marker or to down-regulate or counteract the transcription or expression of a marker or markers. Compounds that modulate the expression level of single gene and also compounds that modulate the expression level of multiple genes from levels associated with a specific disease state to a normal state can be screened by using the markers and profiles identified herein.

According to the present invention, one can also compare the specificity of drug's effects by looking at the number of markers which are differentially expressed after drug exposure and comparing them. More specific drugs will have less transcriptional targets. Similar sets of markers identified for two drugs may indicate a similarity of effects.

Assays to monitor the expression of a marker or markers as defined in Tables 1-5 may utilize any available means of monitoring for changes in the expression level of the nucleic acids of the invention. As used herein, an agent is said to modulate the expression of a nucleic acid of the invention if it is capable of up- or down-regulating expression of the nucleic acid in a cell.

In one assay format, gene chips containing probes to at least 2 genes from Tables 1-5 may be used to directly monitor or detect changes in gene expression in the treated or exposed cell as described in more detail above. In another format, the changes of mRNA expression level can be detected using QuantiGene technology (Warrior *et. al.* (2000) *J. Biomolecular Screening*, 5, 343-351). Specific probes used for QuantiGene can be designed and synthesized to one or more genes from Tables 1-5. Cells treated with compounds are lysed by lysis buffer. The amount of target mRNA can be detected as a luminescence intensity using target specific probes.

In another format, cell lines that contain reporter gene fusions between the open reading frame and/or 5'/3' regulatory regions of a gene in Tables 1-5 and any assayable fusion partner may be prepared. Numerous assayable fusion partners are known and readily available including the firefly luciferase gene and the gene encoding chloramphenicol

acetyltransferase (Alam *et al.* (1990) *Anal. Biochem.* 188:245-254). Cell lines containing the reporter gene fusions are then exposed to the agent to be tested under appropriate conditions and time. Differential expression of the reporter gene between samples exposed to the agent and control samples identifies agents which modulate the expression of the nucleic acid.

Additional assay formats may be used to monitor the ability of the agent to modulate the expression of a gene identified in Tables 1-5. For instance, as described above, mRNA expression may be monitored directly by hybridization of probes to the nucleic acids of the invention. Cell lines are exposed to the agent to be tested under appropriate conditions and time and total RNA or mRNA is isolated by standard procedures such those disclosed in Sambrook *et al.* (*Molecular Cloning: A Laboratory Manual*, 2nd Ed. Cold Spring Harbor Laboratory Press, 1989).

In another assay format, cells or cell lines are first identified which express the gene products of the invention physiologically (see below). Cell and/or cell lines so identified would be expected to comprise the necessary cellular machinery such that the fidelity of modulation of the transcriptional apparatus is maintained with regard to exogenous contact of agent with appropriate surface transduction mechanisms and/or the cytosolic cascades. Such cell lines may be, but are not required to be, prostate derived. Further, such cells or cell lines may be transduced or transfected with an expression vehicle (*e.g.*, a plasmid or viral vector) construct comprising an operable non-translated 5'-promoter containing end of the structural gene encoding the instant gene products fused to one or more antigenic fragments, which are peculiar to the instant gene products, wherein said fragments are under the transcriptional control of said promoter and are expressed as polypeptides whose molecular weight can be distinguished from the naturally occurring polypeptides or may further comprise an immunologically distinct tag or some other detectable marker or tag. Such a process is well known in the art (see Maniatis).

Cells or cell lines transduced or transfected as outlined above are then contacted with agents under appropriate conditions; for example, the agent comprises a pharmaceutically acceptable excipient and is contacted with cells comprised in an aqueous physiological buffer such as phosphate buffered saline (PBS) at physiological pH, Eagles balanced salt solution (BSS) at physiological pH, PBS or BSS comprising serum or conditioned media comprising PBS or BSS and/or serum incubated at 37°C. Said conditions may be modulated as deemed necessary by one of skill in the art. Subsequent to contacting the cells with the agent, said

cells are disrupted and the polypeptides of the lysate are fractionated such that a polypeptide fraction is pooled and contacted with an antibody to be further processed by immunological assay (*e.g.*, ELISA, immunoprecipitation or Western blot). The pool of proteins isolated from the "agent-contacted" sample is then compared with a control sample where only the excipient is contacted with the cells and an increase or decrease in the immunologically generated signal from the "agent-contacted" sample compared to the control is used to distinguish the effectiveness of the agent.

Another embodiment of the present invention provides methods for identifying agents that modulate at least one activity of a protein(s) encoded by the genes in Tables 1-5. Such methods or assays may utilize any means of monitoring or detecting the desired activity.

In one format, the relative amounts of a protein of the invention between a cell population that has been exposed to the agent to be tested compared to an un-exposed control cell population may be assayed. In this format, probes such as specific antibodies are used to monitor the differential expression of the protein in the different cell populations. Cell lines or populations are exposed to the agent to be tested under appropriate conditions and time. Cellular lysates may be prepared from the exposed cell line or population and a control, unexposed cell line or population. The cellular lysates are then analyzed with the probe, such as a specific antibody.

Agents that are assayed in the above methods can be randomly selected or rationally selected or designed. As used herein, an agent is said to be randomly selected when the agent is chosen randomly without considering the specific sequences involved in the association of the a protein of the invention alone or with its associated substrates, binding partners, *etc.* An example of randomly selected agents is the use a chemical library or a peptide combinatorial library, or a growth broth of an organism.

As used herein, an agent is said to be rationally selected or designed when the agent is chosen on a nonrandom basis which takes into account the sequence of the target site and/or its conformation in connection with the agent's action. Agents can be rationally selected or rationally designed by utilizing the peptide sequences that make up these sites. For example, a rationally selected peptide agent can be a peptide whose amino acid sequence is identical to or a derivative of any functional consensus site.

The agents of the present invention can be, as examples, peptides, small molecules, vitamin derivatives, as well as carbohydrates. Dominant negative proteins, DNAs encoding

these proteins, antibodies to these proteins, peptide fragments of these proteins or mimics of these proteins may be introduced into cells to affect function. "Mimic" used herein refers to the modification of a region or several regions of a peptide molecule to provide a structure chemically different from the parent peptide but topographically and functionally similar to the parent peptide (see Grant GA. in: Meyers (ed.) Molecular Biology and Biotechnology (New York, VCH Publishers, 1995), pp. 659-664). A skilled artisan can readily recognize that there is no limit as to the structural nature of the agents of the present invention.

Cells used for Multi Gene Screening

Many kinds of cells such as primary cells and cell lines can be used for the drug screening methods of the invention. Cells or cell lines derived from prostatic tissues are preferred because the innate gene expression mechanisms of these cells often resemble those of prostatic tissues. Cells used for drug screening can be selected by assaying for the expression of one or more of the marker genes listed in Tables 1-5. The cells which differentially express one or more, or preferably nearly all of the marker genes listed in Tables 1-5 are preferred cells or cell lines for the methods of the invention (see Table 6).

Kits

The invention further includes kits combining, in different combinations, high-density oligonucleotide arrays, reagents for use with the arrays, signal detection and array-processing instruments, gene expression databases and analysis and database management software described above. The kits may be used, for example, to diagnose the disease state of a tissue or cell sample, to monitor the progression of prostate disease states, to identify genes that show promise as new drug targets and to screen known and newly designed drugs as discussed above.

The databases packaged with the kits are a compilation of expression patterns from human and laboratory animal genes and gene fragments (corresponding to the genes of Tables 1-5). In particular, the database software and packaged information include the expression results of Tables 1-5 that can be used in the assays and methods as herein described. In another format, database access is provided to the purchaser or user through an electronic means, *e.g.*, via the Internet or by direct dial-in access.

The kits may used in the pharmaceutical industry, where the need for early drug testing is strong due to the high costs associated with drug development, but where bioinformatics, in particular gene expression informatics, is still lacking. These kits will reduce the costs, time and risks associated with traditional new drug screening using cell cultures and laboratory animals. The results of large-scale drug screening of pre-grouped patient populations, pharmacogenomics testing, can also be applied to select drugs with greater efficacy and fewer side-effects. The kits may also be used by smaller biotechnology companies and research institutes who do not have the facilities for performing such large-scale testing themselves.

Databases and software designed for use with use with microarrays is discussed in Balaban *et al.*, U.S. Patent Nos. 6,229,911, a computer-implemented method for managing information, stored as indexed tables, collected from small or large numbers of microarrays, and 6,185,561, a computer-based method with data mining capability for collecting gene expression level data, adding additional attributes and reformatting the data to produce answers to various queries. Chee *et al.*, U.S. Patent No. 5,974,164, disclose a software-based method for identifying mutations in a nucleic acid sequence based on differences in probe fluorescence intensities between wild type and mutant sequences that hybridize to reference sequences.

Without further description, it is believed that one of ordinary skill in the art can, using the preceding description and the following illustrative examples, make and utilize the genes, chips, *etc.* of the present invention and practice the claimed methods. The following working examples therefore, specifically point out the preferred embodiments of the present invention, and are not to be construed as limiting in any way the remainder of the disclosure.

EXAMPLES

Example 1: Gene chip expression analysis

Human tissue was obtained from the transitional zone of the prostate (the junction between the ejaculatory duct and the prostatic urethra) in biopsy samples from normal individuals and from patients with BPH or prostate cancer. BPH was defined histologically in all samples. Normal tissue and asymptomatic BPH samples came from individuals who died of trauma and did not report symptoms. Because BPH is a disease associated with aging, two groups of normal individuals were identified, group 1, ages 20 or under, and group

2, ages 30-50. Patients having BPH with symptoms were defined as those with a need for frequent urination. In these patients, a radical prostatectomy had been performed. Prostate cancer patients provided age-matched tissue samples for symptomatic BPH patients, but were without symptoms and without cancer in the transitional zone under histological examination.

Microarray sample preparation was conducted with minor modifications, following the protocols set forth in the Affymetrix GeneChip Expression Analysis Manual. Frozen tissue was ground to a powder using a Spex Certiprep 6800 Freezer Mill. Total RNA was extracted with Trizol (GibcoBRL) utilizing the manufacturer's protocol. The total RNA yield for each sample was 200-500 μg per 300 mg tissue weight. mRNA was isolated using the Oligotex mRNA Midi kit (Qiagen) followed by ethanol precipitation. Double stranded cDNA was generated from mRNA using the SuperScript Choice system (GibcoBRL). First strand cDNA synthesis was primed with a T7-(dT24) oligonucleotide. The cDNA was phenol-chloroform extracted and ethanol precipitated to a final concentration of 1 μg/ml. From 2 μg of cDNA, cRNA was synthesized using Ambion's T7 MegaScript *in vitro* Transcription Kit.

To biotin label the cRNA, nucleotides Bio-11-CTP and Bio-16-UTP (Enzo Diagnostics) were added to the reaction. Following a 37°C incubation for six hours, impurities were removed from the labeled cRNA following the RNeasy Mini kit protocol (Qiagen). cRNA was fragmented (fragmentation buffer consisting of 200 mM Tris-acetate, pH 8.1, 500 mM KOAc, 150 mM MgOAc) for thirty-five minutes at 94°C. Following the Affymetrix protocol, 55 μg of fragmented cRNA was hybridized on the Affymetrix Human 42K array set for twenty-four hours at 60 rpm in a 45°C hybridization oven. The chips were washed and stained with Streptavidin Phycoerythrin (SAPE) (Molecular Probes) in Affymetrix fluidics stations. To amplify staining, SAPE solution was added twice with an anti-streptavidin biotinylated antibody (Vector Laboratories) staining step in between. Hybridization to the probe arrays was detected by fluorometric scanning (Hewlett Packard Gene Array Scanner). Data was analyzed using Affymetrix GeneChip version 3.0 and Expression Data Mining Tool (EDMT) software (version 1.0).

Differential expression of genes between the BPH and normal prostate samples were determined using the Affymetrix GeneChip human gene chip set by the following criteria: 1) For each gene, Affymetrix GeneChip average difference values were determined by standard Affymetrix EDMT software algorithms, which also made "Absent" (=not specifically

detected as gene expression), "Present" (=detected) or "Marginal" (=not clearly Absent or Present) calls for each GeneChip element; 2) all AveDiff values which were less than +20 (positive 20) were raised to a floor of +20 so that fold change calculations could be made where values were not already greater than or equal to +20; 3) median levels of expression were compared between the normal control group and the BPH with symptoms disease group to obtain greater than or equal 2-fold up/down values; 4) The median value for the higher expressing group needed to be greater or equal to 200 average difference units in order to be considered for statistical significance; 5) Genes passing the criteria of #1-4 were analyzed for statistical significance using a two-tailed T test and deemed statistically significant if $p < 0.05$. Tables 1 and 2 list the genes and their levels of differential expression (compared to normal samples) in BPH tissue from patients with symptoms of BPH and in BPH tissue immediately adjacent to malignant prostate tissue isolated from male patients.

Example 2 : Expression profile analysis

Gene expression profiles between normal sample and BPH patient samples were determined by using the following samples: 10 normal; 7 BPH without symptoms; 8 BPH with cancer; and 8 BPH with symptoms. Gene expression profiles were prepared using the 42K Affymetrix Gene Chip set. The methods used were the same as described in Example 1 with the exception of the criteria to select the marker genes.

The criteria used in this study were as follows; 1) For each gene, Affymetrix GeneChip average difference values were determined by standard Affymetrix EDMT software algorithms, which also made "Absent" (=not specifically detected as gene expression), "Present" (=detected) or "Marginal" (=not clearly Absent or Present) calls for each GeneChip element; 2) all AveDiff values which were less than +20 (positive 20) were raised to a floor of +20 so that fold change calculations could be made where values were not already greater than or equal to +20; 3) mean levels of expression were compared between the normal control group and the BPH with symptoms disease group; 4) genes were arranged by the fold change starting with the largest one (Fold change calculation was determined by using logarithmic values in Example 2); and 5) the top 200 up-regulated genes and bottom 200 down-regulated genes were selected. The genes identified in this study are listed in Tables 3 (normal vs. BPH with symptoms, up regulated) and 4 (normal vs. BPH with symptoms, down regulated, values are negative fold-change from normal).

Example 3 : Selection of Cell lines used for Multi Gene Screening

A number of cultured cell lines were tested to determine the similarity in gene expression profiles to BPH tissue. Cells were cultured in 6-well plates using the appropriate medium for each cell line. After reaching 90% confluency, cells were lysed with Trizol (GiboBRL) and total RNA was extracted. mRNA was then isolated, cDNA and cRNA was synthesized, and gene expression levels were determined by the Affymetrix Human 42K Gene Chip set as described in more detail above.

The gene expression profiles were compared with those of prostatic tissue samples. A panel of 61 genes whose expression levels were up-regulated in BPH with symptoms compared with normal samples and with small variation among samples (within BPH samples and within normal samples) were assayed. The group of genes whose signal intensity was more than 100 in each cell line is summarized in Table 1. A panel of 43 genes whose expression levels were down-regulated in BPH patient with small variation among samples was also assayed. The group of genes whose signal intensity in Affymetrix Gene Chip was "Present call" is also included in Table 1. Similarly, genes whose expression level is up- or down-regulated in patients with BPH and cancer, compared to normal controls, are listed in Table 2.

Forty-eight to 58% of genes applied for this analysis were expressed in the cell lines of Table 6. These results indicate that cell lines, BRF-55T (Biological Research Faculty & Facility Inc.), PZ-HPV7 (ATCC; CRL-2221) , BPH-1 (S.W. Hayward *et al.*, *In Vitro Cell Dev. Biol.* 31A, 14-24, 1995) and LNCaP (ATCC; CRL-1740) can be used as a BPH – like cell population to screen for compounds which are capable of modulating gene expression profiles from the disease state to a normal state using the genes of Tables 1-5. In particular, BRF-55T is a useful cell line for screening in the assays of the invention, because 58% genes of the assayed genes were differentially expressed in BRF-55T as compared to BPH with symptoms tissue.

Example 4 : Cluster analysis of up- or down-regulated genes in BPH

Cluster analysis of the expression results from a large number of genes is often problematic due to variations in the standardization of the gene expression data. To compensate for these variations, a subset of differentially expressed genes was selected by a modified analysis procedure.

In a first step, a gene list comparing normal vs. disease samples was generated by two kinds of comparisons. First, genes were selected that displayed a greater than or equal to

mean 2-fold up or down regulation using average difference expression values and with $p<0.05$. Second, genes were selected by ANOVA comparing the normal group of samples with the disease group and with a t value of >3 in the up or down direction. These lists were then combined to create an expression profile characteristic of normal controls and one characteristic of disease in which specific genes are found to be up or down regulated in disease when compared with normal controls.

In preparation for clustering analysis to identify subgroups of genes that show statistically similar expression patterns, average difference values for the selected genes were normalized across all samples (normal and disease combined) using the following formula:

Normalization data = (X - Xmean)/Sx

Where Sx is variance (:STD)

This converts the mean expression value for each gene to 0 and the high and low values to 1 and –1, respectively. Thus, genes with high absolute expression values when compared with genes with low absolute expression values would not skew the comparisons when clustering algorithms are applied.

The measurement of the cluster space distance was determined by using the correlation coefficient (1-r) method and clustering was performed using Ward's method (Ward,J.H. (1963) *Journal of American Statistical Association*, 58. 236.)

The clustering was validated by observing whether multiple elements representing the same genes showing the same direction of expression change (*i.e.*, either up or down) tend to cluster together. To test this standardization and clustering protocol, the expression levels for genes that are represented by more than one element on the 42K gene chip set were analyzed to determine whether the multiple elements for a single gene could be clustered together. For example, tryptase, also known as alpha tryptase or beta (tryptase II) is represented by two separate elements on the 42K human gene chip. This gene is registered with 2 different element names 41268 (5), M33493_s_at (code name, Up-170) and 26389 (3), rc_AA131322_s_at (code name, Up-010).

It was found that the best analysis means for decreasing measurement errors between these two elements is by the Ward method as it gave the most consistent results when compared to other clustering methods. These analysis methods may be incorporated into software or computer readable storage media for storing a computer programmer software.

Example 5 : Selection of 60 Marker Genes

A panel of 60 representative marker genes (listed in Table 5) out of 400 marker genes listed in Tables 3 and 4 can be used in the assays and methods of the invention. The 60 marker genes were selected based on following criteria: (1) expression level is changed greatly in BPH patient samples compared with normal samples; (2) variation of expression levels within BPH samples and within normal samples is small; and (3) expression levels resembling BPH with symptoms are detected in cell line BRF-55T.

Example 6: Gene Expression Analysis of Select Genes

The expression levels of three genes from Tables 1-5 (the genes encoding cellular retinol binding protein, S100 calcium binding protein and PSMA) were assayed in various tissues and prostate samples by PCR as described in Example 7 (see Figures 1-6). Each sample was assayed for the level of GAPDH and mRNA corresponding to cellular retinol binding protein, S100 calcium binding protein or PSMA. As seen in Figures 1-6, these three genes are differentially regulated or expressed in BPH tissue from patients with or without symptoms and from BPH tissue from patients with prostate cancer (compared to normal prostate tissue). All three genes are therefore useful markers in the assays of the invention, such as the assays to measure the effect of an agent on BPH or the assays to detect or diagnose the occurrence or progression of BPH.

Example 7: Drug Screening Assays

The expression profiles for normal controls and disease samples described above can be used to identify compound hits from a compound library. A hit may be, but is not necessarily, defined as one of three kinds of results:

1) The expression of an individual gene is changed in the direction of normal (*i.e.*, if up in disease, then down=hit, if down in disease, then up=hit). The stronger the modulation of an individual gene to a normal phenotype, the stronger the hit status for the compound against that gene.

2) The expression of genes that subcluster together is evaluated for an overall pattern of modulation to a normal expression profile. The more genes in a subcluster that are modulated to a normal phenotype, the stronger the hit status for the compound against that subcluster. A subcluster may represent common or interacting cellular pathways.

3) The overall expression profile of all of the genes being screened is evaluated for modulation to normal. The more genes that are modulated to a normal phenotype, the stronger the hit status for the compound against the entire gene set.

As described above, if a compound modulates the gene expression pattern of the screening system cells more towards any disease phenotype, then it can be used as a molecular probe to find binding proteins and/or define disease-associated cellular pathways.

As an example, candidate agents and compounds are screened for their ability to modulate the expression levels of cellular retinol binding protein, S100 calcium binding protein and PSMA by exposing a prostate cell line or cell line from BPH tissue to the agent and assaying the expression levels of these genes by real time PCR. Real time PCR detection is accomplished by the use of the ABI PRISM 7700 Sequence Detection System. The 7700 measures the fluorescence intensity of the sample each cycle and is able to detect the presence of specific amplicons within the PCR reaction. Each sample is assayed for the level of GAPDH and mRNA corresponding to cellular retinol binding protein, S100 calcium binding protein and PSMA. GAPDH detection is performed using Perkin Elmer part#402869 according to the manufacturer's directions. Primers were designed for the three genes by using Primer Express, a program developed by PE to efficiently find primers and probes for specific sequences ((1) N91971 - FAM PROBE Forward: 5'- CAT ggC TTT gTT TTA AgA AAA ggA A -3'; Reverse: 5'- AgC CAC CCC CAg gCA T -3'; Probe: 5'-FAM - AgT gAC AAA gCC AAg AgA CAg ACT CTg CTA ACA - TAMRA-3'; (2) X65614 – SYBR; Forward: 5'- AAA gAC AAg gAT gCC gTg gAT -3'; Reverse 5'-AgC CAC gAA CAC gAT gAA CTC-3'; (3) M99487-SYB; Forward 5'-Tgg CTC AgC ACC ACC Aga T-3'; Reverse: 5'-TTC Cag TAA AgC Cag gTC CAA-3')

These primers are used in conjunction with SYBR green (Molecular Probes), a nonspecific double stranded DNA dye, to measure the expression level mRNA corresponding to the genes, which is normalized to the GAPDH level in each sample.

Normalized expression levels from cells exposed to the agent are then compared to the normalized expression levels in control cells. Agents that modulate the expression of one or more the genes may be further tested as drug candidates in appropriate BPH *in vitro* or *in vivo* models.

Example 8 Diagnostic assays

The expression profiles or one or more of the individual genes of Tables 1-5 are used as molecular or diagnostic markers to evaluate the disease status of a patient sample. In one embodiment, a patient prostate tissue sample is processed as described herein to produce total cellular or mRNA. The RNA is hybridized to a chip continuing probes that specifically hybridize to one or more, or two or more of the genes in Tables 1-5. The overall expression profile generated, or the expression levels of individual genes are then compared to the profiles as described in Tables 1-5 to determine the disease or hyperplastic state of the patient sample.

Although the present invention has been described in detail with reference to examples above, it is understood that various modifications can be made without departing from the spirit of the invention. Accordingly, the invention is limited only by the following claims. All cited patents, applications, GenBank Accession numbers and publications referred to in this application are herein incorporated by reference in their entirety.

Normal1-Normal2 vs BPH-With Symptoms Table

TABLE 1

1654533.1	Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
Up-regulated	RC_AA410383_at	AA410383	B-cell-homing chemokine (ligand for Burkitt's lymphoma receptor-1)4q21	22.5	0.025197485
	RC_AA463726_s_at	AA463726	JM27 proteinXp11.23	14.9	0.018598344
	RC_AA057195_at	AA057195	Homo sapiens mRNA; cDNA DKFZp586M121 (from clone DKFZp586M121)	14.0	0.029325045
	V01512_rna1_at	V01512_rna1	v-fos FBJ murine osteosarcoma viral oncogene homolog14q24.3	13.1	0.001027561
	RC_AA427622_s_at	AA427622	collagen, type XIII, alpha 110q22	11.6	0.00074954
	RC_N23730_s_at	N23730	v-fos FBJ murine osteosarcoma viral oncogene homolog14q24.3	11.4	0.000631487
	RC_AA465491_at	AA465491	Mad4 homolog4p16.3	11.4	0.031024189
	RC_AA620825_at	AA620825	ESTs	11.3	0.010915901
	RC_R93908_at	R93908	ESTs	11.3	0.019994337
	RC_AA461300_at	AA461300	ESTs	11.0	0.007061759
	N40141_at	N40141	JM27 proteinXp11.23	10.9	0.013756347
	RC_R25410_at	R25410	ESTs	7.7	0.01851753
	L49169_at	L49169	FBJ murine osteosarcoma viral oncogene homolog B19q13.3	7.4	0.041523744
	RC_AA279760_at	AA279760	ESTs	7.0	0.024411468
	RC_T90889_at	T90889	ESTs	6.5	0.015666863
	U62015_at	U62015	insulin-like growth factor binding protein 101p22-p31	6.0	0.002843661
	RC_AA188981_at	AA188981	highly expressed in cancer, rich in leucine heptad repeats	5.9	0.002280479
	D83018_at	D83018	nel (chicken)-like 212q13.11-q13.12	5.6	0.000570952
	RC_H64493_f_at	H64493	immunoglobulin gamma 3 (Gm marker)14q32.33	5.6	0.01109802
	X52541_at	X52541	early growth response 15q31.1	5.2	0.002428259
	M57466_s_at	M57466	major histocompatibility complex, class II, DP beta 16p21.3	5.1	0.002137399
	J03507_at	J03507	complement component 75p13	4.9	1.36616E-05
	RC_N30198_at	N30198	ESTs	4.8	0.003366461
	RC_T78398_at	T78398	EST	4.8	0.033293747
	RC_H17550_at	H17550	ESTs	4.7	0.047828622
	RC_T67053_f_at	T67053	immumoglobulin lambda gene cluster22q11.1-q11.2	4.5	0.045107075
	RC_AA598982_s_at	AA598982	trophininXp11.22-p11.21	4.3	0.000902336
	RC_AA256268_at	AA256268	ESTs	4.2	0.001506239
	HG3543-HT3739_at	M29645	insulin-like growth factor 2 (somatomedin A)11p15.5	4.1	0.017253126
	RC_N91971_f_at	N91971	retinol-binding protein 1, cellular3q23	4.1	0.02528773
	RC_AA479286_at	AA479286	ESTs	4.0	0.028009544
	M62831_at	M62831	immediate early protein19	4.0	0.000484086
	RC_F02992_at	F02992	ESTs, Weakly similar to unknown [M.musculus]	3.9	0.031845412
	RC_H86112_f_at	H86112	KIAA0471 gene product1q24-q25	3.8	0.004155259
	RC_AA436616_at	AA436616	ESTs	3.8	0.017156387
	RC_T62857_at	T62857	ESTs	3.7	0.000301735
	RC_AA281345_f_at	AA281345	immediate early protein19	3.6	0.001679723
	U21128_at	U21128	lumican12q21.3-q22	3.6	2.19529E-05
	U30521_at	U30521	P311 protein	3.6	0.001150397
	RC_N58172_at	N58172	ESTs	3.5	0.043092144
	RC_T03229_f_at	T03229	EST	3.5	0.031101935
	X06700_s_at	X06700	collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant)2q31	3.5	0.008472599
	RC_Z39904_at	Z39904	Homo sapiens clone 23555 mRNA sequence	3.4	0.002949046
	RC_T23622_at	T23622	ESTs	3.4	0.002174281
	J00231_f_at	J00231	immunoglobulin gamma 3 (Gm marker)14q32.33	3.4	0.009322568
	RC_AA028092_s_at	AA028092	transcription factor 216pter-qter	3.4	3.13963E-06
	RC_AA252528_at	AA252528	ESTs	3.4	0.000225707
	L33799_at	L33799	procollagen C-endopeptidase enhancer7q22	3.3	0.018469201

Normal1-Normal2 vs BPH-With Symptoms Table

TABLE 1

1654533.1 Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
RC_F09748_s_at	F09748	Homo sapiens mRNA; cDNA DKFZp586K1220 (from clone DKFZp586K1220)	3.2	0.02728166
RC_T64223_s_at	T64223	carboxypeptidase A3 (mast cell)3q21 q25	3.2	0.027915742
RC_AA402903_f_at	AA402903	immunoglobulin gamma 3 (Gm marker)14q32.33	3.2	0.044721116
RC_F13763_at	F13763	ESTs	3.1	0.000503701
RC_AA488432_at	AA488432	phosphoserine phosphatase7p21-	3.1	0.020997503
RC_AA486072_i_at	AA486072	small inducible cytokine A5 (RANTES)17q11.2-q12	3.1	0.025877597
RC_N22006_s_at	N22006	EST	3.1	0.00148561
RC_AA257093_r_at	AA257093	T-cell receptor, beta cluster7q35	3.1	1.71945E-07
RC_AA609943_at	AA609943	ESTs	3.0	0.029360518
RC_T23490_s_at	T23490	ESTs	3.0	0.008741411
D13628_at	D13628	angiopoietin 18q22.3-q23	2.9	0.006228419
M73720_at	M73720	carboxypeptidase A3 (mast cell)3q21 q25	2.9	0.006585391
Z74616_s_at	Z74616	collagen, type I, alpha 27q22.1	2.8	0.008750622
AA082546_at	AA082546	ESTs	2.8	0.019771126
RC_AA284920_at	AA284920	ESTs	2.7	0.019738239
RC_AA599365_at	AA599365	decorin12q23	2.7	0.001295936
X57025_at	X57025	insulin-like growth factor 1 (somatomedin C)12q22-q23	2.7	0.022341194
X51345_at	X51345	jun B proto-oncogene19p13.2	2.7	0.036487159
RC_N67876_s_at	N67876	insulin-like growth factor 1 (somatomedin C)12q22-q23	2.7	0.035216134
RC_AA609504_at	AA609504	KIAA0405 gene product	2.7	0.020881055
RC_N69207_at	N69207	ESTs, Moderately similar to !!!! ALU SUBFAMILY SB2 WARNING ENTRY !!!! [H.sapiens]	2.6	0.041315387
M87789_s_at	M87789	immunoglobulin gamma 3 (Gm marker)14q32.33	2.6	0.038916248
HG3510-HT3704_at	X12795	nuclear receptor subfamily 2, group F, member 15q14	2.6	0.016151338
RC_T64211_at	T64211	ESTs, Weakly similar to pancortin-1 [M.musculus]	2.6	0.006233291
U90552_s_at	U90552	butyrophilin, subfamily 3, member A16p23	2.6	0.004564282
M34516_r_at	M34516	immunoglobulin lambda-like polypeptide 322q11.2	2.6	0.049767038
RC_T23468_at	T23468	ESTs	2.5	0.00250737
RC_AA173223_at	AA173223	ESTs, Weakly similar to !!!! ALU SUBFAMILY SQ WARNING ENTRY !!!! [H.sapiens]	2.5	0.007080285
RC_T49061_at	T49061	ESTs	2.5	0.039642391
RC_AA234095_at	AA234095	ESTs	2.5	0.003152859
RC_F01920_s_at	F01920	pre-B-cell leukemia transcription factor 39q33-q34	2.5	0.002088945
RC_N91461_at	N91461	ESTs	2.4	0.01015467
RC_N67575_s_at	N67575	osteoglycin (osteoinductive factor)	2.4	0.004044061
RC_AA151210_at	AA151210	ESTs	2.4	0.011476541
AA156897_s_at	AA156897	Homo sapiens mRNA; cDNA DKFZp564I1922 (from clone DKFZp564I1922)	2.4	0.033974981
W73859_at	W73859	transcription factor 216pter-qter	2.4	0.024640626
RC_H68097_at	H68097	EST	2.4	0.04870874
RC_AA436618_at	AA436618	ESTs	2.4	0.02483165
M33493_s_at	M33493	tryptase, beta (tryptase II)16p13.3	2.4	0.02689938
AB002340_at	AB002340	KIAA0342 gene product	2.3	0.000748796
RC_AA446661_at	AA446661	ESTs	2.3	0.011980248
RC_AA084138_at	AA084138	ESTs	2.3	1.16025E-05
RC_N59866_at	N59866	ESTs, Weakly similar to putative p150 [H.sapiens]	2.3	0.002042263
RC_R42424_at	R42424	ESTs	2.3	0.003173074
RC_N39415_at	N39415	osteoglycin (osteoinductive factor)	2.3	0.001310764

Normal1-Normal2 vs BPH-With Symptoms Table TABLE 1

1654533.1 Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
J03464_s_at	J03464	collagen, type I, alpha 27q22.1	2.3	0.006791534
RC_AA205376_at	AA205376	KIAA0471 gene product1q24-q25	2.3	0.023123837
RC_H95960_at	H95960	secreted protein, acidic, cysteine-rich (osteonectin)5q31.3-q32	2.3	0.008509182
D28137_at	D28137	bone marrow stromal cell antigen 219p13.2	2.3	0.031127266
RC_N79778_at	N79778	extracellular matrix protein 2, female organ and adipocyte specific9q22.3	2.3	0.045073744
RC_N98485_s_at	N98485	forkhead (Drosophila)-like 66p25.3	2.3	0.033372862
M98539_at	M98539	prostaglandin D2 synthase (21kD, brain)9q34.2-q34.3	2.2	0.005442674
RC_AA205724_at	AA205724	ESTs	2.2	0.006183612
U85625_at	U85625	Homo sapiens ribonuclease 6 precursor, mRNA, complete cds.	2.2	0.001245066
RC_R37588_s_at	R37588	RAB2, member RAS oncogene family-like6p21.3	2.2	0.00219386
RC_AA046426_at	AA046426	Cdc42 effector protein 3	2.2	0.005788723
RC_AA256294_at	AA256294	ESTs	2.2	0.002425605
RC_AA599120_at	AA599120	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member 1	2.2	0.042979241
RC_W60186_at	W60186	ESTs	2.2	0.028494835
RC_AA599216_at	AA599216	collapsin response mediator protein 14p16.1-p15	2.2	0.040523744
RC_AA450324_at	AA450324	ESTs	2.1	0.009094567
M31994_at	M31994	Homo sapiens aldehyde dehydrogenase (ALDH1) gene	2.1	0.001561218
RC_AA402930_at	AA402930	ESTs	2.1	0.000114627
M91029_cds2_at	M91029_cds2	Human AMP deaminase isoform L (AMPD2) mRNA, exons 6-18, partial cds	2.1	0.02494373
RC_AA450114_at	AA450114	ESTs, Weakly similar to 17beta-hydroxysteroid dehydrogenase [H.sapiens]	2.1	4.87556E-06
D62584_at	D62584	osteoglycin (osteoinductive factor)	2.1	0.000157116
RC_AA621634_at	AA621634	ESTs	2.1	0.02297009
RC_AA312946_s_at	AA312946	ESTs	2.1	3.51075E-05
X07438_s_at	X07438	Human DNA for cellular retinol binding protein (CRBP)	2.1	0.039015947
RC_N53447_at	N53447	integral membrane protein 2CXq21.1 21.2	2.1	0.009032297
RC_AA281591_at	AA281591	Homo sapiens mRNA; cDNA DKFZp586B211 (from clone DKFZp586B211)	2.0	0.016660714
RC_R71395_at	R71395	ESTs, Moderately similar to alternatively spliced product using exon 13A [H.sapiens]	2.0	0.046231847
RC_T53590_s_at	T53590	cytochrome P450, subfamily XIA (cholesterol side chain cleavage)15q23-q24	2.0	0.00282074
RC_AA293489_at	AA293489	KIAA0638 protein	2.0	0.006966532
RC_AA447707_s_at	AA447707	KIAA1055 protein	2.0	0.001248537
RC_AA235618_f_at	AA235618	ESTs	2.0	0.012481746
RC_N68350_at	N68350	ESTs	2.0	0.035156598
RC_H81379_s_at	H81379	ESTs, Moderately similar to KIAA0438 [H.sapiens]	2.0	0.01148429
RC_D51060_s_at	D51060	Jun activation domain binding protein1p32-p31	2.0	0.016668951
U72649_at	U72649	B-cell translocation gene 2 (pheochromacytoma cell-3)1q32	2.0	0.020660388
RC_AA287389_at	AA287389	ESTs	2.0	0.002741873
RC_AA621367_at	AA621367	ESTs	2.0	0.004871903
J03040_at	J03040	secreted protein, acidic, cysteine-rich (osteonectin)5q31.3-q32	2.0	0.006303994

Normal1-Normal2 vs BPH-With Symptoms Table

TABLE 1

1654533.1	Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
	RC_AA291676_s_at	AA291676	non-metastatic cells 5, protein expressed in (nucleoside-diphosphate kinase)5q23-q31	2.0	0.027480479
	RC_N63536_at	N63536	ESTs	2.0	0.000634305
	RC_AA411952_at	AA411952	UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase, polypeptide 33q25	2.0	0.011858934
	RC_AA252802_s_at	AA252802	Human mRNA for TI-227H	2.0	0.041027635
	RC_AA382275_at	AA382275	ESTs	2.0	0.00087437
	AA093923_at	AA093923	tissue inhibitor of metalloproteinase 217q25	2.0	0.046200886
	M11313_s_at	M11313	alpha-2-macroglobulin12p13.3-p12.3	2.0	0.013660595
	RC_AA398280_at	AA398280	ESTs	2.0	0.044320644
	RC_N51529_at	N51529	ESTs	2.0	0.006276979
	H49440_at	H49440	nudix (nucleoside diphosphate linked moiety X)-type motif 36p21.2	2.0	0.013879331
	RC_T33263_s_at	T33263	KIAA0320 protein	2.0	0.009994615
	RC_T89160_r_at	T89160	ESTs	2.0	0.005289266
	RC_W56792_at	W56792	ESTs, Weakly similar to serine/threonine protein kinase TAO1 [R.norvegicus]	2.0	0.026130523
	RC_R60056_at	R60056	ESTs, Moderately similar to alternatively spliced product using exon 13A [H.sapiens]	2.0	0.001585076
Down-regulated	RC_AA398908_at	AA398908	Human Chromosome 16 BAC clone CIT987SK-A-61E3	-21.7	0.007918174
	RC_AA460914_at	AA460914	ESTs	-15.8	0.013659536
	RC_T40895_at	T40895	ESTs	-12.6	0.002430219
	RC_R71792_s_at	R71792	ESTs, Moderately similar to FAT-SPECIFIC PROTEIN FSP27 [M.musculus]	-9.8	0.01438632
	RC_N80129_i_at	N80129	metallothionein 1L16q13	-8.7	0.002816872
	X66141_at	X66141	myosin, light polypeptide 2, regulatory, cardiac, slow12q23-q24.3	-8.0	0.03928942
	AA234634_f_at	AA234634	CCAAT/enhancer binding protein (C/EBP), delta8p11.2-p11.1	-7.4	0.000589696
	U78294_at	U78294	arachidonate 15-lipoxygenase, second type	-6.8	0.017271608
	RC_AA457566_at	AA457566	ESTs	-6.6	0.029644622
	X93036_at	X93036	phospholemman-like, expressed in breast tumors, 8kD	-6.2	0.011323909
	X57129_at	X57129	H1 histone family, member 26p21.3	-6.1	0.004161922
	HG1067-HT1067_r_at	M22406	Human intestinal mucin mRNA, partial cds, clone SMUC 42	-5.8	0.007202185
	X65614_at	X65614	S100 calcium-binding protein P4p16	-5.8	0.006892572
	RC_AA609006_at	AA609006	ESTs	-5.7	0.015701354
	J03910_rna1_at	J03910_rna1	metallothionein 1G16q13	-5.7	0.003506953
	RC_H94471_at	H94471	occludin5q13.1	-5.6	0.025014274
	AB000584_at	AB000584	prostate differentiation factor	-5.4	0.003235425
	RC_W88568_at	W88568	glycogenin 2Xp22.3	-5.1	0.048573115
	V00594_at	V00594	metallothionein 2A16q13	-5.0	0.000721258
	RC_T73433_s_at	T73433	angiotensinogen1q41-qter	-4.9	0.012700144
	RC_N94303_at	N94303	ESTs	-4.5	4.88059E-05
	RC_AA419011_at	AA419011	Homo sapiens mRNA; cDNA DKFZp586D0823 (from clone DKFZp586D0823)	-4.1	0.013801595
	RC_N32748_at	N32748	ESTs	-4.1	0.018749207
	RC_AA053424_at	AA053424	ESTs, Weakly similar to mucin Muc3 [R.norvegicus]	-4.0	0.001235197
	RC_AA599331_at	AA599331	ESTs	-4.0	0.005480655
	M99487_at	M99487	folate hydrolase (prostate-specific membrane antigen) 111p11.2	-3.9	0.013268152
	RC_F02245_at	F02245	monoamine oxidase AXp11.4-p11.3	-3.8	0.002950391
	X76717_at	X76717	metallothionein 1L16q13	-3.7	0.000868707
	X64177_f_at	X64177	metallothionein 1H16q13	-3.7	0.002089771

Normal1-Normal2 vs BPH-With Symptoms Table

TABLE 1

1654533.1 Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
RC_AA599522_r_at	AA599522	squamous cell carcinoma antigen recognised by T cells	-3.6	0.012643918
L77701_at	L77701	human homolog of yeast mitochondrial copper recruitment gene	-3.6	0.003341007
RC_D11824_at	D11824	ESTs, Moderately similar to weak similarity to Arabidopsis thaliana ubiquitin-like protein 8 [C.elegans]	-3.6	0.000803294
RC_AA410311_at	AA410311	ESTs	-3.5	0.001234064
RC_AA457235_at	AA457235	ESTs	-3.5	0.012177965
RC_N93798_at	N93798	protein tyrosine phosphatase type IVA, member 3	-3.5	0.007340453
RC_AA416762_s_at	AA416762	nuclear receptor subfamily 1, group H, member 219q13.3-19q13.3	-3.5	0.010404304
RC_F03969_at	F03969	ESTs, Weakly similar to tumorous imaginal discs protein Tid56 homolog [H.sapiens]	-3.5	0.011826812
RC_AA045487_at	AA045487	ESTs	-3.4	0.025187615
RC_Z38744_at	Z38744	putative gene product13	-3.4	2.30674E-05
RC_N92502_s_at	N92502	ESTs, Moderately similar to HERV-E integrase [H.sapiens]	-3.4	0.02301359
RC_R91484_at	R91484	ESTs	-3.4	8.2306E-05
RC_AA165313_at	AA165313	ESTs	-3.3	0.028364404
RC_AA182030_at	AA182030	ESTs	-3.3	0.019770486
RC_T94447_s_at	T94447	ESTs, Moderately similar to (defline not available 4335935) [M.musculus]	-3.3	0.001427294
RC_W20486_f_at	W20486	ESTs	-3.3	0.002892697
RC_R16983_at	R16983	ESTs	-3.2	0.000912559
RC_AA504805_s_at	AA504805	interferon stimulated gene (20kD)15q26	-3.2	0.003905701
RC_T90190_s_at	T90190	H1 histone family, member 26p21.3	-3.2	0.020618793
RC_AA135870_at	AA135870	ESTs	-3.1	0.04609197
RC_H99035_at	H99035	ESTs	-3.1	0.000191451
RC_R28370_at	R28370	ESTs	-3.1	0.024606319
RC_T40995_f_at	T40995	alcohol dehydrogenase 3 (class I), gamma polypeptide4q21-q23	-3.1	0.024064044
MIP1-B_at	MIP1-B	karyopherin (importin) beta 2	-3.1	0.005882353
RC_AA447522_at	AA447522	ESTs, Highly similar to differentially expressed in Fanconi anemia [H.sapiens]	-3.1	0.003518059
RC_AA461453_at	AA461453	ESTs, Moderately similar to Cab45a [M.musculus]	-3.0	0.021949087
AA429539_f_at	AA429539	ESTs	-3.0	0.017623102
RC_AA476944_at	AA476944	ESTs	-3.0	0.019974254
RC_N80129_f_at	N80129	metallothionein 1L16q13	-3.0	0.000219038
RC_N26904_at	N26904	ESTs, Weakly similar to FK506/rapamycin-binding protein FKBP13 precursor [H.sapiens]	-2.9	0.006305062
RC_AA505136_at	AA505136	ESTs	-2.9	0.005400284
AA455001_s_at	AA455001	ESTs	-2.9	2.1534E-05
RC_W70131_at	W70131	ESTs	-2.9	0.005764635
RC_AA043349_at	AA043349	ESTs	-2.9	0.016983419
U02020_at	U02020	pre-B-cell colony-enhancing factor	-2.9	0.003324497
U52969_at	U52969	Purkinje cell protein 421q22.2-q22.3	-2.8	0.00078638
RC_H22453_at	H22453	ESTs	-2.8	0.000410695
RC_N22620_at	N22620	ESTs	-2.8	0.005507089
RC_N64683_at	N64683	ESTs	-2.8	0.00378977
RC_N24761_at	N24761	ESTs	-2.8	0.004837185
RC_AA464728_s_at	AA464728	ESTs	-2.8	0.004669897
RC_H83380_at	H83380	ESTs	-2.7	0.016543793
M30894_at	M30894	T-cell receptor, gamma cluster7p15-p14	-2.7	0.034153167
RC_H81070_f_at	H81070	Human metallothionein (MT)I-F gene	-2.7	0.022654931
J00073_at	J00073	actin, alpha, cardiac muscle15q11-qter	-2.7	0.029724167

Normal1-Normal2 vs BPH-With Symptoms Table

TABLE 1

1654533.1

Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
RC_H05084_at	H05084	ESTs, Weakly similar to ORF YDL055c [S.cerevisiae]	-2.7	0.016965435
AA045870_at	AA045870	Homo sapiens mRNA; cDNA DKFZp564A072 (from clone DKFZp564A072)	-2.7	0.005480167
RC_T68873_f_at	T68873	metallothionein 1L16q13	-2.7	0.001140431
RC_N72253_at	N72253	ESTs	-2.7	0.001832591
RC_AA447977_s_at	AA447977	Homo sapiens mRNA; cDNA DKFZp564A072 (from clone DKFZp564A072)	-2.7	0.001255304
RC_H18947_at	H18947	ESTs	-2.7	0.00193501
RC_H77597_f_at	H77597	metallothionein 1H16q13	-2.7	0.001560766
RC_H94475_s_at	H94475	alpha-2-plasmin inhibitor17pter-p12	-2.6	0.01435663
RC_AA025370_at	AA025370	KIAA0872 protein	-2.6	0.013924142
RC_AA443114_at	AA443114	ESTs, Moderately similar to PIM-1 PROTO-ONCOGENE SERINE/THREONINE-PROTEIN KINASE [M.musculus]	-2.6	0.000703574
RC_F09684_at	F09684	ESTs	-2.6	0.000107291
RC_AA031360_s_at	AA031360	ESTs	-2.6	0.047293081
RC_AA416685_at	AA416685	UNC13 (C. elegans)-like9p11-p12	-2.6	0.023296279
D29805_at	D29805	UDP-Gal:betaGlcNAc beta 1,4-galactosyltransferase, polypeptide 19p13	-2.6	2.3562E-05
RC_H58873_s_at	H58873	solute carrier family 2 (facilitated glucose transporter), member 11p35-p31.3	-2.5	0.000710917
M10942_at	M10942	metallothionein 1E (functional)16q13	-2.5	0.017370635
RC_T03593_at	T03593	ESTs	-2.5	0.006239127
RC_N95495_at	N95495	small inducible cytokine A5 (RANTES)17q11.2-q12	-2.5	0.002392984
RC_AA017063_r_at	AA017063	ESTs, Highly similar to Miz-1 protein [H.sapiens]	-2.5	0.048093776
RC_R00144_at	R00144	ESTs	-2.5	0.018222161
RC_AA599522_f_at	AA599522	squamous cell carcinoma antigen recognised by T cells	-2.5	0.03100833
RC_AA219552_s_at	AA219552	ESTs	-2.5	0.043156485
RC_AA447537_at	AA447537	ESTs, Moderately similar to (defline not available 5360237) [M.musculus]	-2.5	0.031129269
RC_AA070752_s_at	AA070752	insulin receptor substrate 12q36	-2.5	0.002895462
RC_R02003_r_at	R02003	ESTs, Weakly similar to cappuccino [D.melanogaster]	-2.4	0.002315115
L13698_at	L13698	growth arrest-specific 19q21.3-q22.1	-2.4	0.013393145
RC_AA432292_at	AA432292	ESTs, Moderately similar to B cell growth factor [H.sapiens]	-2.4	0.000956642
RC_H99648_s_at	H99648	DNA segment, single copy probe LNS-CAI/LNS-CAII (deleted in polyposis5q22-q23	-2.4	0.009066307
RC_AA131919_at	AA131919	putative type II membrane protein	-2.4	0.000187872
RC_AA621695_at	AA621695	ESTs	-2.4	0.008761556
RC_AA598695_at	AA598695	ESTs, Weakly similar to !!!! ALU SUBFAMILY SX WARNING ENTRY !!!! [H.sapiens]	-2.4	0.000549977
RC_AA430388_at	AA430388	ESTs, Moderately similar to !!!! ALU SUBFAMILY SQ WARNING ENTRY !!!! [H.sapiens]	-2.4	0.000135176
M24069_at	M24069	cold shock domain protein A12p13.1	-2.4	0.015890231
RC_AA434108_at	AA434108	Homo sapiens heat shock protein hsp40-3 mRNA, complete cds	-2.4	0.013182623
RC_AA405488_at	AA405488	ESTs	-2.3	0.015044159
RC_AA419546_at	AA419546	ESTs	-2.3	0.030432017
RC_W38197_at	W38197	EST	-2.3	0.013006462
RC_R38709_s_at	R38709	superoxide dismutase 2, mitochondrial6q25.3	-2.3	0.03567491
RC_AA121142_at	AA121142	ESTs, Moderately similar to copper transport protein HAH1 [H.sapiens]	-2.3	0.043639016

Normal1-Normal2 vs BPH-With Symptoms Table TABLE 1

1654533.1 Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
RC_N26801_at	N26801	ESTs	-2.3	0.000580867
RC_N75960_at	N75960	ESTs	-2.3	0.01244791
RC_R36969_at	R36969	ESTs	-2.3	0.019129486
AA046840_at	AA046840	CCAAT/enhancer binding protein (C/EBP), delta8p11.2-p11.1	-2.3	0.002504544
RC_R46074_at	R46074	transforming, acidic coiled-coil containing protein 210q26	-2.3	0.003462273
X06956_at	X06956	tubulin, alpha 1 (testis specific)2q	-2.3	0.015437809
RC_H84761_s_at	H84761	glutathione peroxidase 13p21.3	-2.2	0.000365528
RC_W52065_f_at	W52065	KIAA0539 gene product	-2.2	0.016497348
RC_AA279757_at	AA279757	ESTs, Weakly similar to (defline not available 4481810) [D.melanogaster]	-2.2	0.003272622
RC_H16676_s_at	H16676	ESTs, Weakly similar to (defline not available 5107634) [R.norvegicus]	-2.2	8.86866E-05
RC_AA255480_at	AA255480	ESTs	-2.2	0.009359024
RC_R96924_s_at	R96924	ESTs	-2.2	0.000201685
RC_AA342337_at	AA342337	ESTs, Moderately similar to !!!! ALU SUBFAMILY SQ WARNING ENTRY !!!! [H.sapiens]	-2.2	0.024999347
RC_AA004699_at	AA004699	putative translation initiation factor	-2.2	0.022298405
RC_AA401965_at	AA401965	tumor suppressor deleted in oral cancer-related 111q13	-2.2	0.006294885
RC_F02470_at	F02470	Homo sapiens clone 24796 mRNA sequence	-2.2	0.022313149
X76180_at	X76180	sodium channel, nonvoltage-gated 1 alpha12p13	-2.2	0.023078001
RC_R49138_s_at	R49138	coatomer protein complex, subunit epsilon	-2.2	0.020401578
RC_D80237_s_at	D80237	actin related protein 2/3 complex, subunit 4 (20 kD)	-2.2	0.022022634
RC_AA402224_at	AA402224	growth arrest and DNA-damage-inducible, gamma9q22.1-q22.2	-2.2	0.014983528
RC_AA281599_at	AA281599	Homo sapiens mRNA for for histone H2B, clone pjG4-5-14	-2.2	0.029567009
RC_N78630_at	N78630	KIAA0870 protein	-2.2	0.006668895
X85785_rna1_at	X85785_rna1	Duffy blood group1q21-q22	-2.2	0.018706507
RC_AA412063_at	AA412063	ESTs	-2.2	0.000686563
RC_AA022886_at	AA022886	ESTs, Weakly similar to phosphatidylinositol transfer protein [H.sapiens]	-2.2	0.000777067
RC_N24899_at	N24899	ESTs	-2.2	0.030610964
RC_AA101767_at	AA101767	ESTs	-2.2	0.009040467
RC_AA045503_at	AA045503	ESTs, Weakly similar to Homo sapiens p20 protein [H.sapiens]	-2.2	0.021950966
RC_F10078_at	F10078	ESTs	-2.1	0.040699115
RC_H02308_at	H02308	ESTs	-2.1	0.036730715
RC_AA284153_at	AA284153	ESTs	-2.1	0.021270233
RC_AA453433_at	AA453433	HLA-B associated transcript-16p21.3	-2.1	0.013366375
RC_AA403159_at	AA403159	Homo sapiens Ste-20 related kinase SPAK mRNA, complete cds	-2.1	0.025212073
RC_T17428_s_at	T17428	Homo sapiens clone 23836 mRNA sequence	-2.1	0.044754602
RC_W92449_at	W92449	ESTs, Highly similar to (defline not available 4587714) [H.sapiens]	-2.1	0.019386585
RC_AA609312_at	AA609312	ESTs	-2.1	0.003204911
D28589_at	D28589	Human mRNA (KIAA00167), partial sequence	-2.1	0.000408478
RC_AA232508_at	AA232508	ESTs, Highly similar to (defline not available 4929647) [H.sapiens]	-2.1	0.004626663
RC_AA280929_s_at	AA280929	ESTs	-2.1	0.028189798
W63793_at	W63793	S-adenosylmethionine decarboxylase 16q21-q22	-2.1	0.032076011
RC_R36881_s_at	R36881	Homo sapiens DNA from chromosome 19-cosmid R30879 containing USF2, genomic sequence	-2.1	0.007343473
RC_AA278767_s_at	AA278767	ESTs	-2.1	0.001983494

Normal1-Normal2 vs BPH-With Symptoms Table

TABLE 1

1654533.1 Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
RC_R98442_at	R98442	ESTs	-2.1	0.007227226
X99728_at	X99728	H.sapiens NDUFV3 gene, exon 3.	-2.1	0.001404191
RC_R09379_at	R09379	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 212q13	-2.1	0.006004344
RC_R99092_at	R99092	EST, Moderately similar to (defline not available 5052951) [H.sapiens]	-2.1	0.016256526
X95325_s_at	X95325	cold shock domain protein A12p13.1	-2.1	0.025953179
RC_T56281_f_at	T56281	Human metallothionein (MT)I-F gene	-2.1	0.032089569
RC_R44397_at	R44397	ESTs	-2.1	0.000265391
RC_H27180_f_at	H27180	ESTs	-2.1	0.004317675
AA165312_at	AA165312	ESTs	-2.1	0.025559572
RC_AA279313_s_at	AA279313	methyl CpG binding protein 2Xq28	-2.1	0.030594523
HG4322-HT4592_at	AF141349	Homo sapiens beta-tubulin mRNA, complete cds.	-2.1	0.017120749
RC_H81413_f_at	H81413	high-mobility group (nonhistone chromosomal) protein isoforms I and Y6p21	-2.1	0.009976588
RC_W94333_at	W94333	ESTs, Highly similar to (defline not available 5107163) [H.sapiens]	-2.1	0.000435688
RC_AA455070_at	AA455070	eukaryotic translation initiation factor 3, subunit 1 (alpha, 35kD)	-2.1	0.025226928
RC_R11526_f_at	R11526	parathymosin17q12-q22	-2.1	0.027182202
RC_T15409_f_at	T15409	EST	-2.1	0.001478856
RC_H05625_f_at	H05625	ESTs	-2.1	0.024564209
RC_AA620461_at	AA620461	ESTs	-2.0	0.022844667
RC_AA449791_f_at	AA449791	EST	-2.0	0.025394324
RC_AA435769_s_at	AA435769	ESTs	-2.0	0.008375153
RC_N55502_at	N55502	ESTs	-2.0	0.021894439
AF001294_at	AF001294	tumor suppressing subtransferable candidate 311p15.5	-2.0	0.03566128
RC_Z40898_at	Z40898	ESTs, Highly similar to (defline not available 4929639) [H.sapiens]	-2.0	0.002289892
RC_AA436861_at	AA436861	ESTs	-2.0	0.00187676
M63573_at	M63573	peptidylprolyl isomerase B (cyclophilin B)15	-2.0	0.044239663
RC_T25732_f_at	T25732	KIAA0252 protein	-2.0	0.041237995
RC_R01257_at	R01257	ESTs, Weakly similar to (defline not available 4456991) [H.sapiens]	-2.0	0.005735841
RC_H91703_i_at	H91703	cell division cycle 2717q12-17q23.2	-2.0	0.001412925
RC_N34817_at	N34817	ESTs	-2.0	0.040996591
RC_R60777_at	R60777	ESTs, Weakly similar to KIAA0374 [H.sapiens]	-2.0	0.000245565
RC_AA386264_at	AA386264	ESTs, Weakly similar to MICROTUBULE-ASSOCIATED PROTEIN 1B [M.musculus]	-2.0	0.000541139
RC_AA251769_at	AA251769	ESTs, Weakly similar to Containing ATP/GTP-binding site motif A(P-loop): Similar to C.elegans protein(P1:CEC47E128);Similar to Mouse alpha-mannosidase(P1:B54407) [H.sapiens]	-2.0	0.008985897
RC_R56602_at	R56602	Ig superfamily proteinXq12-q13.3	-2.0	0.024051216
RC_AA397919_at	AA397919	ESTs	-2.0	0.029784087
RC_W37778_f_at	W37778	ESTs, Weakly similar to envelope protein [H.sapiens]	-2.0	0.043013942
AA248555_at	AA248555	ESTs	-2.0	0.000824698
RC_AA463693_at	AA463693	ESTs, Weakly similar to SERINE/THREONINE-PROTEIN KINASE NEK3 [H.sapiens]	-2.0	0.002809026
W76181_at	W76181	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 2 (8kD, B8)5q31	-2.0	0.008370263
RC_AA171939_at	AA171939	ESTs	-2.0	0.015796116

Normal1-Normal2 vs BPH-With Symptoms Table **TABLE 1**

1654533.1 Affy element	Genbank ID	Genbank Name	Fold-change N1-N2 vs With	p-value N1-N2 vs With
U30999_at	U30999	U30999 Homo sapiens MV3 melanoma Homo sapiens cDNA clone memd	-2.0	0.007070546
RC_F03254_f_at	F03254	synuclein, alpha (non A4 component of amyloid precursor)4q21	-2.0	0.011479379
RC_H26288_at	H26288	ESTs, Weakly similar to !!!! ALU SUBFAMILY SC WARNING ENTRY !!!! [H.sapiens]	-2.0	0.000262324
RC_AA007158_f_at	AA007158	ESTs	-2.0	0.001870921
RC_Z38785_at	Z38785	Homo sapiens clone 23940 mRNA sequence	-2.0	0.013437083
RC_AA282247_at	AA282247	ESTs	-2.0	0.000515617
RC_T23935_s_at	T23935	ESTs, Weakly similar to protein-tyrosine phosphatase [H.sapiens]	-2.0	0.006493804
RC_R59593_at	R59593	ESTs	-2.0	0.014592934
RC_AA446241_at	AA446241	tropomyosin 2 (beta)9p13.2-p13.1	-2.0	0.040680667
RC_Z40556_at	Z40556	DJ222E13.1a.1 (C-terminal part of novel protein dJ222E13.1) (partial isoform 1)	-2.0	0.019444878
RC_AA159025_at	AA159025	ESTs, Highly similar to (defline not available 4680655) [H.sapiens]	-2.0	0.01375696
RC_H03387_s_at	H03387	estrogen-responsive B box protein17p11.2	-2.0	0.036382844
RC_H17333_at	H17333	EST	-2.0	0.018111182
RC_AA412722_s_at	AA412722	putative cyclin G1 interacting protein7	-2.0	0.006838915
U65579_at	U65579	NADH dehydrogenase (ubiquinone) Fe-S protein 8 (23kD) (NADH-coenzyme Q reductase)11q13	-2.0	0.013707565
RC_R88209_at	R88209	ESTs	-2.0	0.040272012
RC_Z38266_at	Z38266	Homo sapiens PAC clone DJ0777O23 from 7p14-p15	-2.0	0.009414008

Table 2

Normal1-Normal2 vs BPH-Cancer Table 1654552.1 Affy element	Up-regulated Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
L49169_at	L49169	FBJ murine osteosarcoma viral oncogene homolog B19q13.3	18.8	0.03580379
RC_N23730_s_at	N23730	v-fos FBJ murine osteosarcoma viral oncogene homolog14q24.3	16.5	8.98673E-05
V01512_rna1_at	V01512_rna1	v-fos FBJ murine osteosarcoma viral oncogene homolog14q24.3	16.0	0.001216643
RC_T90619_f_at	T90619	actin, gamma 117q25	15.7	0.044124187
U20734_s_at	U20734	jun B proto-oncogene19p13.2	14.3	0.004404553
U62015_at	U62015	insulin-like growth factor binding protein 101p22-p31	13.8	0.000487216
AA374109_at	AA374109	ESTs, Moderately similar to (defline not available 5031506) [R.norvegicus]	13.0	0.025911461
RC_T79768_at	T79768	ESTs	12.2	0.018940142
RC_AA410383_at	AA410383	B-cell-homing chemokine (ligand for Burkitt's lymphoma receptor-1)4q21	11.1	0.046025784
X52541_at	X52541	early growth response 15q31.1	9.7	0.003167537
RC_N66802_at	N66802	early growth response 38p23-p21	9.7	0.026764792
RC_AA463726_s_at	AA463726	JM27 proteinXp11.23	9.4	0.003409168
N40141_at	N40141	JM27 proteinXp11.23	8.4	0.021768214
M34996_s_at	M34996	major histocompatibility complex, class II, DQ alpha 16p21.3	7.7	0.015886207
RC_T67053_f_at	T67053	immumoglobulin lambda gene cluster22q11.1-q11.2	7.4	0.000196865
RC_AA404957_at	AA404957	ESTs, Highly similar to MATRIX GLA-PROTEIN PRECURSOR [H.sapiens]	6.6	0.011451385
RC_H64493_f_at	H64493	immunoglobulin gamma 3 (Gm marker)14q32.33	6.5	0.002716347
RC_N47686_s_at	N47686	solute carrier family 14 (urea transporter), member 1 (Kidd blood group)18q11-q12	6.3	0.015568892
RC_W44760_s_at	W44760	frizzled-related protein2qter	6.3	0.016891036
L19871_at	L19871	activating transcription factor 3	6.2	0.007603286
M92934_at	M92934	connective tissue growth factor6q23.1	6.1	0.001046931
M62831_at	M62831	immediate early protein19	5.8	0.00753286
L22524_s_at	L22524	matrix metalloproteinase 7 (matrilysin, uterine)11q21-q22	5.8	0.048289798
J03507_at	J03507	complement component 75p13	5.6	0.00240657
RC_AA236455_r_at	AA236455	ESTs	5.5	0.022653542
RC_AA450127_at	AA450127	growth arrest and DNA-damage-inducible, beta19p13.3	5.5	0.023227588
RC_AA281345_f_at	AA281345	immediate early protein19	5.4	0.003661068
RC_N30198_at	N30198	ESTs	5.3	0.005657756
AFFX-HSAC07/X00351_5_at	X00351	Human mRNA for beta-actin	5.3	0.01547291
D83018_at	D83018	nel (chicken)-like 212q13.11-q13.12	5.1	0.003774757
J04111_at	J04111	Jun activation domain binding protein1p32-p31	5.0	0.000243067
X51345_at	X51345	jun B proto-oncogene19p13.2	5.0	0.017173421
RC_AA398903_at	AA398903	ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]	4.9	0.014577818
RC_H17550_at	H17550	ESTs	4.7	0.012079391
S81914_at	S81914	immediate early response 36p21.3	4.5	0.006218653
RC_AA250958_f_at	AA250958	EST	4.4	1.88343E-05
RC_AA446651_at	AA446651	ESTs	4.4	0.026022802
HG1872-HT1907_at	M28590	Human (clone pcDG-79) MHC HLA-DG protein 41 mRNA, partial cds.	4.3	0.008830524
RC_AA490667_at	AA490667	ESTs	4.3	0.048863016
RC_N67041_at	N67041	ESTs	4.1	0.009333688
V00563_at	V00563	immunoglobulin mu14q32.33	4.1	0.004301939
X57809_s_at	X57809	immumoglobulin lambda gene cluster22q11.1-q11.2	4.1	0.025371658

Table 2

Normal1-Normal2 vs BPH-Cancer Table 1654552,1 Affy element	Up-regulated Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
R69417_at	R69417	ESTs	4.1	0.046373179
J00231_f_at	J00231	immunoglobulin gamma 3 (Gm marker)14q32.33	4.0	0.004766015
RC_AA402903_f_at	AA402903	immunoglobulin gamma 3 (Gm marker)14q32.33	3.9	0.000172905
U21128_at	U21128	lumican12q21.3-q22	3.9	0.000708917
M12529_at	M12529	apolipoprotein E19q13.2	3.7	0.026856247
RC_AA436616_at	AA436616	ESTs	3.7	0.020860083
U72649_at	U72649	B-cell translocation gene 2 (pheochromacytoma cell-3)1q32	3.7	0.002487396
X03689_s_at	X03689	Human mRNA fragment for elongation factor TU (N-terminus)	3.7	0.04821902
AFFX-HSAC07/X00351_5_at	X00351	Human mRNA for beta-actin	3.6	0.029717275
RC_T62857_at	T62857	ESTs	3.6	0.002846539
Z74616_s_at	Z74616	collagen, type I, alpha 27q22.1	3.6	0.004328291
X06700_s_at	X06700	collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant)2q31	3.6	0.010596098
RC_H86112_f_at	H86112	KIAA0471 gene product1q24-q25	3.6	0.017013968
M57466_s_at	M57466	major histocompatibility complex, class II, DP beta 16p21.3	3.5	0.005924671
RC_F09281_at	F09281	ESTs	3.5	0.006841731
RC_R51831_at	R51831	ESTs	3.4	0.000941423
RC_H21814_f_at	H21814	immumoglobulin lambda gene cluster22q11.1-q11.2	3.4	0.009767098
RC_W86513_at	W86513	ESTs	3.4	0.003776481
RC_H40424_s_at	H40424	EST	3.4	0.016283906
X57025_at	X57025	insulin-like growth factor 1 (somatomedin C)12q22-q23	3.3	0.040489253
RC_AA044219_at	AA044219	BK984G1.1 (PUTATIVE C-terminal end of a novel protein with Collagen triple helix repeats)	3.3	0.001761114
RC_AA028092_s_at	AA028092	transcription factor 216pter-qter	3.3	0.003405482
RC_AA446661_at	AA446661	ESTs	3.3	0.041188995
RC_D80063_f_at	D80063	ESTs	3.3	0.049585142
M92843_s_at	M92843	zinc finger protein homologous to Zfp-36 in mouse19q13.1	3.3	0.006174082
M34516_r_at	M34516	immunoglobulin lambda-like polypeptide 322q11.2	3.2	0.02344053
M87789_s_at	M87789	immunoglobulin gamma 3 (Gm marker)14q32.33	3.2	0.004534646
N75870_s_at	N75870	dual specificity phosphatase 15q34	3.2	0.000157434
RC_AA609309_at	AA609309	ESTs, Moderately similar to !!!! ALU SUBFAMILY SB2 WARNING ENTRY !!!! [H.sapiens]	3.1	0.03780658
S59049_at	S59049	regulator of G-protein signalling 11q31	3.0	0.002419303
AFFX-HUMGAPDH/M33197_5_at	M33197	Human GAPDH	3.0	0.034538288
RC_D51060_s_at	D51060	Jun activation domain binding protein1p32-p31	3.0	0.022390037
RC_T23468_at	T23468	ESTs	2.9	0.001634616
U30521_at	U30521	P311 protein	2.9	0.009484198
Z48501_s_at	Z48501	poly(A)-binding protein-like 13q22-q25	2.9	0.026396977
W73859_at	W73859	transcription factor 216pter-qter	2.9	0.037326183
AA093923_at	AA093923	tissue inhibitor of metalloproteinase 217q25	2.8	0.041564022
RC_AA236476_at	AA236476	ESTs, Weakly similar to (defline not available 4507549) [H.sapiens]	2.7	0.038305276
U10550_at	U10550	GTP-binding protein overexpressed in skeletal muscle8q13-q21	2.7	0.040657885
RC_N24902_at	N24902	E1B-55kDa-associated protein 5	2.7	0.03810507
RC_AA056121_at	AA056121	ESTs	2.7	0.024285705

Table 2

Normal1-Normal2 vs BPH-Cancer Table 1654552.1 Affy element	Up-regulated Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
RC_H98835_at	H98835	ESTs	2.7	0.019901442
K02405_f_at	K02405	Human MHC class II HLA-DQ-beta mRNA (DR7 DQw2), complete cds	2.7	0.00138806
U90552_s_at	U90552	butyrophilin, subfamily 3, member A16p23	2.7	3.91186E-05
RC_N59831_at	N59831	ESTs	2.7	0.04543669
L33799_at	L33799	procollagen C-endopeptidase enhancer7q22	2.7	0.010879277
RC_N59532_s_at	N59532	aminomethyltransferase (glycine cleavage system protein T)3p21.2-p21.1	2.6	0.025712285
D13628_at	D13628	angiopoietin 18q22.3-q23	2.6	0.027204836
AA156897_s_at	AA156897	Homo sapiens mRNA; cDNA DKFZp564I1922 (from clone DKFZp564I1922)	2.6	0.001580022
RC_N67876_s_at	N67876	insulin-like growth factor 1 (somatomedin C)12q22-q23	2.6	0.03992641
M73720_at	M73720	carboxypeptidase A3 (mast cell)3q21-q25	2.6	0.023298997
H49440_at	H49440	nudix (nucleoside diphosphate linked moiety X)-type motif 36p21.2	2.6	0.002498701
RC_AA250850_at	AA250850	adrenergic, beta, receptor kinase 222q11	2.5	0.041156086
RC_T49061_at	T49061	ESTs	2.5	0.00934004
W28214_at	W28214	ESTs	2.5	0.037677921
RC_H44631_s_at	H44631	immediate early protein19	2.5	0.0423037
D28137_at	D28137	bone marrow stromal cell antigen 219p13.2	2.5	0.026212334
RC_AA609027_at	AA609027	ESTs	2.5	0.038550623
RC_AA257093_r_at	AA257093	T-cell receptor, beta cluster7q35	2.4	0.002653232
RC_F13763_at	F13763	ESTs	2.4	0.016949277
RC_H08548_s_at	H08548	ATP citrate lyase17q12-q21	2.4	0.036998522
RC_AA436618_at	AA436618	ESTs	2.4	0.001789907
RC_W45664_s_at	W45664	5' nucleotidase (CD73)6q14-q21	2.4	0.001762727
AA082546_at	AA082546	ESTs	2.4	0.021791878
D10522_at	D10522	myristoylated alanine-rich protein kinase C substrate (MARCKS, 80K-L)6q22.2	2.4	0.017333686
RC_AA411860_at	AA411860	ESTs, Highly similar to (defline not available 4929723) [H.sapiens]	2.4	0.02766922
AB002340_at	AB002340	KIAA0342 gene product	2.3	0.003238699
U53445_at	U53445	downregulated in ovarian cancer 13	2.3	0.009361652
AA091278_at	AA091278	ESTs	2.3	0.046253689
RC_AA486072_i_at	AA486072	small inducible cytokine A5 (RANTES)17q11.2-q12	2.3	0.012816473
RC_T53590_s_at	T53590	cytochrome P450, subfamily XIA (cholesterol side chain cleavage)15q23-q24	2.3	4.29636E-05
RC_N91971_f_at	N91971	retinol-binding protein 1, cellular3q23	2.3	0.025171598
RC_AA043777_at	AA043777	ESTs	2.3	0.004490188
RC_H54764_at	H54764	EST, Weakly similar to X-linked retinopathy protein {C-terminal, clone XEH.8c} [H.sapiens]	2.3	0.036980431
RC_AA443923_at	AA443923	ESTs	2.3	0.025833241
U60975_at	U60975	Homo sapiens gp250 precursor, mRNA, complete cds.	2.3	0.041238204
M34516_at	M34516	immunoglobulin lambda-like polypeptide 322q11.2	2.3	0.041388637
RC_N36001_at	N36001	ESTs, Weakly similar to !!!! ALU CLASS C WARNING ENTRY !!!! [H.sapiens]	2.2	0.000449076
AF010193_at	AF010193	MAD (mothers against decapentaplegic, Drosophila) homolog 718	2.2	0.005397771
AFFX-HSAC07/X00351_5_at	X00351	Human mRNA for beta-actin	2.2	0.037852217
RC_AA158262_s_at	AA158262	calpastatin5q14-q22	2.2	0.006648962
RC_AA156565_at	AA156565	4-nitrophenylphosphatase domain and non-neuronal SNAP25 like 122q12	2.2	0.020901922

Table 2

Normal1-Normal2 vs BPH-Cancer Table 1654552.1 Affy element	Up-regulated Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
Z11793_at	Z11793	selenoprotein P, plasma, 15q31	2.2	0.00118281
RC_D80059_s_at	D80059	ESTs	2.2	0.033534432
RC_AA450324_at	AA450324	ESTs	2.2	0.024832006
RC_N39415_at	N39415	osteoglycin (osteoinductive factor)	2.2	0.032001116
RC_T23622_at	T23622	ESTs	2.2	0.040417825
RC_AA599365_at	AA599365	decorin12q23	2.2	0.011325181
X62320_at	X62320	granulin17	2.2	0.043043858
RC_R85291_at	R85291	ESTs	2.2	0.004987693
M11313_s_at	M11313	alpha-2-macroglobulin12p13.3-p12.3	2.2	0.011545737
AA047151_at	AA047151	ESTs	2.2	0.033987576
RC_AA205724_at	AA205724	ESTs	2.2	0.004569368
RC_AA086264_i_at	AA086264	ESTs, Highly similar to (defline not available 4191348) [H.sapiens]	2.2	0.020637423
RC_R42424_at	R42424	ESTs	2.2	0.033603417
RC_AA347359_s_at	AA347359	lysozyme (renal amyloidosis)12	2.1	0.028764499
AA092716_at	AA092716	HLA-B associated transcript-36p21.3	2.1	0.031717351
RC_R42241_at	R42241	ESTs	2.1	0.008013968
RC_N57577_at	N57577	KIAA0663 gene product	2.1	0.032028875
RC_W67577_s_at	W67577	CD74 antigen (invariant polypeptide of major histocompatibility complex, class II antigen-associated)5q32	2.1	0.002072118
C02016_at	C02016	KIAA0447 gene product	2.1	0.002399894
RC_AA256268_at	AA256268	ESTs	2.1	0.0269568
RC_T96171_at	T96171	EST	2.1	0.012219229
X72841_at	X72841	retinoblastoma-binding protein 7	2.1	0.033774692
RC_R45698_at	R45698	ESTs	2.1	0.049975895
RC_N22006_s_at	N22006	EST	2.1	0.011131338
RC_N69222_at	N69222	ESTs	2.1	0.022256915
RC_H97538_at	H97538	ESTs	2.0	0.03795259
RC_AA039935_at	AA039935	dynein light chain, outer arm 422q12.3-q13.2	2.0	0.011488766
RC_AA084138_at	AA084138	ESTs	2.0	0.011124432
AB002379_at	AB002379	KIAA0381 protein	2.0	0.000530413
RC_AA460651_at	AA460651	heterogeneous nuclear protein similar to rat helix destabilizing protein10	2.0	0.027697892
RC_W02204_at	W02204	solute carrier family 24 (sodium/potassium/calcium exchanger), member 115q22	2.0	0.00115779
Y08614_at	Y08614	exportin 1 (CRM1, yeast, homolog)2p16	2.0	0.035368368
D31134_at	D31134	KIAA1075 protein	2.0	0.021196526
M94880_f_at	M94880	major histocompatibility complex, class I, A6p21.3	2.0	0.025382167
J03040_at	J03040	secreted protein, acidic, cysteine-rich (osteonectin)5q31.3-q32	2.0	0.035472553
RC_N68350_at	N68350	ESTs	2.0	0.042917893
RC_H48793_at	H48793	EST	2.0	0.00296551
HG3543-HT3739_at	M29645	insulin-like growth factor 2 (somatomedin A)11p15.5	2.0	0.019712374
RC_W33172_at	W33172	ESTs, Weakly similar to ORF2 [M.musculus]	2.0	0.006454106
RC_R08850_at	R08850	ESTs	2.0	0.011364766
W52638_at	W52638	ESTs	2.0	0.010612401
M19045_f_at	M19045	lysozyme (renal amyloidosis)12	2.0	0.004561974
RC_AA312946_s_at	AA312946	ESTs	2.0	0.020272205
RC_AA235310_at	AA235310	ESTs	2.0	0.011954937
X03100_cds2_at	X03100_cds2	Human mRNA for SB classII histocompatibility antigen alpha-chain	2.0	0.002404541

Table 2

Normal1-Normal2 vs BPH-Cancer Table 1654552.1 Affy element	Up-regulated Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
RC_T16282_f_at	T16282	wee1+ (S. pombe) homolog11p15.3-p15.1	2.0	0.031472155
RC_H66642_f_at	H66642	ESTs, Moderately similar to !!!! ALU SUBFAMILY SQ WARNING ENTRY !!!! [H.sapiens]	2.0	0.02460529
RC_AA342337_at	AA342337	ESTs, Moderately similar to !!!! ALU SUBFAMILY SQ WARNING ENTRY !!!! [H.sapiens]	-23.7	3.26344E-05
RC_AA398908_at	AA398908	Human Chromosome 16 BAC clone CIT987SK-A-61E3	-21.7	0.040053626
RC_H15143_s_at	H15143	Human clone 23575 mRNA, partial cds	-13.8	0.028261625
RC_N80129_i_at	N80129	metallothionein 1L16q13	-12.6	0.002146038
RC_AA465394_at	AA465394	ESTs	-12.6	0.004961162
RC_AA236545_at	AA236545	ESTs	-12.5	0.034938167
RC_W42778_at	W42778	Homo sapiens clone 24636 mRNA sequence	-12.3	0.010449419
RC_T40895_at	T40895	ESTs	-12.0	0.01968535
RC_H94475_s_at	H94475	alpha-2-plasmin inhibitor17pter-p12	-11.7	0.012919819
RC_R71792_s_at	R71792	ESTs, Moderately similar to FAT-SPECIFIC PROTEIN FSP27 [M.musculus]	-10.4	0.002540356
RC_AA609006_at	AA609006	ESTs	-7.5	0.013902978
RC_AA026641_s_at	AA026641	secretory leukocyte protease inhibitor (antileukoproteinase)	-7.0	0.01850877
X65614_at	X65614	S100 calcium-binding protein P4p16	-6.7	0.005634308
X93036_at	X93036	phospholemman-like, expressed in breast tumors, 8kD	-6.6	0.005278275
RC_T94447_s_at	T94447	ESTs, Moderately similar to (defline not available 4335935) [M.musculus]	-5.7	0.006891909
RC_AA405488_at	AA405488	ESTs	-5.5	0.00023986
RC_T73433_s_at	T73433	angiotensinogen1q41-qter	-5.5	0.009418205
M99487_at	M99487	folate hydrolase (prostate-specific membrane antigen) 111p11.2	-5.3	0.008067789
RC_W88568_at	W88568	glycogenin 2Xp22.3	-5.1	0.024739084
RC_AA460914_at	AA460914	ESTs	-5.0	0.024385552
X57129_at	X57129	H1 histone family, member 26p21.3	-4.8	0.006322499
RC_Z41642_at	Z41642	ESTs	-4.7	0.009525521
RC_R46074_at	R46074	transforming, acidic coiled-coil containing protein 210q26	-4.7	0.001327844
J03910_rna1_at	J03910_rna 1	metallothionein 1G16q13	-4.6	0.004574277
RC_AA350265_at	AA350265	histone deacetylase A	-4.5	0.002897414
AA165312_at	AA165312	ESTs	-4.2	0.005487803
RC_AA419011_at	AA419011	Homo sapiens mRNA; cDNA DKFZp586D0823 (from clone DKFZp586D0823)	-4.0	0.019079557
RC_N92502_s_at	N92502	ESTs, Moderately similar to HERV-E integrase [H.sapiens]	-4.0	0.030144039
RC_F03969_at	F03969	ESTs, Weakly similar to tumorous imaginal discs protein Tid56 homolog [H.sapiens]	-4.0	0.017024613
X76717_at	X76717	metallothionein 1L16q13	-3.9	0.001145402
RC_AA416762_s_at	AA416762	nuclear receptor subfamily 1, group H, member 219q13.3-19q13.3	-3.8	0.011735303
RC_AA053424_at	AA053424	ESTs, Weakly similar to mucin Muc3 [R.norvegicus]	-3.8	0.009737433
X64177_f_at	X64177	metallothionein 1H16q13	-3.7	0.003297195
RC_N32748_at	N32748	ESTs	-3.6	0.021454174
RC_AA416685_at	AA416685	UNC13 (C. elegans)-like9p11-p12	-3.6	0.016338392
RC_AA505136_at	AA505136	ESTs	-3.5	0.007200396
RC_AA165313_at	AA165313	ESTs	-3.5	0.037649191
RC_F02245_at	F02245	monoamine oxidase AXp11.4-p11.3	-3.4	0.005486135
RC_AA004699_at	AA004699	putative translation initiation factor	-3.4	0.00057505
RC_AA599331_at	AA599331	ESTs	-3.4	0.01136457

Table 2

Normal1-Normal2 vs BPH-Cancer Table 1654552.1 Affy element	Up-regulated Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
RC_N26904_at	N26904	ESTs, Weakly similar to FK506/rapamycin-binding protein FKBP13 precursor [H.sapiens]	-3.3	0.045410608
RC_AA070752_s_at	AA070752	insulin receptor substrate 12q36	-3.3	0.028433761
RC_AA599522_f_at	AA599522	squamous cell carcinoma antigen recognised by T cells	-3.2	0.005311305
RC_N94303_at	N94303	ESTs	-3.1	0.000160723
RC_F10078_at	F10078	ESTs	-3.1	0.022464594
RC_AA447537_at	AA447537	ESTs, Moderately similar to (defline not available 5360237) [M.musculus]	-3.1	0.007323728
L77701_at	L77701	human homolog of yeast mitochondrial copper recruitment gene	-3.0	0.001489928
RC_H27675_at	H27675	ESTs	-3.0	0.016160504
V00594_at	V00594	metallothionein 2A16q13	-2.9	0.001495259
U52969_at	U52969	Purkinje cell protein 421q22.2-q22.3	-2.9	6.3447E-05
RC_R42607_at	R42607	ESTs	-2.8	0.008960052
RC_AA451836_at	AA451836	ESTs	-2.7	0.008401586
RC_F04492_at	F04492	ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]	-2.7	0.001443051
RC_H77597_f_at	H77597	metallothionein 1H16q13	-2.7	0.00332868
RC_AA430388_at	AA430388	ESTs, Moderately similar to !!!! ALU SUBFAMILY SQ WARNING ENTRY !!!! [H.sapiens]	-2.7	0.000114004
RC_T90190_s_at	T90190	H1 histone family, member 26p21.3	-2.7	0.030242714
RC_H16171_f_at	H16171	cleft lip and palate associated transmembrane protein 119q13.2-q13.3	-2.7	0.023414443
RC_AA022886_at	AA022886	ESTs, Weakly similar to phosphatidylinositol transfer protein [H.sapiens]	-2.7	0.00489294
RC_R28370_at	R28370	ESTs	-2.7	0.003724547
RC_AA261907_at	AA261907	ESTs, Weakly similar to (defline not available 3874144) [C.elegans]	-2.6	0.043689441
RC_W37778_f_at	W37778	ESTs, Weakly similar to envelope protein [H.sapiens]	-2.6	0.030756837
RC_T98019_at	T98019	EST, Highly similar to PEREGRIN [H.sapiens]	-2.5	0.035566681
RC_N33927_s_at	N33927	H2B histone family, member B6p21.3	-2.5	0.013093926
RC_R40431_at	R40431	Homo sapiens mRNA; cDNA DKFZp564D016 (from clone DKFZp564D016)	-2.5	0.004235538
RC_AA133756_at	AA133756	Rho-associated, coiled-coil containing protein kinase 22p24	-2.5	0.012389163
RC_AA152200_s_at	AA152200	ESTs	-2.5	0.004366137
W63793_at	W63793	S-adenosylmethionine decarboxylase 16q21-q22	-2.5	0.005714247
RC_AA410298_at	AA410298	ESTs	-2.5	0.018744617
X99728_at	X99728	H.sapiens NDUFV3 gene, exon 3	-2.5	0.004580383
RC_W78127_at	W78127	ESTs, Weakly similar to KIAA0425 [H.sapiens]	-2.5	0.001240164
RC_R96924_s_at	R96924	ESTs	-2.5	0.006515911
RC_H16768_at	H16768	ESTs	-2.5	0.005669237
X76180_at	X76180	sodium channel, nonvoltage-gated 1 alpha12p13	-2.5	0.007625025
RC_AA432162_at	AA432162	Homo sapiens mRNA; cDNA DKFZp586B2022 (from clone DKFZp586B2022)	-2.4	0.010199113
RC_H88798_at	H88798	ESTs	-2.4	0.000783143
RC_AA609312_at	AA609312	ESTs	-2.4	0.016243321
RC_AA131919_at	AA131919	putative type II membrane protein	-2.4	0.000264791
RC_N80129_f_at	N80129	metallothionein 1L16q13	-2.4	0.002297016
RC_AA182030_at	AA182030	ESTs	-2.4	0.041632378
W70167_at	W70167	ESTs	-2.4	0.00395969
RC_AA599522_r_at	AA599522	squamous cell carcinoma antigen recognised by T cells	-2.4	0.004347078
RC_N52254_s_at	N52254	SH3-binding domain glutamic acid-rich protein21q22.3	-2.4	0.011171389
RC_N95495_at	N95495	small inducible cytokine A5 (RANTES)17q11.2-q12	-2.4	0.002430242

Table 2

Normal1-Normal2 vs BPH-Cancer Table 1654552.1 Affy element	Up-regulated Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
RC_T68873_f_at	T68873	metallothionein 1L16q13	-2.4	0.00320019
AA429539_f_at	AA429539	ESTs	-2.4	0.020751882
RC_AA435769_s_at	AA435769	ESTs	-2.4	0.009832353
RC_AA029356_at	AA029356	ESTs	-2.3	0.007208722
AA316686_s_at	AA316686	ESTs, Highly similar to huntingtin interacting protein HYPK [H.sapiens]	-2.3	0.000225753
RC_H02308_at	H02308	ESTs	-2.3	0.041776289
RC_AA258476_at	AA258476	Homo sapiens mRNA; cDNA DKFZp564J0323 (from clone DKFZp564J0323)	-2.3	0.02070961
X06956_at	X06956	tubulin, alpha 1 (testis specific)2q	-2.3	0.003656874
RC_H99694_at	H99694	ESTs	-2.3	0.013645335
RC_AA479044_s_at	AA479044	ESTs, Weakly similar to PROGASTRICSIN PRECURSOR [H.sapiens]	-2.3	0.047032301
RC_AA436861_at	AA436861	ESTs	-2.3	0.001794201
M24069_at	M24069	cold shock domain protein A12p13.1	-2.3	0.014123514
RC_AA410311_at	AA410311	ESTs	-2.3	0.045227011
W52858_at	W52858	Homo sapiens mRNA; cDNA DKFZp564F0522 (from clone DKFZp564F0522)	-2.3	0.002276405
RC_W38197_at	W38197	EST	-2.3	1.96016E-05
J00073_at	J00073	actin, alpha, cardiac muscle15q11-qter	-2.3	0.018476889
RC_D51069_f_at	D51069	melanoma adhesion molecule	-2.3	0.042693395
RC_AA504805_s_at	AA504805	interferon stimulated gene (20kD)15q26	-2.3	0.008805886
RC_F03254_f_at	F03254	synuclein, alpha (non A4 component of amyloid precursor)4q21	-2.3	0.003668915
M35252_at	M35252	transmembrane 4 superfamily member 3	-2.3	0.028083185
RC_AA040731_at	AA040731	ESTs	-2.2	0.028924808
RC_AA496247_at	AA496247	ESTs	-2.2	0.013336314
X59766_at	X59766	alpha-2-glycoprotein 1, zinc7	-2.2	0.002003511
RC_R84421_at	R84421	eukaryotic translation elongation factor 1 alpha 16q14	-2.2	0.016333706
AA328993_s_at	AA328993	ESTs	-2.2	0.004438605
RC_R44535_f_at	R44535	endonuclease G9q34.1	-2.2	0.014319616
U41518_at	U41518	aquaporin 1 (channel-forming integral protein, 28kD)7p14	-2.2	0.009447457
RC_W33179_at	W33179	testis-specific kinase 21p32	-2.2	0.001104272
RC_H58873_s_at	H58873	solute carrier family 2 (facilitated glucose transporter), member 11p35-p31.3	-2.2	0.000238641
RC_R31679_s_at	R31679	ESTs	-2.2	0.01000414
RC_AA189083_at	AA189083	ESTs, Highly similar to (defline not available 4589468) [M.musculus]	-2.2	0.002468046
RC_AA251769_at	AA251769	ESTs, Weakly similar to Containing ATP/GTP-binding site motif A(P-loop): Similar to C.elegans protein(P1:CEC47E128);Similar to Mouse alpha-mannosidase(P1:B54407) [H.sapiens]	-2.2	0.010819016
RC_W70131_at	W70131	ESTs	-2.2	0.02955725
RC_R09379_at	R09379	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 212q13	-2.2	0.009730513
RC_AA621695_at	AA621695	ESTs	-2.1	0.001994051
RC_H18947_at	H18947	ESTs	-2.1	0.027246274
RC_AA219552_s_at	AA219552	ESTs	-2.1	0.046510941
RC_N22620_at	N22620	ESTs	-2.1	0.013527392
RC_R02003_r_at	R02003	ESTs, Weakly similar to cappuccino [D.melanogaster]	-2.1	0.010597095
RC_AA405559_at	AA405559	ESTs	-2.1	0.009305601
RC_AA463693_at	AA463693	ESTs, Weakly similar to SERINE/THREONINE-PROTEIN KINASE NEK3 [H.sapiens]	-2.1	0.004156996

Table 2

Normal1-Normal2 vs BPH-Cancer Table 1654552.1 Affy element	Up-regulated Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
RC_AA481407_at	AA481407	ESTs	-2.1	0.002741696
M11119_at	M11119	Human endogenous retrovirus envelope region mRNA (PL1)	-2.1	0.003718876
RC_AA159025_at	AA159025	ESTs, Highly similar to (defline not available 4680655) [H.sapiens]	-2.1	0.011127532
RC_AA411981_at	AA411981	ESTs, Weakly similar to putative seven pass transmembrane protein [H.sapiens]	-2.1	0.044294612
RC_W57931_at	W57931	ESTs, Moderately similar to CATHEPSIN D PRECURSOR [H.sapiens]	-2.1	0.000755739
X66899_at	X66899	Ewing sarcoma breakpoint region 122q12	-2.1	0.002068901
RC_R49327_at	R49327	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 212q13	-2.1	0.030928835
RC_AA609645_at	AA609645	eukaryotic translation initiation factor 4 gamma, 13q27-qter	-2.1	0.04955957
RC_AA434108_at	AA434108	Homo sapiens heat shock protein hsp40-3 mRNA, complete cds	-2.1	0.034468752
X17567_s_at	X17567	small nuclear ribonucleoprotein polypeptides B and B120	-2.1	0.014475221
J04164_at	J04164	interferon-induced protein 17	-2.1	0.023410352
RC_AA135929_s_at	AA135929	ESTs, Highly similar to (defline not available 4103057) [M.musculus]	-2.1	0.003009065
L04270_at	L04270	lymphotoxin beta receptor (TNFR superfamily, member 312p13	-2.1	0.006776988
RC_H99035_at	H99035	ESTs	-2.1	0.001053884
M64673_at	M64673	heat shock transcription factor 1	-2.1	0.004283001
X85785_rna1_at	X85785_rna1	Duffy blood group1q21-q22	-2.1	0.00657464
M68864_at	M68864	Human ORF mRNA, complete cds	-2.1	0.010185833
D50928_at	D50928	KIAA0138 gene product	-2.1	0.002283064
RC_AA282247_at	AA282247	ESTs	-2.0	0.007970044
RC_R00144_at	R00144	ESTs	-2.0	0.006939854
RC_AA485965_at	AA485965	ESTs, Highly similar to (defline not available 4336766) [H.sapiens]	-2.0	0.000405037
S45630_at	S45630	crystallin, alpha B11q22.3-q23.1	-2.0	0.006157273
RC_T89703_at	T89703	ESTs, Highly similar to (defline not available 4455129) [H.sapiens]	-2.0	0.000286616
RC_Z38785_at	Z38785	Homo sapiens clone 23940 mRNA sequence	-2.0	0.00706437
X85373_at	X85373	small nuclear ribonucleoprotein polypeptide G	-2.0	6.93881E-05
RC_F04816_at	F04816	ESTs	-2.0	0.005353184
RC_AA043349_at	AA043349	ESTs	-2.0	0.01749596
RC_H84761_s_at	H84761	glutathione peroxidase 13p21.3	-2.0	0.000116621
M34338_s_at	M34338	spermidine synthase1p36-p22	-2.0	0.008566137
L13698_at	L13698	growth arrest-specific 19q21.3-q22.1	-2.0	0.016504513
RC_N75960_at	N75960	ESTs	-2.0	0.024082428
D45370_at	D45370	adipose specific 210	-2.0	0.034362163
RC_AA401965_at	AA401965	tumor suppressor deleted in oral cancer-related 111q13	-2.0	0.011190087
RC_F09315_at	F09315	discs, large (Drosophila) homolog 510q23	-2.0	0.020753036
RC_AA025370_at	AA025370	KIAA0872 protein	-2.0	0.026565555
RC_H52835_at	H52835	phytanoyl-CoA hydroxylase (Refsum disease)10pter-p11.2	-2.0	0.015021251
RC_H99648_s_at	H99648	DNA segment, single copy probe LNS-CAI/LNS-CAII (deleted in polyposis5q22-q23	-2.0	0.012115852
RC_AA430074_at	AA430074	ESTs	-2.0	0.002355049
RC_AA598939_at	AA598939	ESTs	-2.0	0.011383872
AA455001_s_at	AA455001	ESTs	-2.0	0.000176199
RC_F09684_at	F09684	ESTs	-2.0	0.002741682
D42073_at	D42073	reticulocalbin 1, EF-hand calcium binding domain11p13	-2.0	0.012881688

Normal1-Normal2 vs BPH-Cancer Table 1654552.1 Up-regulated

Table 2

Affy element	Genbank ID	Genbank Name	Fold-Change N1-N2 vs Cancer	p-value N1-N2 vs Cancer
RC_AA598695_at	AA598695	ESTs, Weakly similar to !!!! ALU SUBFAMILY SX WARNING ENTRY !!!! [H.sapiens]	-2.0	4.77268E-06
D23662_at	D23662	neural precursor cell expressed, developmentally down-regulated 8	-2.0	0.003156141
RC_AA431470_at	AA431470	protein kinase (cAMP-dependent, catalytic) inhibitor gamma20q	-2.0	0.038692982
RC_AA399273_at	AA399273	ESTs	-2.0	0.029403118
RC_AA142858_at	AA142858	ESTs	-2.0	0.00197166
RC_Z40715_at	Z40715	Homo sapiens mRNA; cDNA DKFZp586C201 (from clone DKFZp586C201)	-2.0	0.017206338
RC_AA490341_s_at	AA490341	ESTs	-2.0	0.004570941
RC_N67815_f_at	N67815	ESTs, Weakly similar to (defline not available 4680655) [H.sapiens]	-2.0	0.002996692
RC_N53359_at	N53359	ESTs	-2.0	0.034916164

Normal vs. BPH W/Symptoms Table **TABLE 3** 1654540.1

Up-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
1	N40141_at	N40141	JM27 protein	17.4	-7.64
2	rc_N23730_s_at	N23730	v-fos FBJ murine osteosarcoma viral oncogene homolog	10.8	-7.54
3	rc_AA463726_s_at	AA463726	JM27 protein	10.0	-6.56
4	rc_N23352_s_at	N23352	proenkephalin	10.0	-4.53
5	rc_H64493_f_at	H64493	immunoglobulin heavy constant gamma 3 (G3m marker)	9.1	-4.36
6	V01512_rna1_at	V01512	v-fos FBJ murine osteosarcoma viral oncogene homolog	9.1	-7.40
7	rc_H05704_r_at	H05704	HCR (a-helix coiled-coil rod homologue)	8.1	-2.79
8	L49169_at	L49169	FBJ murine osteosarcoma viral oncogene homolog B	8.0	-5.81
9	rc_AA410383_at	AA410383	B-cell-homing chemokine (ligand for Burkitt's lymphoma receptor-1)	7.5	-3.95
10	rc_AA131322_s_at	AA131322	tryptase, alpha,tryptase, beta (tryptase II)	7.2	-2.81
11	R56183_s_at	R56183	eukaryotic translation initiation factor 3, subunit 6 (48kD)	6.9	-2.77
12	rc_AA461300_at	AA461300	ESTs	6.9	-7.08
13	J00231_f_at	J00231	immunoglobulin heavy constant gamma 3 (G3m marker)	6.7	-4.62
14	rc_AA427622_s_at	AA427622	collagen, type XIII, alpha 1	6.6	-8.25
15	rc_T90889_at	T90889	ESTs	5.6	-3.72
16	rc_AA402903_f_at	AA402903	immunoglobulin heavy constant gamma 3 (G3m marker)	5.6	-3.61
17	rc_T23622_at	T23622	ESTs	5.5	-5.24
18	rc_T62857_at	T62857	ESTs	5.4	-7.85
19	rc_AA256268_at	AA256268	ESTs	5.3	-6.86
20	rc_R44714_s_at	R44714	ESTs	5.3	-4.83
21	rc_AA236476_at	AA236476	transmembrane protein TENB2,	5.1	-3.13
22	rc_AA028092_s_at	AA028092	transcription factor 21	5.1	-5.24
23	rc_T90619_f_at	T90619	actin, gamma 1	5.0	-2.19
24	J00123_at	J00123	proenkephalin	5.0	-3.96
25	X52541_at	X52541	early growth response 1	4.9	-5.78
26	rc_AA620825_at	AA620825	CGI-43 protein	4.9	-4.59
27	rc_AA424530_s_at	AA424530	ESTs	4.9	-5.42
28	rc_AA386386_s_at	AA386386	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), beta polypeptide (protein disulfide isomerase; thyroid hormone binding protein p55)	4.9	-2.64
29	U62015_at	U62015	cysteine-rich, angiogenic inducer, 61	4.9	-6.24
30	rc_AA188981_at	AA188981	highly expressed in cancer, rich in leucine heptad repeats	4.9	-6.67
31	rc_H21814_f_at	H21814	immunoglobulin lambda locus	4.9	-2.67
32	M60314_at	M60314	bone morphogenetic protein 5	4.7	-10.82
33	rc_T67053_f_at	T67053	immunoglobulin lambda locus	4.7	-2.84
34	rc_N47686_s_at	N47686	solute carrier family 14 (urea transporter), member 1 (Kidd blood group)	4.7	-3.27
35	rc_AA436616_at	AA436616	ESTs	4.7	-6.34
36	rc_H60595_s_at	H60595	progesterone binding protein	4.7	-2.66
37	rc_H88338_at	H88338	ESTs	4.7	-7.93
38	M33653_at	M33653	collagen, type XIII, alpha 1	4.6	-8.95
39	rc_N30198_at	N30198	ESTs	4.5	-5.87
40	D83018_at	D83018	nel (chicken)-like 2	4.5	-9.79
41	rc_Z39904_at	Z39904	ESTs	4.5	-6.27
42	H61295_s_at	H61295	CD4 antigen (p55)	4.4	-4.49
43	rc_AA281345_f_at	AA281345	immediate early protein	4.3	-6.62
44	rc_T23490_s_at	T23490	hypothetical protein FLJ20185	4.2	-5.25
45	rc_AA279760_at	AA279760	DKFZP564M182 protein	4.2	-3.73

Normal vs. BPH W/Symptoms Table **TABLE 3** 1654540.1

Up-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
46	rc_R25410_at	R25410	ESTs	4.2	-4.69
47	rc_T03229_f_at	T03229	ESTs	4.2	-3.37
48	rc_R93908_at	R93908	ESTs	4.2	-3.39
49	AA374109_at	AA374109	spondin 2, extracellular matrix protein	4.2	-1.97
50	rc_R45654_at	R45654	collagen, type XIII, alpha 1	4.2	-5.69
51	rc_H86112_f_at	H86112	KIAA0471 gene product	4.1	-4.00
52	rc_AA257093_r_at	AA257093	T cell receptor beta locus	4.1	-7.77
53	rc_AA456147_at	AA456147	general transcription factor IIIA	4.1	-6.23
54	U21128_at	U21128	lumican	4.1	-6.15
55	rc_AA057195_at	AA057195	TNF? elastin microfibril interface located protein	4.1	-2.22
56	M63438_s_at	M63438	immunoglobulin kappa variable 1D-8	4.0	-2.53
57	M57466_s_at	M57466	major histocompatibility complex, class II, DP beta 1	4.0	-3.91
58	rc_AA443923_at	AA443923	cat eye syndrome critical region gene 1	4.0	-3.01
59	rc_N39415_at	N39415	DKFZP586P2421 protein	4.0	-5.70
60	rc_W67225_at	W67225	KIAA0592 protein	4.0	-3.35
61	M62831_at	M62831	immediate early protein	4.0	-6.39
62	rc_AA404957_at	AA404957	matrix Gla protein	4.0	-3.84
63	rc_F02992_at	F02992	ESTs	4.0	-3.65
64	U69263_at	U69263	matrilin 2	3.9	-4.84
65	rc_AA448625_at	AA448625	slit (Drosophila) homolog 3	3.9	-4.13
66	X57025_at	X57025	insulin-like growth factor 1 (somatomedin C)	3.9	-3.93
67	AA151544_at	AA151544	matrix metalloproteinase 23B	3.8	-5.54
68	rc_F13763_at	F13763	ESTs	3.8	-6.39
69	rc_AA436655_at	AA436655	hypothetical protein FLJ10781	3.8	-5.13
70	M87789_s_at	M87789	immunoglobulin heavy constant gamma 3 (G3m marker)	3.8	-3.93
71	L44416_at	L44416	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 17 (72kD)	3.8	-1.75
72	U20350_at	U20350	chemokine (C-X3-C) receptor 1	3.8	-6.50
73	rc_AA449749_at	AA449749	ESTs	3.8	-4.52
74	rc_W73790_f_at	W73790	immunoglobulin lambda-like polypeptide 1	3.7	-2.95
75	rc_AA281145_at	AA281145	ESTs	3.7	-1.77
76	rc_f09748_s_at	f09748	ESTs	3.7	-4.12
77	rc_T64211_at	T64211	HNOEL-iso protein	3.7	-5.35
78	rc_N80152_at	N80152	RNA binding motif protein 6	3.7	-2.40
79	rc_AA436618_at	AA436618	microtubule-associated protein 2	3.7	-4.67
80	T85532_f_at	T85532	ESTs	3.7	-1.90
81	rc_AA398280_at	AA398280	ESTs	3.6	-3.11
82	rc_T23468_at	T23468	CGI-119 protein	3.6	-4.67
83	AA195678_at	AA195678	actin binding protein; macrophin (microfilament and actin filament cross-linker protein)	3.6	-3.48
84	AB002335_at	AB002335	KIAA0337 gene product	3.6	-4.21
85	rc_AA598982_s_at	AA598982	KIAA1114 protein,trophinin	3.6	-4.58
86	J03507_at	J03507	complement component 7	3.6	-6.21
87	J04130_s_at	J04130	small inducible cytokine A4 (homologous to mouse Mip-1b)	3.5	-4.76
88	AA495865_at	AA495865	ESTs	3.5	-3.65
89	HG3543-HT3739_	HG3543-HT	insulin-like growth factor 2 (somatomedin A)	3.5	-4.69
90	rc_AA599662_s_at	AA599662	KIAA0534 protein	3.5	-4.32
91	rc_AA486072_i_at	AA486072	small inducible cytokine A5 (RANTES)	3.5	-3.88
92	rc_Z39983_s_at	Z39983	KIAA0561 protein	3.5	-5.56
93	rc_F02333_at	F02333	hypothetical protein FLJ20093	3.5	-2.23

Normal vs. BPH W/Symptoms Table **TABLE 3** 1654540.1

Up-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
94	rc_AA151210_at	AA151210	ESTs	3.5	-4.20
95	rc_N92239_at	N92239	Wnt inhibitory factor-1	3.5	-3.06
96	rc_AA173223_at	AA173223	ESTs	3.5	-5.22
97	rc_T86148_s_at	T86148	pituitary tumor-transforming 1 interacting protein	3.5	-2.15
98	AA214688_at	AA214688	eukaryotic translation initiation factor 4B	3.5	-3.13
99	rc_AA216589_at	AA216589	ESTs	3.5	-4.40
100	rc_AA446661_at	AA446661	hypothetical protein FLJ10970	3.4	-3.69
101	AA082546_at	AA082546	ESTs	3.4	-4.12
102	rc_W46395_at	W46395	chromobox homolog 6	3.4	-2.41
103	rc_AA401433_at	AA401433	ESTs	3.4	-3.17
104	D62965_at	D62965	ESTs	3.4	-2.07
105	rc_AA057829_s_at	AA057829	growth arrest-specific 6	3.4	-2.00
106	rc_AA009755_at	AA009755	ESTs	3.3	-4.77
107	AA247204_at	AA247204	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 16	3.3	-2.85
108	D13628_at	D13628	angiopoietin 1	3.3	-4.86
109	rc_N59866_at	N59866	ESTs	3.3	-4.39
110	rc_AA406371_at	AA406371	ESTs	3.3	-4.98
111	rc_N67876_s_at	N67876	insulin-like growth factor 1 (somatomedin C)	3.3	-3.06
112	M84526_at	M84526	D component of complement (adipsin)	3.3	-3.06
113	rc_AA234095_at	AA234095	hypothetical protein FLJ20701	3.3	-3.78
114	rc_D60074_s_at	D60074	cadherin 10 (T2-cadherin)	3.3	-5.05
115	rc_T49602_s_at	T49602	ESTs	3.3	-3.36
116	rc_n22006_s_at	n22006	ESTs	3.3	-3.88
117	rc_F04112_f_at	F04112	ESTs	3.3	-3.26
118	rc_T64223_s_at	T64223	carboxypeptidase A3 (mast cell)	3.3	-2.97
119	U23946_at	U23946	RNA binding motif protein 5	3.2	-3.48
120	rc_AA358038_at	AA358038	SH3-binding domain glutamic acid-rich protein like	3.2	-3.21
121	rc_AA019433_at	AA019433	ESTs	3.2	-3.88
122	X03689_s_at	X03689	eukaryotic translation elongation factor 1 alpha 1	3.2	-1.91
123	rc_H17550_at	H17550	ESTs	3.2	-2.90
124	rc_AA047880_at	AA047880	prothymosin, alpha (gene sequence 28)	3.2	-5.88
125	rc_AA084138_at	AA084138	ESTs	3.2	-7.93
126	rc_AA599365_at	AA599365	decorin	3.2	-4.42
127	rc_N91971_f_at	N91971	retinol-binding protein 1, cellular	3.2	-4.13
128	rc_T62873_at	T62873	ESTs	3.2	-2.12
129	rc_N49899_at	N49899	ESTs	3.2	-3.73
130	AA298981_at	AA298981	fibulin 5	3.2	-6.06
131	rc_AA479286_at	AA479286	ESTs	3.2	-3.54
132	J04111_at	J04111	v-jun avian sarcoma virus 17 oncogene homolog	3.2	-5.47
133	rc_AA465491_at	AA465491	Mad4 homolog	3.2	-2.75
134	W28548_at	W28548	ESTs	3.2	-3.59
135	AA308998_at	AA308998	endothelial differentiation-related factor 1	3.2	-2.89
136	rc_AA488432_at	AA488432	phosphoserine phosphatase	3.2	-3.48
137	rc_AA598991_at	AA598991	amyloid beta (A4) precursor protein-binding, family A, member 2 (X11-like)	3.1	-4.51
138	AA463311_at	AA463311	hypothetical protein similar to mouse Fbw5	3.1	-2.57
139	rc_AA147224_at	AA147224	ESTs	3.1	-4.41
140	rc_AA609504_at	AA609504	fibronectin leucine rich transmembrane protein 2	3.1	-3.81
141	U20734_s_at	U20734	jun B proto-oncogene	3.1	-3.37
142	U06863_at	U06863	follistatin-like 1	3.1	-2.48

Normal vs. BPH W/Symptoms Table **TABLE 3** 1654540.1

Up-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
143	W51743_at	W51743	ESTs	3.1	-2.95
144	rc_AA465093_at	AA465093	TIA1 cytotoxic granule-associated RNA-binding protein	3.1	-5.34
145	rc_AA219100_at	AA219100	DKFZP586P2421 protein	3.1	-4.09
146	rc_R42424_at	R42424	ESTs	3.1	-3.82
147	rc_W73038_at	W73038	ESTs	3.1	-2.23
148	AA091278_at	AA091278	hypothetical protein FLJ10793	3.1	-2.75
149	rc_AA620289_at	AA620289	PRO0518 protein	3.1	-2.55
150	rc_AA149579_at	AA149579	prostate cancer associated protein 1	3.1	-2.66
151	M21121_at	M21121	small inducible cytokine A5 (RANTES)	3.1	-4.97
152	rc_AA427890_at	AA427890	ESTs	3.1	-4.32
153	M34516_r_at	M34516	immunoglobulin lambda-like polypeptide 1	3.1	-3.47
154	rc_AA233347_at	AA233347	zinc finger protein 216	3.1	-2.43
155	rc_W74533_at	W74533	latrophilin	3.1	-3.51
156	rc_AA029597_at	AA029597	bone morphogenetic protein 7 (osteogenic protein 1)	3.1	-3.80
157	rc_N91887_s_at	N91887	thymosin, beta, identified in neuroblastoma cells	3.1	-4.47
158	rc_AA205724_at	AA205724	ESTs	3.0	-6.70
159	U30521_at	U30521	P311 protein	3.0	-6.06
160	X07109_at	X07109	protein kinase C, beta 1	3.0	-4.90
161	D82346_at	D82346	potassium voltage-gated channel, KQT-like subfamily, member 2	3.0	-3.49
162	rc_AA478962_at	AA478962	ESTs	3.0	-3.35
163	rc_AA151428_s_at	AA151428	matrix metalloproteinase 23A,matrix metalloproteinase 23B	3.0	-2.78
164	rc_AA130349_at	AA130349	ESTs	3.0	-2.01
165	M18737_rna1_at	M18737	granzyme A (granzyme 1, cytotoxic T-lymphocyte-associated serine esterase 3)	3.0	-5.90
166	rc_N91461_at	N91461	ESTs	3.0	-3.43
167	rc_AA045481_at	AA045481	ESTs	3.0	-3.70
168	U91903_at	U91903	frizzled-related protein	3.0	-4.73
169	U19495_s_at	U19495	stromal cell-derived factor 1	3.0	-4.38
170	M33493_s_at	M33493	tryptase, alpha,tryptase, beta (tryptase II)	3.0	-3.12
171	Y12711_at	Y12711	progesterone binding protein	3.0	-2.33
172	rc_N58172_at	N58172	ESTs	3.0	-2.53
173	M12529_at	M12529	apolipoprotein E	3.0	-1.92
174	rc_AA412505_at	AA412505	ESTs	3.0	-3.35
175	U45955_at	U45955	glycoprotein M6B	3.0	-4.09
176	rc_H56673_at	H56673	ESTs	3.0	-4.25
177	L33799_at	L33799	procollagen C-endopeptidase enhancer	3.0	-4.72
178	rc_Z40186_at	Z40186	ESTs	3.0	-2.22
179	AA094800_at	AA094800	eukaryotic translation initiation factor 3, subunit 7 (zeta, 66/67kD)	2.9	-2.56
180	D21063_at	D21063	minichromosome maintenance deficient (S. cerevisiae) 2 (mitotin)	2.9	-5.27
181	rc_AA412049_at	AA412049	ESTs	2.9	-2.63
182	rc_AA599661_at	AA599661	ESTs	2.9	-8.62
183	L02870_s_at	L02870	collagen, type VII, alpha 1 (epidermolysis bullosa, dystrophic, dominant and recessive)	2.9	-4.69
184	rc_AA232266_s_at	AA232266	ESTs	2.9	-3.22
185	L02321_at	L02321	glutathione S-transferase M5	2.9	-3.33
186	rc_AA428325_at	AA428325	SEC14 (S. cerevisiae)-like 2	2.9	-3.52
187	D82534_at	D82534	f-box and leucine-rich repeat protein 5	2.9	-2.20
188	rc_T32113_at	T32113	KIAA0657 protein	2.9	-2.47

Normal vs. BPH W/Symptoms Table **TABLE 3** 1654540.1

Up-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
189	rc_R10896_at	R10896	cytochrome c oxidase subunit VIIa polypeptide 2 like	2.9	-1.99
190	rc_AA019034_i_at	AA019034	ESTs	2.9	-4.40
191	D28423_at	D28423	ESTs	2.9	-2.31
192	rc_AA609943_at	AA609943	ESTs	2.9	-3.86
193	W69302_at	W69302	ESTs	2.9	-2.68
194	rc_H01824_f_at	H01824	GATA-binding protein 2	2.9	-3.82
195	rc_T67105_s_at	T67105	ESTs	2.9	-5.49
196	rc_AA426372_s_at	AA426372	H1 histone family, member X	2.9	-2.53
197	rc_T98288_f_at	T98288	ESTs	2.9	-2.66
198	rc_N63047_at	N63047	ESTs	2.9	-5.25
199	U57316_at	U57316	GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 2	2.9	-3.59
200	rc_AA219304_s_at	AA219304	alpha-2-macroglobulin	2.9	-1.76

Normal vs. BPH W/Symptoms Table TABLE 4 1654540.1

Down-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
1	rc_T40895_at	T40895	protein tyrosine phosphatase type IVA, member 1	16.5	5.19
2	rc_N80129_i_at	N80129	metallothionein 1L	12.6	3.54
3	rc_AA460914_at	AA460914	ESTs	7.4	4.58
4	rc_AA234996_s_at	AA234996	cytochrome c oxidase subunit VIa polypeptide 2	7.2	4.10
5	X66141_at	X66141	myosin, light polypeptide 2, regulatory, cardiac, slow	6.6	3.80
6	AA234634_f_at	AA234634	CCAAT/enhancer binding protein (C/EBP), delta	6.2	4.35
7	rc_AA419011_at	AA419011	prostate androgen-regulated transcript 1	6.1	3.87
8	rc_N94303_at	N94303	ESTs	5.8	5.96
9	M20543_at	M20543	actin, alpha 1, skeletal muscle	5.5	3.20
10	rc_AA085943_s_at	AA085943	troponin T1, skeletal, slow	5.5	3.02
11	X06825_at	X06825	tropomyosin 2 (beta)	5.2	3.35
12	AB000584_at	AB000584	prostate differentiation factor	5.1	3.80
13	M19309_s_at	M19309	troponin T1, skeletal, slow	5.0	3.41
14	rc_AA040433_at	AA040433	DKFZP586N2124 protein	5.0	2.62
15	rc_N32748_at	N32748	ESTs	5.0	3.36
16	rc_AA227926_at	AA227926	ESTs	4.8	5.39
17	rc_AA457566_at	AA457566	ESTs	4.7	4.22
18	rc_AA026641_s_at	AA026641	secretory leukocyte protease inhibitor (antileukoproteinase)	4.6	2.09
19	rc_AA053424_at	AA053424	serine/threonine protein kinase MASK	4.5	4.16
20	V00594_at	V00594	metallothionein 2A	4.5	3.71
21	rc_R16983_at	R16983	ESTs	4.5	3.23
22	U75272_s_at	U75272	progastricsin (pepsinogen C)	4.4	4.57
23	rc_T94447_s_at	T94447	cortic al thymocyte receptor (X. laevis CTX) like	4.4	3.50
24	U08021_at	U08021	nicotinamide N-methyltransferase	4.4	2.41
25	J03910_rna1_at	J03910	metallothionein 1G	4.3	2.79
26	rc_AA236545_at	AA236545	ESTs	4.2	2.41
27	rc_AA211443_at	AA211443	ESTs	4.2	4.49
28	rc_AA398908_at	AA398908	ESTs	4.2	2.64
29	X57129_at	X57129	H1 histone family, member 2	4.2	3.88
30	M21665_s_at	M21665	myosin, heavy polypeptide 7, cardiac muscle, beta	4.1	3.61
31	X65614_at	X65614	S100 calcium-binding protein P	4.1	4.03
32	rc_AA197112_r_at	AA197112	putative nuclear protein	4.1	3.07
33	M99487_at	M99487	folate hydrolase (prostate-specific membrane antigen) 1	4.0	2.65
34	X04201_at	X04201	neurotrophic tyrosine kinase, receptor, type 1	3.9	2.87
35	X05451_s_at	X05451	ESTs	3.9	3.26
36	rc_AA435720_i_at	AA435720	tubulin, alpha 2	3.9	2.20
37	rc_N92502_s_at	N92502	ESTs	3.8	3.11
38	L77701_at	L77701	COX17 (yeast) homolog, cytochrome c oxidase assembly protein	3.8	3.97
39	HG2157-HT2227_at	HG2157-HT222	ESTs	3.8	4.08
40	X76717_at	X76717	metallothionein 1L	3.8	5.82
41	HG1067-HT1067_r_a	HG1067-HT106	ESTs	3.7	3.02
42	rc_AA599331_at	AA599331	CGI-119 protein, uncharacterized bone marrow protein BM039	3.6	4.90
43	M20642_s_at	M20642	ESTs	3.6	3.48
44	rc_AA055163_at	AA055163	calsequestrin 2, cardiac muscle	3.6	3.66
45	rc_AA127946_at	AA127946	DKFZP586B2022 protein	3.6	4.40
46	rc_AA022886_at	AA022886	retinal degeneration B beta	3.6	3.51
47	rc_AA342337_at	AA342337	ESTs	3.5	2.57

Normal vs. BPH W/Symptoms Table TABLE 4 1654540.1

Down-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
48	X02544_at	X02544	orosomucoid 1	3.5	1.92
49	rc_T73433_s_at	T73433	angiotensinogen	3.5	3.10
50	M21494_at	M21494	creatine kinase, muscle	3.4	2.46
51	rc_AA488072_s_at	AA488072	cardiac ankyrin repeat protein	3.4	2.78
52	rc_AA293187_s_at	AA293187	B-cell CLL/lymphoma 3	3.4	1.62
53	rc_AA599522_r_at	AA599522	squamous cell carcinoma antigen recognised by T cells	3.4	3.03
54	rc_AA405488_at	AA405488	ESTs	3.4	2.57
55	rc_AA461453_at	AA461453	calcium binding protein Cab45 precursor,	3.4	3.10
56	rc_AA609006_at	AA609006	ESTs	3.4	2.30
57	rc_N24761_at	N24761	TU12B1-TY protein	3.4	3.89
58	rc_AA432162_at	AA432162	DKFZP586B2022 protein	3.4	2.78
59	X06256_at	X06256	integrin, alpha 5 (fibronectin receptor, alpha polypeptide)	3.4	4.51
60	rc_AA045825_at	AA045825	ESTs	3.3	3.90
61	rc_AA478778_at	AA478778	ESTs	3.3	4.37
62	rc_N80129_f_at	N80129	metallothionein 1L	3.2	3.60
63	rc_AA182030_at	AA182030	pyruvate dehydrogenase kinase, isoenzyme 4	3.2	3.72
64	rc_AA102489_at	AA102489	hypothetical protein FLJ10337	3.2	2.20
65	rc_R46074_at	R46074	transforming, acidic coiled-coil containing protein 2	3.2	3.38
66	rc_AA599522_f_at	AA599522	squamous cell carcinoma antigen recognised by T cells	3.2	2.36
67	rc_AA165313_at	AA165313	ESTs	3.2	2.76
68	rc_AA429636_at	AA429636	hexokinase 2	3.2	3.12
69	rc_R71792_s_at	R71792	thrombospondin 1	3.1	2.31
70	U05861_at	U05861	aldo-keto reductase family 1, member C1 (dihydrodiol dehydrogenase 1; 20-alpha (3-alpha)-hydroxysteroid dehydrogenase),aldo-keto reductase family 1, member C2 (dihydrodiol dehydrogenase 2; bile acid binding protein; 3-alpha hydroxysteroid dehydrogenase, type III)	3.1	2.62
71	rc_AA410311_at	AA410311	ESTs	3.1	3.52
72	rc_AA505136_at	AA505136	ESTs	3.1	3.00
73	rc_T68873_f_at	T68873	metallothionein 1L	3.0	3.18
74	X00371_rna1_at	X00371	myoglobin	3.0	2.18
75	rc_AA099820_at	AA099820	ESTs	3.0	3.08
76	rc_T90190_s_at	T90190	H1 histone family, member 2	3.0	3.48
77	rc_AA227936_f_at	AA227936	parathymosin	3.0	1.76
78	X90568_at	X90568	titin	3.0	2.83
79	rc_AA004699_at	AA004699	orphan G-protein coupled receptor	3.0	2.23
80	rc_F03969_at	F03969	ESTs	2.9	2.53
81	X93036_at	X93036	FXYD domain-containing ion transport regulator 3	2.9	2.91
82	rc_R91484_at	R91484	ESTs	2.9	6.43
83	rc_AA025370_at	AA025370	KIAA0872 protein	2.9	2.87
84	X51441_s_at	X51441	serum amyloid A1	2.9	1.78
85	X64177_f_at	X64177	metallothionein 1H	2.9	3.36
86	rc_AA255480_at	AA255480	ECSIT	2.9	2.38
87	rc_AA476944_at	AA476944	ESTs	2.8	4.26
88	U78294_at	U78294	arachidonate 15-lipoxygenase, second type	2.8	1.82
89	rc_AA045487_at	AA045487	ESTs	2.8	2.75
90	rc_N74291_at	N74291	ESTs	2.8	1.88
91	rc_N91973_at	N91973	hypothetical protein,three prime repair exonuclease 1	2.8	1.97

Normal vs. BPH W/Symptoms Table TABLE 4 1654540.1

Down-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
92	D81655_at	D81655	ESTs	2.8	1.89
93	U53225_at	U53225	sorting nexin 1	2.8	3.16
94	rc_H77597_f_at	H77597	metallothionein 1H	2.8	2.98
95	K02215_at	K02215	angiotensinogen	2.8	3.05
96	rc_AA464728_s_at	AA464728	ESTs	2.7	3.80
97	rc_W49708_at	W49708	ESTs	2.7	3.52
98	rc_AA453435_at	AA453435	ESTs	2.7	4.78
99	rc_D11824_at	D11824	ESTs	2.7	3.70
100	rc_T56281_f_at	T56281	RNA helicase-related protein	2.7	2.62
101	rc_AA182882_at	AA182882	titin-cap (telethonin)	2.7	1.85
102	rc_AA447522_at	AA447522	ESTs	2.7	3.27
103	rc_N26904_at	N26904	FK506 binding protein precursor	2.7	3.21
104	rc_AA131919_at	AA131919	putative type II membrane protein	2.7	4.15
105	rc_R89840_at	R89840	ESTs	2.7	2.23
106	rc_W31470_at	W31470	thyroid hormone receptor-associated protein, 95-kD subunit	2.7	2.85
107	rc_W92207_at	W92207	ESTs	2.7	4.07
108	U96094_at	U96094	sarcolipin	2.7	2.23
109	rc_W70131_at	W70131	ESTs	2.7	3.64
110	rc_AA435720_f_at	AA435720	tubulin, alpha 2	2.7	1.98
111	rc_AA284879_at	AA284879	ESTs	2.7	1.74
112	rc_H22453_at	H22453	ESTs	2.7	4.20
113	D14826_s_at	D14826	cAMP responsive element modulator	2.6	4.13
114	rc_N93798_at	N93798	protein tyrosine phosphatase type IVA, member 3	2.6	3.12
115	U41804_at	U41804	putative T1/ST2 receptor binding protein	2.6	4.37
116	rc_W20486_f_at	W20486	chromosome 21 open reading frame 56	2.6	2.74
117	rc_AA055768_at	AA055768	CGI-119 protein	2.6	2.13
118	rc_AA447977_s_at	AA447977	ESTs	2.6	3.22
119	AA380393_at	AA380393	SEC7 homolog	2.6	2.29
120	rc_N29568_at	N29568	thyroid hormone receptor-associated protein, 150 kDa subunit	2.6	2.46
121	rc_AA426374_f_at	AA426374	tubulin, alpha 2	2.6	3.20
122	rc_H94471_at	H94471	occludin	2.6	2.19
123	rc_AA252219_at	AA252219	ESTs	2.6	3.83
124	rc_AA402000_at	AA402000	ESTs	2.6	2.29
125	rc_Z38744_at	Z38744	putative gene product	2.6	4.18
126	AA045870_at	AA045870	ESTs	2.6	2.26
127	rc_R38678_at	R38678	ESTs	2.6	4.16
128	R39467_f_at	R39467	NEU1 protein	2.6	2.79
129	AA455001_s_at	AA455001	CGI-43 protein	2.6	5.34
130	rc_AA292328_at	AA292328	activating transcription factor 5	2.6	2.88
131	X57348_s_at	X57348	stratifin	2.6	2.48
132	rc_T95005_s_at	T95005	ESTs	2.5	3.30
133	AA410355_at	AA410355	ribosomal protein S6 kinase, 70kD, polypeptide 2	2.5	2.31
134	AA036900_at	AA036900	ESTs	2.5	2.45
135	rc_F02204_at	F02204	BAI1-associated protein 2	2.5	2.26
136	U26173_s_at	U26173	nuclear factor, interleukin 3 regulated	2.5	3.91
137	rc_AA477767_at	AA477767	ESTs	2.5	3.17
138	rc_AA504805_s_at	AA504805	interferon stimulated gene (20kD)	2.5	3.79
139	rc_R33627_i_at	R33627	ESTs	2.5	1.99

Normal vs. BPH W/Symptoms Table **TABLE 4**

1654540.1

Down-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
140	rc_T40995_f_at	T40995	alcohol dehydrogenase 3 (class I), gamma polypeptide	2.5	2.15
141	rc_R00144_at	R00144	ESTs	2.5	2.69
142	U02020_at	U02020	pre-B-cell colony-enhancing factor	2.5	4.20
143	rc_AA287832_at	AA287832	ESTs	2.5	3.80
144	AA429539_f_at	AA429539	hypothetical protein	2.5	2.35
145	rc_H05084_at	H05084	GDP-mannose pyrophosphorylase B	2.5	2.23
146	rc_AA405616_at	AA405616	ESTs	2.5	3.33
147	AA455381_at	AA455381	aldehyde dehydrogenase 5 family, member A1 (succinate-semialdehyde dehydrogenase)	2.4	2.60
148	M13955_at	M13955	keratin 7	2.4	2.22
149	rc_AA180314_at	AA180314	ESTs	2.4	2.53
150	M37984_rna1_at	M37984	troponin C, slow	2.4	2.10
151	M61764_at	M61764	tubulin, gamma 1	2.4	3.48
152	rc_AA150920_at	AA150920	KIAA0539 gene product	2.4	4.11
153	X65965_s_at	X65965	superoxide dismutase 2, mitochondrial	2.4	2.37
154	X93510_at	X93510	LIM domain protein	2.4	2.39
155	rc_N48056_s_at	N48056	folate hydrolase (prostate-specific membrane antigen) 1	2.4	1.80
156	rc_N26713_s_at	N26713	ESTs	2.4	3.87
157	rc_AA282247_at	AA282247	ESTs	2.4	3.17
158	rc_D80617_at	D80617	KIAA0596 protein	2.4	2.02
159	rc_F02245_at	F02245	monoamine oxidase A	2.4	2.79
160	rc_R58878_at	R58878	ESTs	2.4	2.80
161	rc_W45531_at	W45531	ESTs	2.4	4.17
162	L25270_at	L25270	SMC (mouse) homolog, X chromosome	2.4	3.26
163	rc_W88568_at	W88568	glycogenin 2	2.4	1.90
164	rc_AA070752_s_at	AA070752	insulin receptor substrate 1	2.4	2.87
165	U24169_at	U24169	JTV1 gene,hypothetical protein PRO0992	2.4	3.41
166	rc_T15423_s_at	T15423	2',3'-cyclic nucleotide 3' phosphodiesterase	2.4	1.71
167	X78706_at	X78706	carnitine acetyltransferase	2.4	3.51
168	rc_T10695_i_at	T10695	enigma (LIM domain protein)	2.4	1.52
169	rc_AA430388_at	AA430388	HSPC160 protein	2.4	5.04
170	M68519_rna1_at	M68519	surfactant, pulmonary-associated protein A1	2.4	3.89
171	rc_AA421562_at	AA421562	anterior gradient 2 (Xenepus laevis) homolog	2.4	1.80
172	rc_T97243_at	T97243	prenyl protein protease RCE1	2.4	2.46
173	rc_T15409_f_at	T15409	ESTs	2.3	3.76
174	rc_T62918_at	T62918	ESTs	2.3	2.59
175	rc_R15108_at	R15108	ESTs	2.3	2.74
176	AA454908_s_at	AA454908	KIAA0144 gene product	2.3	2.77
177	rc_N64683_at	N64683	CGI-119 protein	2.3	2.27
178	rc_H99035_at	H99035	ESTs	2.3	4.34
179	Y08374_rna1_at	Y08374	chitinase 3-like 1 (cartilage glycoprotein-39)	2.3	2.94
180	rc_AA236241_at	AA236241	ESTs	2.3	1.57
181	U52969_at	U52969	Purkinje cell protein 4	2.3	3.49
182	rc_R11526_f_at	R11526	parathymosin	2.3	1.71
183	rc_T15850_f_at	T15850	ESTs	2.3	2.42
184	HG2259-HT2348_s_a	HG2259-HT234	tubulin, alpha 1 (testis specific),tubulin, alpha, ubiquitous	2.3	2.91
185	rc_H15143_s_at	H15143	ortholog of rat pippin	2.3	1.45
186	rc_AA101767_at	AA101767	ESTs	2.3	3.52

Normal vs. BPH W/Symptoms Table **TABLE 4** 1654540.1

Down-regulated	Affy element	GenBank ID	GenBank Name	Fold-change	t
187	rc_AA193197_at	AA193197	sarcomeric muscle protein	2.3	1.98
188	U03688_at	U03688	cytochrome P450, subfamily I (dioxin-inducible), polypeptide 1 (glaucoma 3, primary infantile)	2.3	2.97
189	rc_R37774_at	R37774	cytochrome P450 retinoid metabolizing protein	2.3	4.11
190	rc_H81413_f_at	H81413	high-mobility group (nonhistone chromosomal) protein isoforms I and Y	2.3	3.12
191	X16354_at	X16354	carcinoembryonic antigen-related cell adhesion molecule 1 (biliary glycoprotein)	2.3	2.54
192	rc_AA457235_at	AA457235	ESTs	2.3	2.25
193	D13643_at	D13643	KIAA0018 gene product	2.3	1.78
194	rc_N30856_at	N30856	solute carrier family 19 (thiamine transporter), member 2	2.3	3.45
195	M26311_s_at	M26311	S100 calcium-binding protein A9 (calgranulin B)	2.3	2.37
196	rc_Z40556_at	Z40556	CGI-96 protein	2.3	2.39
197	rc_N79070_at	N79070	ESTs	2.3	1.43
198	Z69881_at	Z69881	ATPase, Ca++ transporting, ubiquitous	2.3	3.87
199	rc_D60755_s_at	D60755	ESTs	2.3	2.30
200	rc_N94424_at	N94424	retinoic acid receptor responder (tazarotene induced) 1	2.2	1.09

Table 5

Up-regulated genes		Down-regulated genes	
Cluster	Fragment Name	Cluster	Fragment Name
1	rc_AA256268_at	1	rc_AA227926_at
1	rc_AA188981_at	1	rc_AA398908_at
1	rc_AA173223_at	1	L77701_at
1	rc_AA216589_at	1	rc_AA599331_at
1	rc_AA234095_at	1	AA455001_s_at
1	rc_H17550_at	3	rc_AA022886_at
1	AA308998_at	3	rc_N24761_at
1	rc_AA488432_at	3	X06256_at
1	rc_AA427890_at	4	HG1067-HT1067_r_at
1	rc_N91887_s_at	4	rc_AA127946_at
1	rc_AA045481_at	4	rc_AA405488_at
3	rc_T23622_at	5	AA234634_f_at
3	rc_T23490_s_at	5	X65614_at
3	rc_AA620289_at	5	rc_T73433_s_at
4	rc_H05704_r_at	5	rc_R91484_at
4	rc_AA436616_at	5	rc_N93798_at
4	rc_AA456147_at	6	rc_N94303_at
4	rc_f09748_s_at, AA495865_at	6	AB000584_at
4	rc_AA598982_s_at	6	rc_AA410311_at
4	HG3543-HT3739_at	6	rc_F02245_at
4	rc_AA609504_at	7	rc_T40895_at
5	rc_AA028092_s_at	7	rc_N80129_i_at, X76717_at, rc_N80129_f_at, rc_T68873_f_at
5	U62015_at	7	rc_N32748_at
5	rc_F13763_at	7	V00594_at
5	rc_AA205724_at	7	J03910_rna1_at
5	U30521_at	7	X57129_at, rc_T90190_s_at
6	X52541_at	7	rc_AA182030_at
6	rc_AA281345_f_at, M62831_at	7	rc_AA505136_at
7	rc_n22006_s_at	7	X64177_f_at, rc_H77597_f_at
7	rc_R42424_at	7	rc_AA101767_at

Table 6

	Prostatic tissues	Cell Line			
		BRF-55T	PZ-HPV7	BPH-1	LNCaP
Up-regulated genes	61	33	22	20	20
Down-regulated genes	43	31	28	30	33
Total	104	64	50	50	53

WE CLAIM:

1. A method of screening for or identifying an agent that modulates the onset or progression of benign prostatic hyperplasia (BPH), comprising:

(a) preparing a first gene expression profile of BPH cells or BPH-like cell population;

(b) exposing the cells to the agent

(c) preparing second gene expression profile of the agent exposed cells ; and

(d) comparing the first and second gene expression profiles.

2. A method of claim 1, wherein the gene expression profile comprises the expression levels for one or more genes that are differentially regulated in BPH cells compared to normal prostate cells.

3. A method of claim 1, wherein the agent modulates the expression levels for one or more genes in the BPH cells to levels close or similar to the expression level found in normal prostate cells .

4. A method of claim 1, wherein the gene expression profile comprises the expression levels in BPH cells for one or more genes in Tables 1-5.

5. A method of claim 1, wherein the gene expression profile comprises the expression levels in BPH cells for one or more genes in Table 5.

6. A method of any one of claims 1-5, wherein the BPH cell is selected from the group consisting of prostate cells from a BPH patient, a cell line in Table 6 and a derivative thereof.

7. A method of any one of claims 2-5 , wherein the expression levels are for two or more genes .

8. A method of diagnosing the onset or progression of benign prostatic hyperplasia (BPH) in a subject comprising:

(a) detecting the expression levels of one or more genes in prostate cells from the subject that are differentially regulated compared to normal prostate cells.

9. A method of claim 8, wherein the expression levels are for one or more genes in Tables 1-5.

10. A method of claim 8, wherein the expression levels are for two or more genes in Tables 1-5.

11. A method of claim 8, wherein the expression levels are for one or more genes in Table 5.

12. A method of claim 8, wherein the expression levels are for two or more genes in Table 5.

13. A method of differentiating benign prostatic hyperplasia (BPH) from prostate cancer in a subject comprising:

(a) detecting the expression levels of one or more genes in prostate cells from the subject that are indicative of BPH rather than prostate cancer.

14. A method of claim 13, wherein the expression levels are for one or more genes in Tables 1-5.

15. A method of claim 13, wherein the expression levels are for two or more genes in Tables 1-5.

16. A method of claim 13, wherein the expression levels are for one or more genes in Table 5.

17. A method of claim 13, wherein the expression levels are for two or more genes in Table 5.

18. A set of oligonucleotide probes, wherein each of the probes specifically hybridizes to a gene in Tables 1-5.

19. A set of oligonucleotide probes, wherein each of the probes specifically hybridizes to a gene in Table 5.

20. A set of oligonucleotide probes of claim 18, wherein the set specifically hybridizes to nearly all the genes in Tables 1-5.

21. A set of oligonucleotide probes of claim 18, wherein the set specifically hybridizes to nearly all the genes in Table 5.

22. A set of oligonucleotide probes of any one of claims 18-21, wherein the probes are attached to a solid support.

23. A set of oligonucleotide probes of claim 22, wherein the solid support is selected from the group consisting of a membrane, a glass support and a silicon support.

24. A solid support onto which two or more oligonucleotide probes have been attached, wherein each of the probes specifically hybridizes to a gene in Tables 1-5.

25. A solid support of claim 24, wherein the probes specifically hybridize to nearly all of the genes in Tables 1-5

26. A solid support onto which two or more oligonucleotide probes have been attached, wherein the probes specifically hybridize to a gene in Table 5.

27. A solid support of claim 26, wherein the probes specifically hybridize to nearly all of the genes in Table 5.

28. A solid support of any one of claims 24-27, wherein the solid support is an array comprising at least 10 different oligonucleotides in discrete locations per square centimeter.

29. A solid support of claim 28, wherein the array comprises at least 100 different oligonucleotides in discrete locations per square centimeter.

30. A solid support of claim 28, wherein the array comprises at least 1000 different oligonucleotides in discrete locations per square centimeter.

31. A solid support of claim 28, wherein the array comprises at least 10,000 different oligonucleotides in discrete locations per square centimeter.

32. A computer system comprising:

(a) a database containing information identifying the expression level in benign prostatic hyperplasia (BPH) tissue or cells of a set of genes comprising at least two genes in Tables 1-5; and

(b) a user interface to view the information.

33. A computer system of claim 32, wherein the set of genes comprises at least two genes in Table 5.

34. A computer system of claim 32, wherein the database further comprises sequence information for the genes.

35. A computer system of claim 32, wherein the database further comprises information identifying the expression level for the set of genes in normal prostate tissue or cells.

36. A computer system of claim 32, wherein the database further comprises information identifying the expression level of the set of genes in prostate cancer tissue or cells.

37. A computer system of claim 32, further comprising records including descriptive information from an external database, which information correlates said genes to records in the external database.

38. A computer system of claim 37, wherein the external database is GenBank.

39. A method of using a computer system of claim 32 to present information identifying the expression levels in a tissue or cells of at least one gene in Tables 1-5, comprising the step of:

(a) comparing the expression level of at least one gene in Tables 1-5 in the tissue or cells to the level of expression of the gene in the database.

40. A method of claim 39, wherein the expression levels of at least two genes are compared.

41. A method of claim 39, wherein the expression levels of at least five genes are compared.

42. A method of claim 39, wherein the expression levels of at least ten genes are compared.

43. A method of claim 39, further comprising the step of displaying the expression levels of at lest one gene in the tissue or cell sample compared to the expression level in BPH.

44. A method of monitoring the treatment of a patient with benign prostatic hyperplasia (BPH), comprising:

(a) administering a pharmaceutical composition to the patient;

(b) preparing a gene expression profile from a cell or tissue sample from the patient; and

(c) comparing the patient gene expression profile to a gene expression profile from a normal prostate cells, or a BPH tissue or cell sample without treatment.

45. A method of claim 44, wherein the gene expression profile comprises the expression levels for one or more genes in Tables 1-5.

46. A method of claim 44, wherein the gene expression profile comprises the expression levels for one or more genes in Table 5.

47. A method of claim 45 or 46, wherein the expression levels are for two or more genes.

48. A method of any one of claims 1, 8, 12, 38 or 43, wherein the gene expression profile or gene expression level is detected by branched DNA (bDNA) method.

49. A computer readable storage medium storing a computer program for implementing an algorithm executing method of analyzing gene expression results; said method comprising:

(a) converting the mean expression value for each gene to 0; and

(b) converting the high and low expression values to 1 and –1, respectively.

50. The medium of claim 49, wherein the method further comprises the step of:

(c) clustering the converted expression values to identify sets of genes with similar expression patterns.

Figure 1: N91971, cellular retinol binding protein



Figure 2: N91971, cellular retinol binding protein



Figure 3: X65614, S100-calcium binding protein



Figure 4: X65614, S100-calcium binding protein



Figure 5: M99487, PSMA




Figure 6: M99487, PSMA
Relative Expression X 104
4000000
3500000
3000000
2500000
2000000
1500000
1000000
500000
0
Clontech Normal
S02323
S02320
S02324
S02316
S02319
S02315
S02321
S02325
S02326
S02312
S02329
S02308
S02332
S02330
S02331
S02317
S02313
S02311
S02314
S02310
S02322
S02327
S02318
S02328
S02309
Normal
-Sym
Cancer
+Sym
1655146v1 [1-WA]

SEQUENCE LISTING

<110> Munger, William E.
Kulkarni, Prakash
Getzenberg, Robert H.
Waga, Iwao
Yamamoto, Jun

<120> Identifying Drugs for and Diagnosis of Benign Prostatic Hyperplasia Using Gene Expression Profiles

<130> 44921-5029-WO

<140>
<141>

<150> US 60/223,323
<151> 2000-08-07

<150> US 09/873,319
<151> 2001-06-05

<160> 755

<170> PatentIn Ver. 2.1

<210> 1
<211> 333
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA004699

<400> 1
ttaataaagc agaaatgtat ttattaggca cccttgttcc tcacagagga gcaagatcca 60
ggcctgagcg cctgggaagt ctcttgaggt tgcaggaatc tccagagaaa cataggcgct 120
gcccagccac caccccgaga acactatttg ggctggagtg tgaccgccga ggtgatcctg 180
gcaggaggct ggggttggct cctcgactcc acaaacactg aggagtgggt ggggacacca 240
ttgacaccca cccaaacact ggcagagagg gaaggccctt ccagattctg gggcacatgt 300
tgctgggcct gccaggggga aggaggagcc tgg 333

<210> 2
<211> 287
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA007158

<400> 2
tttcacaaat gtcaatttta ttgacactag tgcacaacta aatacaataa ttgcaaagga 60
agtggaacgt gtcaaacaga aatggtgaca atgagttaga actgcagttg tttcaaggta 120
ctacactatt atttaaaaaa aaaactcaca aaaagaaaaa tgttatcact acaagtagga 180
attagaagag agaaatcctg gcagtctgtc tagaggttaa aacatttcat gcatttgtga 240
gttgctgttg gagagtttgt tttttatttg tccaccgtaa tctggca 287

<210> 3
<211> 468
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA009755

<220>
<221> unsure
<222> (1)..(468)
<223> n = a or c or g or t

<400> 3
aggtacttca aaagccacat ttaattcaaa ataaaatgag catttctgac agatgacaac 60
agtatgaaac tgatttttt ctttcctaga tacaaaaatg atatggggca tttcttaaca 120
gtttagtaat cgtctaagaa taattgtaga aataacccca attccaccat cccagccact 180
ggtataaaac aaataccttc catgaaactg tctttcacat aactaaaata tcctcactta 240
cttggaacaa tttcatgctt acacatgatc acaaacattt gtttttagat gttgtggaat 300
tactggagct gagatttctg aaacaatatc tgaatcttag cagagagata ataatccttt 360
cactatacat tgcttgggct tccttaacca aatctgagta actactggta ataataatgc 420
tggtggtagt ccatgatact ctcaaatttt tccctttaag aaatatan 468

<210> 4
<211> 163
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA017063

<220>
<221> unsure
<222> (1)..(163)
<223> n = a or c or g or t

<400> 4
cgcangatga ncacttccgc gggggatgct cccggttgct ctgcggaggg caggccgact 60
cagggcgggg tttggtcctg aaaaaatggg gtggggcggt tacctcttac cgcttgggac 120
cttgggacct cttnttgacc ccaggaagag attagaagcc ctt 163

<210> 5
<211> 196
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA019034

<400> 5
tatctttaca aatgacagaa tatttattaa caataccttt aaaaaagatt acatatgcta 60
gatcactggt aaatatcatt tacactgggg ttgggaactc cctgggtgtc attttttttc 120
gttcatttta ttattttgct gatttttttt ttgcatgtga ttttaaattt tatttcaaca 180
tagaagtaac catatc 196

<210> 6
<211> 482
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA019433

<220>
<221> unsure
<222> (1)..(482)
<223> n = a or c or g or t

<400> 6
ttttttttta agtaaaagaa aaagtgcggc tgttaccaat ctgaagtggg agcagccgca 60
ctttttttttt ttttttttaa gtaaaagaaa atttattatg aaactaaagg aataaaagaa 120
tgaccactcc ataggcagag aaacgtcact ttaaggtttt gacatcaatt gatttttgtc 180
caaatcaata attactgcaa tgattgaaaa atgattatta ctaagtttgt tttcattgtc 240
tcaaggtctg ctgaactctg gatccaggct gtgtcaacag ggtagtgtgg tgcctcctgt 300
acctgtcttg gcctcctaca gtccttttta cttattttgt tttttagaat tagagacagg 360
gtcttactat gttgctcaga ctgggnttca aactcctagg ctcaagcaat cttccagcct 420
cagcctccta aaagtgctgg ggattacagg catgagccac canacccggg ccaagttctt 480
tt 482

<210> 7
<211> 245
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA022886

<220>
<221> unsure
<222> (1)..(245)
<223> n = a or c or g or t

<400> 7
taaaacccca tgagatattt atataaagtt actcagattt gggccgacat ggcttatctg 60
aagagtgcat gccgggtaaa ttcagggtgg ctttttttctc agggtctgga agtgtgagag 120
tttctggggc agacttttttc cggggccgat ctttgggaac ggacagaaat tcgggtgcgt 180
ctgtggagag aggggtggat ggagcactag aaggcgcact gcggacngaa aaaaggcccc 240
ccccg 245

<210> 8
<211> 337
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA025370

<400> 8
ggatggaata caatttccaa tagtgtctag gccgacaccc ctccaccctc ctttgcctgt 60
cattcaagtc aataccctgg agaaaagagg ctgtgggggga ggccatgttc gattaggagg 120
tttaagagtc catcaaagtg tcatatgtgt taggtgtgaa atggcgacac tgggaattac 180

tgttaataag gggtggctgc agcacggtga ttgttatgag aacatcccca ccgccccact 240
tttgtttgaa gactttcgta ctgaactaca tgttgtttac tttcaacaac gtatacacta 300
cagttgacaa aagttaatct cggtgataag aatatgc 337

<210> 9
<211> 411
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA026641

<220>
<221> unsure
<222> (1)..(411)
<223> n = a or c or g or t

<400> 9
tttntntgca aagagaaata ggctcgttta ttnattcatt gatcaactgg cacttcttga 60
aancctgctg tgtgccaagc ctttccccaa aggaggatat cagtgnnnna gnaagtctca 120
gggtggaaag gacctggacc acacagagca ggactccaga gcctcctcca tatggcagga 180
atcaagcttt cacaggggaa acgcaggatt tcccacacat gcccatgcaa cacttcaagt 240
cacgcttgca ctggccatcc atctcacaga aattgggggg gttnagcatc naacattggc 300
canaantcac tnggnacttn ccaagggttn cnccttgttg ggnttngggg ggtnnacagg 360
ggncccggca nttnatgcnc caagtttcng ggcaaanatt tctttttttcc c 411

<210> 10
<211> 471
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA028092

<400> 10
tagcaatata aagaaagatt tattttcaaa agtagcaaaa cttgtttgaa aaaaatatat 60
atctttaagt gaattacttt ataaatgtga ctgtcaaagt cagctatcct atgatctaca 120
ttttacaaca tattgtacaa aagatacatt gataggctct tatctattta tatatttata 180
attacatatt gcacttggac cagcaaggct tgcagagtca ttcacggtag aagttaataa 240
agttaaatag atgggaatct ttgtaagtac aattgatctc ctctggtttg gaaacgaatc 300
tcctcgtcgt tgtaaagtgt tctcgcgggg tgggacagag agaggagcat tgcgaggggg 360
aagcagagac agagagcact gagggcaggg gtcgccttcc cggggcccgc tccccccggg 420
aggcggcctt tcccagactc gcacctccaa ggtcaggacg cggtggttcc a 471

<210> 11
<211> 422
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA029356

<220>
<221> unsure
<222> (1)..(422)
<223> n = a or c or g or t

<400> 11
gctctcagag gacaagaatt atgttttatt catttgggag tacataggcg gtatttaaac 60
aatggtgcta tcttaaacac caaatatcaa ctgcagttca ctttttccgt gtggggacta 120
atatcaagat ttcatatgaa ttatagtata atccagaagt atgaaaaaat acatcatatt 180
taacttataa agcattcatc tgcatgttat aagatattac agtaaataca attaggtact 240
taccatttta tctttacttt aaaaacaatg cctnttccaa aatataaaaa aaagacctat 300
ttttaaagan ctatttaaag atngcttttg aaaacaacac ttttatntta cnacaaatag 360
atggtagtgg caacagcact cgtggatgtt tacgngtaaa taaaaatacc tagtattccg 420
gg 422

<210> 12
<211> 253
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA029597

<400> 12
gccagaacca aacgtctcct tttattgcaa ggtcaaaccc ttttcatttt gtctatttat 60
acagaatttt cactaaggac tgctcgacgc aacagctgtg agtacattgg tccaaccatt 120
aataaatagt cttaaataag aaaacaaaca ggttgaagga aagcaagctc atcgtcctga 180
acgagggatt aaaggggggg ggtgttcaaa agagctttgg atggaaataa ataatctctt 240
tgctttgtaa cac 253

<210> 13
<211> 186
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA031360

<220>
<221> unsure
<222> (1)..(186)
<223> n = a or c or g or t

<400> 13
aaaatttaaa ataaaatttt attttatctt atactcaagt tcagacaata gcatgtggtg 60
tacattcaaa atttttgaca ggtacagagc acattaaaaa atgaagacat gatcaaggag 120
atgtaagaga caaatagaca acaacattct ccctgaatct ggaaaaaagc nagccnttag 180
ggtncc 186

<210> 14
<211> 206
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA036900

<220>
<221> unsure
<222> (1)..(206)

<223> n = a or c or g or t

<400> 14
ctttgctacc ttctgcttgt tgagttgttt tggcattcat attaaaagcc agcatctcac 60
tatttattga caggttgggc tgtgtgtgtg cgcatgtgtg tatacatttc caggcgtgcc 120
tgtgtcctgt agctttttaa aaggaaaccc agtcatccca ctatgaatct ggcatcttct 180
tatgcttcta gtgttttggc canaca 206

<210> 15
<211> 494
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA039935

<220>
<221> unsure
<222> (1)..(494)
<223> n = a or c or g or t

<400> 15
ttcagttttt ggtcatttta attgtaaaaa ccaagacatt tatataaata agaccgctgt 60
gtaaaatacg attcaccctt ctacgaaaac ccttttccca cactcgaaan gaanatagaa 120
aacccagcag agagcagtac aantcagcat gcggtcccng atagctgaag tctcgggcng 180
gccagtggtt ccctgcggaa nagccttcgt nggtgganag nactcctggc ccaggtggnc 240
ccaccagann ntcnntgacc ntctcnanga gacttgcnag gtangcagct cccnnacacc 300
agccccttgn gtctcaantn tacgggtcca aggaggggac gggaaaggct gcttggtccc 360
caccaaggct tgggggctg gggggcctg ctggcccagt gaagatgcag tggtctgttc 420
agcctggggt caagttgggg gaaagggttt ctgaggggtc agcacctccc cagaggacaa 480
ggagagaagc tgcn 494

<210> 16
<211> 421
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA040433

<220>
<221> unsure
<222> (1)..(421)
<223> n = a or c or g or t

<400> 16
ttttgagggt aatgcaactt cttatttatt aatatataat aacaacaatt atacagctca 60
tatctgcaac tgttaggtct ttgttatgtc ttggtcactt tgtctggact ggccgtgacc 120
ttcagctcca gggtctgggc taggaagacg ttccagtgac cttcgtgggg gccagcgagc 180
agtcggaagt gctgtgcctc tttctggaag tcttgcttcc tgactttctt gatctgagtc 240
aagtggaaga ttctggctgt gtggccttgg cagggtactt cacctctctg agcctcagtt 300
tcctcatctt ttaccagctt ccagaggtag atctccacca agtccgaggc ctcngtgttc 360
ccaggggcaa agcgacgnag gttngtctng ggctttgggg gataccggat gttttggacg 420
a 421

<210> 17

<211> 486
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA040731

<220>
<221> unsure
<222> (1)..(486)
<223> n = a or c or g or t

<400> 17
ttccaagaag aacatttttc tgtttattct tagaatgtga attttttttt tcaactcagg 60
gccaagtaca aacttttgat ttttgaaatt ttttcaactc agggccaagt acaatctttt 120
gatttaaaaa tttttttca tgaacaaacc atcagtagtt attaaggagc ccaagaaata 180
ggagatgtga aagcaggatt tctttgtgtt tcctttgaat gttgttattt tgagtattat 240
cattatcagg tagaggaaga aaggtaggct gggaagtagg tccttatgat atcttgacta 300
tggatcccag atttacattt cacctngtca cagagcacac ataatttaag ataaacatgt 360
caagaatgac ataaaccaga ggtaaacacc aaggagcttt acatttggaa ccngaaaata 420
aaaattagaa aaattattac cccatattaa taaccaaaaa attacttaaa ctcctaggnc 480
cccngg 486

<210> 18
<211> 546
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA043349

<400> 18
cttttatgca gagtttgatt atgctttatt tttaaaaatc acattcttcc ccattcccag 60
ccaacgaaca acactattca ttctgaaata agaaaatgaa agaattttga gaagtcacac 120
aacattgctg taaatttcat tttttttttt tttactaata aaacagatgc ttctttctca 180
gagatgggtt ttcactttca acatgcgtca tagcatctga ttttctgagc catcttggga 240
aatggagtct ttcctaatgt cattgaatgt ggtcaaagct atctacaaag cagagacagt 300
aggctcttgg tgaatcagtt tgggaaattc acaattaagc agtctcaggg agtgaaattc 360
cggggtctga tgagactgtg gaaaccatgt ggtactgtag ggagagcaca ggtttggatg 420
ccagacaaat atctaaatct aaccctaatc cactgcttat aagcttagtg attgttgcac 480
aagttgttta gcttctctga gcttagatac ctcactgtaa aatgggaata atacctcttt 540
ttagtg 546

<210> 19
<211> 353
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA043777

<220>
<221> unsure
<222> (1)..(353)
<223> n = a or c or g or t

<400> 19
gaagttataa aagcttgttt ttctttatta gaatactttt ttcaattctg atttgtcaca 60
atttagattc tttttctaag aataagcaga aatttacaaa atttaatttt tatttataca 120
ttcatccgtt caatacacat ttcaagaaag ctgtattgna ccccttnnag tnggtaagtt 180
ccagggccaa agaaccaaaa taaatccaag gagagagacc aacaaatgta tatttataac 240
acagagtaat aaaacacaaa taaatgtgga gttatttaag catgtaagat ggtacatgct 300
ctaccaaggt atgggggctt ctctaagaca caagatcaga ttaaagtctt gaa 353

<210> 20
<211> 382
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA044219

<220>
<221> unsure
<222> (1)..(382)
<223> n = a or c or g or t

<400> 20
ttgcggggaa tcaggtaggg gcctttattg gccagcacac atctacctcc tggcatctgt 60
cacaagcatt tgcaggagta ggcggcccct tcctctccat gtccccatcc ccaacctgag 120
atgcgggagg gcctgggggc tcagagggaa gaactgaggc aagaagcccc ggtgatccag 180
tcagaggatt gggcagcctg acctcggggt ggggagccag cactngacaa caaggaggga 240
ggggcacagg agggctcccc gaggtttggt ccgggagggg gaggaaaact gccccctgcn 300
ctgtcaatct ctgcaatgtg ccgagcccca gctccttgan tccctcagtg cctttgggcc 360
tggatgctca ganagcagtt ga 382

<210> 21
<211> 428
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA045481

<220>
<221> unsure
<222> (1)..(428)
<223> n = a or c or g or t

<400> 21
ttttttttcag taatacagat gtctatttta ttaaaaaagt tacaaacagg tggactgcag 60
ggtcgtctta caaaatgaca agaatgaaat ctattggaaa aattttactt ttacaaatct 120
ttataggtaa ttgttcaatg tttgtacttg ttatttgaga ttttaccttt cactgataaa 180
gttacagtac attagatcca tgataatagg ttacattatt ttatttgcag agccctactg 240
cagtgatttg aacaactcct aaatagatgc cataataaag acaagacata tattgcattt 300
aatattaatt tattatccta ataagcaaca tgcaatctat tgaggaagct aaaataactt 360
ttggtcccct ttcttaaaat gtgctggaga aaccaccctt aaaatcactt tcccccggat 420
tccngcga 428

<210> 22
<211> 328
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. AA045487

<400> 22
ggaaagcatt ttcaaacttt atttacaact gtcacagtga caaaaagtag tttggaaaaa 60
aaaaaatgct agtttctccc tgagcctcaa aaaagaacag atagaagtta caggaggttc 120
atctcacaac aggcattttt actgaaatac taggaatttt ttcaatacaa tcagttagaa 180
atacacacaa attacttgaa aaaaaaaaaa agaggaggcc agataggagc tcagccactt 240
gtccaagagc agctgggtcc ccccagcagg ctccaccgct gagggtcctg acattagctg 300
tcagcccctg gcctgctcag actggcaa 328

<210> 23
<211> 402
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA045503

<400> 23
ctgtgagact gtcctttatt gtgtatacag gttccagcgt cagggctctc ccacggcccc 60
ctccccagtc ctcccccaag ggcccagagt ggtgggagtg agaggccacc ctaaggcaca 120
ctgaccagag aggcatggag ggaggaggct gacttgccct ggggacccct gctaactgag 180
acccaccctt cccctccacc ctgcttctgt atgtgggaga cgaaaccaag agtcactggg 240
ggcagcaggc atttcccagg gttaaggctg atggaaggtc cctatcccag atgggagatg 300
ggggcttttc ctatgactcc ccccatcccc cagctggaag acgtggggag gggtgcatag 360
ccttagagag gtagaatgag gggaaatact cctcagtgcc ca 402

<210> 24
<211> 437
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA045825

<220>
<221> unsure
<222> (1)..(437)
<223> n = a or c or g or t

<400> 24
cagtgtagac cgtctttatt ggcaggtgtt aagagtgcaa aatatcaaca aacccagggg 60
aatacgcaag ggggtgggag tatggctccc ctaccccatg tgagagccct gtaaccaagc 120
cagtggggtg ggaacgttga cttgactgtn gcaaattcag gctcagcacc ttccaaagaa 180
caagctccca ggcaggaggg ctccttgcaa cacaaggggg aaaggagtgg caccctggaa 240
gggcctgggc tgcgacccac cctgggctgc ttggctcctg tatactgccc acctcaaccc 300
ctcaagagga aggcttcaca gctgggggta tgtagttcag agaacccggg ctaaacccag 360
ccctccccaa acccaggtta tctgcctcgg gcctcagttt ccctcctccc agtgattacc 420
caagttgggc ccatcag 437

<210> 25
<211> 397
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. AA045870

<220>
<221> unsure
<222> (1)..(397)
<223> n = a or c or g or t

<400> 25
gtttagagtc taaaactaaa acctaatcat ttngtcacag tgtaaaaaca aatggaaata 60
acagctcaaa tcttcaaaat attactatag cattatgttt aaaataatct acaacaaaaa 120
tgtaccattt tcaagcagta ctacattagg agccctttta tagaaaataa tttcttcttt 180
acccccgttc cagtgtgaat ctagtattct gttaacattt gtgtggcatt tggagtttgt 240
catccccatt gaagggagag ccttctcaga catgaagcaa gggaaacata ctgaatagtt 300
ttacacaaat ttgatctggc ttccatttgn ccccctcatt tcccaaatgt ttaaantgta 360
ttnggatttg ggattctcaa atggtataag ttggcct 397

<210> 26
<211> 564
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA046426

<220>
<221> unsure
<222> (1)..(564)
<223> n = a or c or g or t

<400> 26
ttttttnttt tttcacttta tcatttactt tttattgtgt tgcttgaagt acctatgtaa 60
tgcaagtatg tactgtacta aaatacctat atttccaaat aacatatgtg gtgtagccca 120
cagtctctgc agaagcatca tgagtaacct gtgcctttac actttacaat ccgttattgg 180
ttgctgttaa aagtatgata acagatgaag aaaaaaaaac taagtatgaa tacacttttc 240
caaacacgca catacacagc ttacaatgga atcccaatgg aaataagtga caacatctga 300
tgtagaatct ataaaatgta gactctgcaa taaaaagcca aaggacgtaa aaatatattt 360
taactttaaa aataacttag ttacagtaat actttgcctg tgtcttacca acatgtagct 420
gacagtcaaa attttgcaat atagatataa tatataggga tatataagaa ctacaagaaa 480
atccccaaaa cccataaagt tcaaatgtga aacagaaaag tttaacctgg agattcgcta 540
tggtgancta gccatatttg gaag 564

<210> 27
<211> 560
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA046840

<220>
<221> unsure
<222> (1)..(560)
<223> n = a or c or g or t

<400> 27
tacaaatact gtaaaaatta atataaaaaa gtgagcatgc tcagtctttt cctcttatct 60
acaatacaaa gggtttgtct gaaaagtctg gtttttttc tttttacaaa tgtaccttag 120
ctgcatcaac aggagtaaga tgtagaaaaa gctaccatta caaaaataat ttaagggaaa 180
ataaacacgt ttagcttctc tcgcagttta gtggtggtaa gtccaggctg tagcttcttt 240
gcgctcctat gtcccaagaa actgcagcgg gcacccggcg gctctggctg cgcagggcag 300
ggcgcgctcc gctccgggcc gtcgggtctg aggtatgggt cgttgctgag tctctcccgc 360
cccggccgcg cgttaccggc agtctgctgt cccggcggcc ggcagaaggg cgggctgggc 420
agctgcttga agaactgccg gagggccagg tcccgcgtga ntgctccacg cgctggtgca 480
gttctcgttt cagcgacagc tcacaacttt gtgcantcct ggttgcgccg cttggcttgt 540
ggggtttgcn acgggatgtt 560

<210> 28
<211> 464
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA047151

<220>
<221> unsure
<222> (1)..(464)
<223> n = a or c or g or t

<400> 28
agaaaaacca ccatcgtgtc acgtcgacga tgccaaatta tgttagcgtg acaganaaca 60
ccgtggggga ggaaggcagc agctgaagaa aaaagctcaa atgatctagt cactttcgat 120
actgtacttc agatgcgaaa tggatattcn gagtggaaac ctgacaaagt gcgcctgctt 180
tgatgtgaac tggtatagac aatgaccagt ggctgggtca gtgggatgtc tctctgtgag 240
cacaaaggct tatcaaatga cactaaagat aagttcaaca accatcacat tggaagggag 300
aaaggccgaa catttcatgt ttggccgggc atgtgagtgc acaagatgga aagagcgatt 360
ggagcatcct ggtataatta cccccattgt gctcttaatg gaaatttcaa aggacgggag 420
tattctgttg gttggtgtcc aggtttgtgg cactgttcca agag 464

<210> 29
<211> 413
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA047880

<400> 29
tacagagaat ataaaaatac attcacttta ttttagaaaa atgaagactc atagagtaag 60
cttatcacaa actggcctat taggagtcac agaattcaca ggaaacaatt tctgaagacc 120
aggtgcctgc tgccacctct ccaagcaggc cagagtccag tagagaatgc gattcaggaa 180
gatggctcct cagagggcag ggaggttagc tacggaggcc gctcacgtgg aaatgtccag 240
tgaaccaatg ccaaggaaga agataaaatt ctctggggct gaccacaaca gtgggggtgg 300
ataaagacaa accacttgcc tgtacttctc atcttctatt tgttcatttc actgctggaa 360
ggtgacctct ttcccctaa tcttctttca acccagagag tttaagtctt ctc 413

<210> 30
<211> 431
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. AA053424

<220>
<221> unsure
<222> (1)..(431)
<223> n = a or c or g or t

<400> 30
tttgagcttt cagatttgct tttattggta gggaaattcc agagtgggga gccacccagg 60
aggagacagg ggtgccgagg cttctgggag tctggaagct cccggatgga gaggcttaca 120
gccccagcct tccccagcag gagcacaggc aggggactgg ccaagtctgt cagctcagag 180
caggaccggc ttcagggcct gacttcggtc tcctcttgac ccgccccgga ggcttgtggt 240
gggctctgtg tttgcagctc tcctgaacag agctagatga gggtgggagg cccccgttgg 300
ctcacacagt ggatgctacc atctccggcc tcttggatgt ggagctctgt gccagagtca 360
acagtctcca gggtgggccg gaagttgttg taggcgntct caaggccgaa atctgctctt 420
cctcagattc t 431

<210> 31
<211> 451
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA055163

<400> 31
tttttcaaaa tatgagttta atgacagaat tagttagcta gtattccaca aaaagtattg 60
ctctattttc aaaaaatttg cacagtgtct tacacatgtg ctaaaagatt gagaaaataa 120
attagaaaat tatactgcac acttaacact aaatctacca agcacaatgt aacttttaga 180
cagctcagaa ggcactttgg gatttttttt tttttcagtg cctcagggat cagtatgaac 240
tccaattatt gttgccctgg ccaattgtgg gagtactgat aactggagag ttaattgact 300
gctggataaa gcaatcttta atctaaatgg ggaaggctca ctagcagcta cagaggaagg 360
gggtattcag atcccagctt aaggctagga agccagctga cccaatcaga gacatgaacc 420
catcagaaaa atgtaaaagt tttcatcttt c 451

<210> 32
<211> 354
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA055768

<400> 32
ttttttttt tctgttcaaa aaaggtttta tccaaaaaag ttaatcaaga caagcaacag 60
atactgcaaa gcattatata cagcaccata gtccaggggc caaagaaatc aggaggggct 120
gggcagtaga ggaattccat atattaatga atgtgagatt aagtatagag tgaagacatt 180
aacacacaat ttctaatttc tgttaggcag aatgctcccc taccctgatg ccacagcctt 240
tcacgtttcc taaaccctag taacctctga tctccatctg cctcatcaac acgtcaccac 300
cctttgctct tcttccaatt tagtcacatg ttgggctgaa tttatttcca ctcc 354

<210> 33
<211> 610

<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA056121

<220>
<221> unsure
<222> (1)..(610)
<223> n = a or c or g or t

<400> 33
ctccccctcc ctgctccaag ccggagggtt cctgaggtga cagcgcctgc aactgaaatt 60
tcagcagcgg gagaagatgg acaagagaaa gctcgggcga cggccatctt catccgataa 120
gaaagatgtt aaatgcaaaa ccagaggatg tccatgttca atcaccactg tccaaattca 180
gaagctcaga acgctggact ctccctttgc agtgggaaag aagcctaagg aataaagtca 240
tctctctaga ccataaaaat aaaaaacata tccgagggtg tcctgttact tccaagtcat 300
caccagaaag gcaactcaaa gttatgttga cgaatgtcct atggacggat ttaggacgaa 360
aattcagaaa gaccctacct agaaacgatg ctaatttatg tgatgccaac aaggtgcaat 420
cagactcatt gccttcgaca tctgttgaca gcctagagac atgtcaaaaa ttagaacctc 480
ttcgccaaag ccttaattta tctgaaagga tnccagagtt atattgacga atgtctggga 540
acgggttagg aagaaatcct aaggncccac ctgtactgag ggaattggtg ttcagcaant 600
gcatcaggga 610

<210> 34
<211> 404
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA057195

<220>
<221> unsure
<222> (1)..(404)
<223> n = a or c or g or t

<400> 34
agaaaaacca agtgtcttta ttcctcgatc gtttagtatg gcggtgggcg gcgcgcgcgg 60
gggagcctgg agcccaggga atcgacctgg agggccagtn gngggancgg agggtgcgag 120
gntcggctcc tccgcagccg gccctggagg ggttcttggg ggatcgcgcc aggccaaaag 180
tctgcatggg cggccccgag cctccctgag ccggcgcgcc ccgggnttng ggagaggccn 240
ctctgnncgc ggtgccgntg cgggcccggg tgcggcgctc gcccaagggc taaggtgccc 300
cgtctcaggc gagaccccag gagcccgccg cccccgctgt ctcttcagcc gacgtagaca 360
cgtngggccg ggaaccccag tcttaacgcg tgttcaagct ctgg 404

<210> 35
<211> 491
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA057829

<220>
<221> unsure

<222> (1)..(491)
<223> n = a or c or g or t

<400> 35
cacggccagc ctctcctgca gctgcgcgtn gctcacctcg ctctggcccc tggtgccgtc 60
cacctccagg gtggcctcac cgtccctcag cgagacggtg accacgtgct cttggccgtc 120
gcagacttga tctccattag ggccaaggcg tatgctccac ggccaggacc accagctgct 180
tcttgagttt cttcgtggag tgatagtcta ccagtgccac agagagaggc acggcacgga 240
ggtcgggggc ccagangcgc aaacaagcac gcctgtgtct gcggctgggc ggattgtgaa 300
gccacgactt ctacttccca ggttgattca gtcccgacgt ccagaagggg tccgcatgta 360
gtccaggctg tagaaggcga agcttncccc ggggttagaa agaagcctct ctccgtcacc 420
gagaagcact gcatcctcgt gttnatttca ccgttttcct ggatggtggt gtcttctccg 480
ttcagccagt t 491

<210> 36
<211> 436
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA070752

<220>
<221> unsure
<222> (1)..(436)
<223> n = a or c or g or t

<400> 36
acgtgcagtt cagtcaatga aatcctgagg attggataaa gtaaacaaac tgaaatggat 60
gcatcgtacc atctactgat gaggaagata tgaggtccta gttgtgaatc atgaaatatt 120
tagagtctgg gtacccatga gttagaagag gatttgctga ggtcatttag gtcttcattc 180
tgctgtgatg tccagttgag ctactgacgg tcctctggct gcttctggaa actgatgctg 240
gcataggcgc ttaaatcctc acttgagcgg cgggtggagc tgctctcacc gctgcccagg 300
ggttgatgan ngggtggggg tgggggaagg ctgcggttca ggggtgcact cctgagggca 360
ctgtttgaag tccttgacca aatccaggtc tatgtagtta agaccattct ccaaaccccc 420
agcagcccca cacagt 436

<210> 37
<211> 567
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA082546

<220>
<221> unsure
<222> (1)..(558)
<223> n = a or c or g or t

<400> 37
agagaagacc gtggatcacc tggggacaga ggtgaaaggc ctgctgggct gctggaggag 60
ctggcctgga acctgccccc gggacccttc agccccgctc ccgaccttct cggagatggc 120
ttctgagccc tggagctgga gcccagcagt tggaggtggt gcacctgcca ggcagcgcca 180
cagaaccagc cctgtcctct cgacttcctt ccttagcttc atgtgaaata aaagctattc 240
tggtctcctc tgtgtctgct gacagagtaa cccgtttaac tacagcctcc tctcactcca 300

cttccatgcc tggaggaagc ctgcaacccc ctccaggctc agacctgggg acacccccan 360
tcctgtcatt tataggggaa gatggagcag gggttgattc acacagatgg ggggccctct 420
gaattggcct gcttctcaga atgttggcca taggtnaaaa gcaaggggat cggggttcag 480
gaccancaga atgtttagtg aatctgnatg aatgagaccc caggatttat gtgtccatta 540
agtggttgtt gtgntttaaa aaaaaaa 567

<210> 38
<211> 328
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA084138

<400> 38
ggttacaaga ttctttattt tgtaaactat acataaacag taaaaaagaa aatgcattat 60
actttattac gtaaagtcaa cattaaattt tgtattgagt gtgtataaat taaatggaaa 120
taattaatca attttgcttt caatgaattg tatactggga aaccagttta cccactgttg 180
aaattaaaga taccaatacg taacattcaa caggtttttc catttttatt atgggcacaa 240
aaccattggt atgatatagt taaaagtgat ggtgtgccaa aatgtctaca caattaatta 300
acatgctaac ttaaatacag cggttaaa 328

<210> 39
<211> 370
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA085943

<220>
<221> unsure
<222> (1)..(370)
<223> n = a or c or g or t

<400> 39
agaacccagc ggtgttctga ggggagcgtt tatttcaagc naccgatggg acaaacantc 60
ccaggcttcc caggtgncan tgnccggggc ggcatcctca cttccagcgg cctccaacgc 120
ggcccttccc tgccccccttc cggaacttct gggcgtggct gatgcggttg tacagcacgt 180
tgatctcata tttctgctgt ttcagcttcg ccatcaggtc gaacttctca gactccagct 240
ggtggatcca gtccgacagc tcctgggctt tctcccggag ctgttcctcc cccatgtaag 300
tcaatgttca agagggcttc ttaacgctcg gaaaaggaat gcgcaccttc atctcccggc 360
ccccgtctgg 370

<210> 40
<211> 406
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA086264

<220>
<221> unsure
<222> (1)..(406)
<223> n = a or c or g or t

<400> 40
ttttttttttt ttttttttttt ttttttttttt ttttttttttt tttttcccan ggaaacactt 60
ttatttcngg aagtcagaag aaaaacaang ngcacaacct gaatgacaca gagcggcagn 120
tggaaaccac aggggctgcc ganagctggc ctttcacagc agaccactgt tttccagtga 180
gaatggtggg ccattccaaa acaaagctaa agggttccaa acatccagaa tggaagctgc 240
ttcccccaac tccattacct atactacagg atggattgct ttttgtgaga ccccttcttc 300
cactgggcaa ttttnggcat tatttaccct ccccccgatt tttaaaagct aaaatggcgt 360
cccagggaag aagtgccggc ttggatgcan gcttgggcca ntcact 406

<210> 41
<211> 250
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA091278

<400> 41
gtttgccttc taattgatca tttagactat tctggctaag tctgcccaca tgtaattacc 60
ggctaattca agcgaggaaa aatgtaagtc atttagacca aagccaagca gtttctttgc 120
gtgggttact caagggcttg tggttacttg tatctcctct atgtgaactt gactttgaaa 180
gacagagctc tagtgtgcca gcctgctaag tcctgtaaga atagggaggg cggaggggt 240
ggcagtacta 250

<210> 42
<211> 307
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA092716

<400> 42
gcgagtctgg aactctttct tcggggcccc ggggcacacc atggaggtct cctgttgaat 60
ggcccttgtt gccctagagt gggacccagc cctcacctcc cccagagcta acctgggagg 120
tgctgaaggg gcattgggcc accgtaagca agggaaaaag ggcagatcat gcggggagat 180
gaccttgatc tttgattgct accctaacct tgacctttaa cccgtgattc ccccagctcc 240
tggagagatg tctaatatct cttagggacc agaccctaaa ttctctctcc ccatttgatg 300
ttagtgg 307

<210> 43
<211> 309
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA093923

<400> 43
gtcataatgg accagtcatg tgatttcagt atatacaact ccaccagacc cctccaaccc 60
atataacacc ccacccctgt tcgcttcctg tatggtgata tcatatgtaa catttactcc 120
tgtttctgct gattgttttt ttaatgtttg ggtttgtttt tgacatcagc tgtaatcatt 180
cctgtgctgt gtttttgatt accctggtag gtattagact gcacttttta aaaaaggttc 240
tgcatcgtgg agcatttgac cacagtggac gcgtggctat gcaggtgatt cctcagtctt 300
ccttggtct 309

<210> 44
<211> 271
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA094800

<400> 44
gcgactgcag aaaaagttcc agaaacaatt tggggttagg cagaaatggg atcagaaatc 60
acagaaaccc cgagactctt cagttgaagt tcgtagtgat tgggaagtga aagaggaaat 120
ggattttcct cagttgatga agatgcgcta cttggaagta tcagagccac aggacattga 180
gtgttgttgg gccctagaat actacgacaa agcctttgac cgcatcacca cgaggagtag 240
aggccactgc ggcatcaagc gcatcttcac a 271

<210> 45
<211> 323
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA099820

<220>
<221> unsure
<222> (1)..(323)
<223> n = a or c or g or t

<400> 45
gtgacatgtt ttttgcttta ttgaaattct ctcttacaaa aggtctgang tattttaggc 60
caggcctaat ttgctttggt ccctgaaatg caggcccatg gtcatttcca tgtcctctga 120
agtaggtatg taaactagta gacttccatt tttaaggttc acacactttt taacattgtt 180
tttatttgat gtaaaacaag acttatgttg tccctaatgg aaagaccaag taagagagtt 240
atgtgcgtct tcatggaagg gataactgga ttctttgcca gaaccgggtt gggaatttag 300
tttgttcaat gtggcatctt tca 323

<210> 46
<211> 431
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA101767

<400> 46
catttcataa ataatgtact ttattttatt gcatatggct attaaggagg gcatccatga 60
tcaatacaga ctaaatacaa tgcactattc tagtccagtt tattctcgtc tccagcagca 120
tcacattgac ccctatatac agcgtgtaca gtggaagaca gagcaagata agttaagtct 180
cttgtcatat cacaatagca agaaatatat ttaacatctt gatatccaga aacaatacgt 240
acccaaaaag aaaacactgt ttaataactg ttaaagttta tatagcaaaa aatattttaa 300
atttaaggta agtcaggcaa aatgtacaaa gacccaatat acattgtgaa gttttagcaa 360
acataacatt tatacatttt ggttccattc tgtaaactaa attaaaaatg gtaaatattg 420
catatgcctt t 431

<210> 47

<211> 260
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA102489

<400> 47
agtctacaag ttcagaccca catgtaacgg atttttgctt catggttgtc agaggctagt 60
gtgcattatt tctgaggatt atatccaatg acacgacgca gaaaacacaa atggacggac 120
agacggatgg acataatcat taagacaaga gactctaaaa cgtgccttag tgtccacgtg 180
attgatctaa ggcggggacc cttctaaggt ggggacccga gtgatctaaa gcagggtggc 240
ttccagcaca agggtgccga 260

<210> 48
<211> 365
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA121142

<220>
<221> unsure
<222> (1)..(365)
<223> n = a or c or g or t

<400> 48
ttttttttnt ttttcaacaa actcagcttg actttattac atggaagctt gcagggagcc 60
agcggggaag gcctgtctgg gcaggaactc catggctggg ctggactgga ctgagcagtt 120
ggtgttccag atctgccggg gagaccagat caacagcctg cctcttcagt ttatatccgg 180
aagactcgcc caggtcctgg ctacttgggg ccaaggtagg aaacagcctt tcctgttttg 240
ttgagggttg ccancagggt gtctgagctg tgcccaaagt cgatgcagac cttcttttng 300
ggcaaggtca atgttgaact ccantcctcc caagcttgtt tgaaggactc tggaaaacgg 360
gtttt 365

<210> 49
<211> 261
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA127946

<220>
<221> unsure
<222> (1)..(261)
<223> n = a or c or g or t

<400> 49
ttaaagtgaa agaaacttta ttttgagtaa tatacatatc attcattcca tttaattttc 60
atagctatgc nctatgaaaa ttaaatggaa tgagtaatat acatatcatt cattccattt 120
aattttcata gtgcatagct atgtgtagaa gtacacaggg aagaataaac attagaaata 180
cctagccatg aaaatataca agtgaagaca tttgatatat ccatggacng gcttggaagt 240
attataaaac aggatccatt a 261

<210> 50
<211> 444
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA130349

<220>
<221> unsure
<222> (1)..(444)
<223> n = a or c or g or t

<400> 50
tacaaaaaac aattgttatt tgtgtacttt taaaacctca cagtaatatt ttcacactac 60
cttcttggct gaaagttcac actcggaatt ccagagcagt ccatggccag gcccactggn 120
tccccttgct ctctccttgg ctttggtaac cactggcccc agggactcag cctgctttcc 180
tatccatccc ctcagtagct gtcaccatgc aggttacccc ttctgtttct tctaccacta 240
actccatgtc tgactgcaag tgaaaggaac agaagcccaa acctttgggt tttaaggagt 300
ttattgctaa tctgtaaaac agaaagagac aggagataag catgacaaaa tatagggaag 360
aaatgacttt tgcctaaact tccaaactgt gtacaattga agcctccgct ttatagctct 420
tagcacacct ctcaaataag aagg 444

<210> 51
<211> 616
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA131322

<220>
<221> unsure
<222> (1)..(616)
<223> n = a or c or g or t

<400> 51
gatttccatg cactttaatg aggtccagca ctcaggagga ttagcgccca ccaccagctg 60
cctgggcagg ggagggccgg agcaggtngc aggcgtcagg cttaggacag ggaagggggc 120
tcaggatggg gaagggtcct caggacaggg gaaggggctc agaagagagc agggggctta 180
ggacaggaag gggcactcag gacggggcag ggaaggtgtg gggggcagtc gccacctggg 240
taggaagcag tggtgttttg gacaggaggg gctggctctc cagtgaccca ggtggacacc 300
ccaggcctga ctcacggctt tttggggaca tagtggtgga tccagtccaa gtagtaggtg 360
acacgggtgt agatgccagg ccggttgggc tgggcacagc tncgntccca gctgaccacg 420
cccgcctgta gccaggtgcc attcaccttg cacaccaggg gccctccaga gttcgccctg 480
gcatgagtcc ctccggtgtt cccggcacac agcatgtcgt tcacggatga tgccgacgtc 540
gtctcccgtg taggcgccaa agtggtattt gcgtcacaaa tgtggtttcc attatgggga 600
ccttcactgc ttcagg 616

<210> 52
<211> 464
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA131919

<220>
<221> unsure
<222> (1)..(464)
<223> n = a or c or g or t

<400> 52
ttttttttttt tcctgagtaa ttttttattt tgtgcagaga caggatccag aactcctggg 60
ctcaagtgat cctcccactt tggtctccca atgtgctaga attacagccc tgagccacgg 120
ccccatgccc cgtttttacc agtgtatatt ttctactgga aaatgagact tttagggatg 180
aatgtggact tgtctgttga aacttgtaaa tttgcttaaa aaaaaaaaga tctccaagtc 240
ttcacaaaat tttatattcc ccaaggctgc cccatcacaa tgcctgtgaa gcttgactgg 300
cagacactga ggcctgaagc tgggggctgc agggggtcac tggctcaccc ggtccccccg 360
taatctgtaa aacatactgg gtgagggagg ctgctggagg acctgaatct ctcccttctc 420
caggcagtag tgaggcatat gctgntggcc ttgggccaat taaa 464

<210> 53
<211> 393
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA133756

<400> 53
ctccatttat tttatttttat ttttttataa aaaagcaggc ataaaataca attacattac 60
tacgaagatg caacaaaatt ttaaaaaaga aaaaggggtg caatttttttt cagagaggac 120
agctgatcaa atatttataa ttttctaaac catgcagttc attacttatt acaattccaa 180
acaaaactca ttattatggg gatgggagtc agggagaggc ccccccccaa gcatgatatc 240
cagcgctgtc acacagtgct tatgttcaaa gtgcttacaa atggtgtctt cacagcatag 300
ggaagctgaa gccttattcc agggaaggag aggtgagtca gtagcagtgt ccaatggcag 360
actcagaaag ctcggcagtg acttgctcaa aat 393

<210> 54
<211> 398
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA135870

<400> 54
aaaatttaaa ataaaatttt attttatctt atactcaagt tcagacaata gcatgtggtg 60
tacattcaaa atttttgaca ggtacagagc acattaaaaa atgaagacat gatcaaggag 120
atgtaagaga caaatagaca acaacattct ccctgaatct ggaaaaaagc aagcaataag 180
atcacgaaag gcagctgtaa aacaggatta ttctgcatgt gttgcccaca actagggcaa 240
ggttatctct catcacaagt acaaagccat tgatgttagt gtgtaacaga gagaaaacag 300
aggatttgta cagctgagga aataaatggc agatgttaca caggaagcaa tataacatgg 360
tcattaagta actgtattca accctcaaat ttaatttt 398

<210> 55
<211> 390
<212> DNA
<213> Homo sapiens

<220>

<223> Genbank Accession No. AA135929

<220>
<221> unsure
<222> (1)..(390)
<223> n = a or c or g or t

<400> 55
aaagatatca attatatatg tatataaaaa aaaaacctca ctttccccac aaaaagcaca 60
atactgttat cacaaaaaaa atcatcatcc tcataattaa tcatcctagc cacgcaggtg 120
tntttgctgc caaaagatgg gacgacaaat aacgttgacc aggcagaacc cctagacacc 180
ctcggcccac ccacagcctc tccggctgcc gaagacgagg gacgagggca aggcagagtt 240
ctctgaggtc cccaggcctt caccccatct gtcagtctgt gtcttctagg acagaaggta 300
gttgtttttt tttcttttaa aacgtctgtt caaaataaaa aacaaaagca cacgcgcaag 360
agaagcgggg aggaacggag gctgcctgcg 390

<210> 56
<211> 511
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA142858

<400> 56
ttttttttt ttttttttca aggggaaact ggggcagttt tattgacgat ggcaatgtac 60
aagactccac acctaggtat gtgcacgagg taaggcctga gctcaggcct tatgatcctc 120
ctcaggaccc ttgggggcaa acttctcctg cagtttcttc cacatgcctt tatctatttc 180
cttaagctct tccaaggtgt ctgtggacag gatcagcttg tactcttcca acgacaggcc 240
actgaagctg gtgtctctgg ggcgagggta cttgtgtttg tagtagtttg aatggagtcg 300
cgctaagtct cgtacatctg atcacaggcc tcaggtctgc aacctgggta ttctctccct 360
cccgaaaggc ctgtgctacc cgctgtcgca ggtaagcgcc caagtcccgg ccccgtttgg 420
tctcgtccac tggccattcc tcacagagct taagaaaacg ccggtaccgt gggccgccat 480
ttgggccccg cgtgttcccg cccctcgtgc c 511

<210> 57
<211> 341
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA147224

<220>
<221> unsure
<222> (1)..(341)
<223> n = a or c or g or t

<400> 57
aatacatttt cacagtgtgc tgaatgtctt tatttacaag atatcattct atagtgaata 60
tgaacaaaac gaatgtgcat ggttgaaata actgcttgat taaaaatgtg ctgtgaagat 120
gaatcactaa tctttctaat gcactctgat aacacaataa acatggaaaa atactaatcc 180
cctaatagat cnaaatatag natatagncc ccnaaatatt tcnggggggat ggattttcct 240
tcngaggttt cncaaaaagg naaaanggaa atggnttccc ccagccaatg gtttagccaa 300
atattggggg aaatgcccat tccaatggga aaaacccgga t 341

<210> 58
<211> 561
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA149579

<220>
<221> unsure
<222> (1)..(561)
<223> n = a or c or g or t

<400> 58
atagtaaata tattacattt attctaaaac ttcaaaatta ttctgttttt gtagtactga 60
aaaaaagaca gtgccatttg aaacaacaga tgcatctttt atacattttc acaagtttgt 120
ttttcatatt tttaaaggcc ccatttatct gtaacagtgg tatttttatt tagagtatcg 180
gctacttaat atatacatgc aacaatatat gctttaatag tcatttaact tttaggaata 240
tttcatcaca ttaagtggtt aagcatagtg ttaaaagagt ggaatttaag gaataagaaa 300
atattgaaaa tacgctgtta ttttcatttg ttcactataa tagaatgttt ttgcccataa 360
aagttatcat tgcccaactg aattcctacc aagaactaac aagtgattct cagtggggag 420
aantttnttt nntnngaata tagagggctc gttagaaagt gcagatntag gcgggcgcgt 480
antcacaccg taatccagca cttggaggcc aggcgggcgg tcacgangta ggagatcgag 540
accatccggc tacacggtga a 561

<210> 59
<211> 420
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA150920

<220>
<221> unsure
<222> (1)..(420)
<223> n = a or c or g or t

<400> 59
agcgttgtaa ggtttatttg ggtagggaag gggacaagtg aggtaactga tccttgcttt 60
gtagacagtg caagacaatt atttgtggtg aagggactgt atgccaacaa acgttactca 120
tgctttagtt aaaactttaa gtcacctaaa acagaaacaa ttctnaagaa cactggtgga 180
aaatagaagt gtaaatgttt cagacaaaac caaggcattg tcagcacgat gtacattata 240
cggcagatan nacagccaca tcctaggcca cagagcagat cccaagagcc ccaggcatgc 300
aggagagttt taaaggaaca gacggaaatt ttaactgtga aaaccacgaa atttcatgac 360
ttttggtcag ctacnacccc aactaatata tgaccattaa gagtaaaatt ctgaccttta 420

<210> 60
<211> 426
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA151210

<220>
<221> unsure
<222> (1)..(426)
<223> n = a or c or g or t

<400> 60
ttttttttttt tttctggatg aatacatgtt ctggtcttgt tacaggttct ggtaaatcag 60
atggagaaat gttgttgcag aaatgtcagc aaactttaca gcagtagttc acacatgcag 120
ctactataca ttcattcatt gctattttcc taagaaatgg agcaacctag gagcttatgc 180
tacagtagat tccaatgaac cataatgact acttcaagaa caaagaagca catncaaagg 240
tgtgatatct tcctgttggt ttgagttttc aaacctgaaa ttctttaaaa tacatttctg 300
ggattttatt taaatattga tgcnacacac ctaaaaagca gtgacttctt gggtaaaatg 360
taatactgaa atggaaaatt gtcttttcaa aaaaataaga agtgtggttt ggaaattccc 420
cgtgcc 426

<210> 61
<211> 400
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA151428

<220>
<221> unsure
<222> (1)..(400)
<223> n = a or c or g or t

<400> 61
cagagagaaa gtgctttatc agccgggctc agcccgcaca cggactcgcc aggagtaggt 60
ggtcagcacg cgctgctggc ggcnaccacg caggtgtagg tgccctcatt gacggcgttg 120
gcgatgatgc tcaggtgcgc ctcgcccagg gccaggtagc cggggtagga gaactccagg 180
ggctcctggt ccttgtacca gtacactttc cctttcttgt ggaggatctt ctggccgcag 240
cggaaggtca cgttcctgcc ctcggnacca agcctggttt tggtcctggg gggcggtggn 300
ggtggttggc caccgtgggg aaaggggaat ttcgtagcaa gaaantccgc aagctngctt 360
gggggcaaaa agcttccttt ccantgaagn cccgccggga 400

<210> 62
<211> 502
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA151544

<220>
<221> unsure
<222> (1)..(502)
<223> n = a or c or g or t

<400> 62
caggacgagc tgtgggggct gcaccggctc tacggatgcc tcgacaggct gttcgtgtgc 60
gcgtcctggg cnggaggggc ttctgcgacg ctcgccggcg gtcnatgaag aggctctgcc 120
cagcagctgc gacttctgct acgaattccc cttccccacg gtggccacca acccaccgnc 180
ccccaaggac caaaaccagg ctggtgccga ggnaggaacg tgaccttccg ctgcggccag 240
aagatcctcc acaagaaagg gaaagtgtac tggtacaagg accaaggaag cccctggaag 300

ttctcctacc ccggctacct ggcccttggn cgaaggcgca ccttgaagca tcatcgccaa 360
cgccgtcaat gagggcacct acacctgcgt ggttgcgccg ccagcagcng ttgctgacca 420
cctactcctt ggcgagttcc gtgtgcgggg ctgagcggct tgaataaagc aatttctctc 480
tgaaaaaaaa aaaaaaaaaa ag 502

<210> 63
<211> 285
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA152200

<220>
<221> unsure
<222> (1)..(285)
<223> n = a or c or g or t

<400> 63
tactcttccc tcctcattta ttttggaatg tgctagaaac agcttgaaac atccctttaa 60
tagcttcccg gcctcacgag tgttgaatga catgacgaat tctccttcat agaaggtaca 120
ggtgaaccag aactggaggg gcatttggga tccttccttc ttcagaaagt gcgatcgcat 180
caagatgcat gtggttttca gtagaactgg cccatgtttc ttgggagcga ggtgtccaaa 240
ccactgttca tccatatttc cnggatgatt tgctcccngg gctca 285

<210> 64
<211> 457
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA156565

<400> 64
atagtaaata tttaattgtt tccatcagca attccagcac aagttttcct ggatggtagg 60
cagaatcaag ctacccaagg gttcatgatg aggtatgggg gtcactgagg agacccccag 120
agtcactgac ccctcccgcc acctccacac accaggtggc cctgcagaat gagggttggg 180
ctgatagaat gtcaattagg ggagacagga tacagggtga gggaacaggg tctagcttgt 240
atatttgcct gcaggaagga gggagggcag gagagactct gcatagaagg actggaacta 300
cacatttaag ttttcaaccc caatatgcag ggggaaacag ccaagccact ctccatctgt 360
ctagtattag gaacctctct tcaagtggtc ttttgtcatc tctgttcttc ttcccaattc 420
tgtattccag attccaaatt ctacaattga aacccaa 457

<210> 65
<211> 428
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA156897

<400> 65
cagacatgga aatataattt taaaaaattt ctctccaacc tccttcaaat tcagtcacca 60
ctgttatatt accttctcca ggaaccctcc agtggggaag gctgcgatat tagatttcct 120
tgtatgcaaa gtttttgttg aaagctgtgc tcagaggagg tgagaggaga ggaaggagaa 180
aactgcatca taactttaca gaattgaatc tagagtcttc cccgaaaagc ccagaaactt 240

ctctgcagta tctggcttgt ccatctggtc taaggtggct gcttcttccc cagccatgag 300
tcagtttgtg cccatgaata atacacgacc tgttatttcc atgactgctt tactgtattt 360
ttaaggtcaa tatactgtac atttgataat aaaataatat tctcccaaaa aaaaaaaaaa 420
aaaaaaag 428

<210> 66
<211> 602
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA158262

<220>
<221> unsure
<222> (1)..(602)
<223> n = a or c or g or t

<400> 66
ggtcgagctc aggttctgct tgccgggtgc ccagtgaagc cgacagagcc tcgagtgctt 60
gatcactcat tgtatccttc tccacctttc ttttcttctc ttggggtgga gcagcacttc 120
tgactgtccc tgctgactga gcttttaaaa cttctgtaga ttcctctttt tcagttttct 180
ttccagcagc tgtaggcgac ccacaggtga agtcagatga caaggcgtct atagcatcat 240
ctggccctat gggtttagcc aatagttccc tatattttgg aggaattgtg acttctcttt 300
tacccaattc ctctatgtag gtggaactca ttggatctga aacttctggt ccagtatacg 360
ttgtattttc ttcttcagtt tcttcaggtc ctcctaaagt atctattaag tcatccaaag 420
cagcatccat gcctgacttt cccgatggtt tatccggttt agattcaact ggcacagctg 480
gggttaatga tttcttttct tttttcttgt canccggctt gcagatattg cagtgatacc 540
agcaacantc tctccaccag cagaaatcat gtcttgtggg ttagtctttg ggtcnggtga 600
tt 602

<210> 67
<211> 392
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA159025

<400> 67
ttgatgtcta gaaacatctt ttatttgggt aacaggtccc aaaacaggtc agttaataaa 60
atagattcta aagaatatgt ccctatgcac agccctccct ccccaaaaat aacgctgggg 120
gtaggcattg cctttccccc ttgggctcct cgggtgtatt taaaaaaatg ttttggcagc 180
tcagtgttta tcatctgggc atgggacacc atgtccatgt ccccatattc ctagggtaca 240
gcagcagtag atggctgcaa caaccttcct cctaccccag cccagaaaat atttctgccc 300
caccccagga tccgggacca aaataaagag caagcaggcc cccttcactg aggtgctggg 360
tagggctcag tgccacatta ctgtgctttg ag 392

<210> 68
<211> 476
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA165312

<220>
<221> unsure
<222> (1)..(476)
<223> n = a or c or g or t

<400> 68
tcgtnncntc ggttctgaga aataggcact ggcaatttac acatgccttg ctgtgtaatc 60
tcactatatt tgctcaggca aagtgggaga agcagcctta ggttttcatt ctagagatgc 120
cggctttccc acctgatcgg cttagagttc acgattgact gttttgggct tcatttcacc 180
ctctacataa caagcgggtg gactagatgc cttagcaagg gtccgtgttg tgtggtgtct 240
ccagccacgc actcagctca atcttagcac agttaaaaaa tgcctttcta gcaagttatc 300
tgcccagtgc ctgaaaaagt atcatttctt gtgttcaata aaaaagcctc ctaatttaat 360
caaggaccta tggagataac tgtcttttag ttgtggcatt gcaaggatac aaatgcagag 420
atattttaaa agtgatcctt ctgtaagagt gaacccacga tatgatctgg nagcaa 476

<210> 69
<211> 479
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA165313

<220>
<221> unsure
<222> (1)..(479)
<223> n = a or c or g or t

<400> 69
cacaagcccc cacgtccata gccaagtttt ccccggtttc ccagcagcca gtgacttctg 60
tagcattagg attcttatag tagttattgt ctacatttct cagcagattg aatatgtact 120
gcctcttact actggactgt ttattcttaa atgtgtacag tatggattta tgtcgtctat 180
atattatgca tttatttgtc ttcttcgttg tgatggtaag ctcctggagg gcaagtcttg 240
catccactgc tttgctggca acccgactgg taagcttctg gaaggcaagg cttgcatcca 300
gtgctttgct ggcaacccga ttgctaagta ccgtgtttta agcttagttc agtctcaagt 360
gtttgcagcc acatctgaag accaataaag caactgctgg gtttatcccn tgggagctga 420
cagaatttcc tctcccaaat accatanaca ggaaaatcat aagcctgaat tacccggtg 479

<210> 70
<211> 298
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA171939

<220>
<221> unsure
<222> (1)..(298)
<223> n = a or c or g or t

<400> 70
ttttttgagg cacctgtggg actttattag gtaaacagac cccagctcca gccacaggtt 60
ggaccggcca gctgacagtg cggcctcaga caccccgcc aggttccctc ctccctcctc 120
tctcagggtc accagtgtgt gaaagatcgg ggcatgccgg ccacaggggg aagcagggtt 180
caggctgccc cacctgggtc tggccctggc aggcgccccc tcacctggct ctgctgtggg 240

anccgagaac aaagacatna cctgcctggc tcctgctgcc ccgggggtc agcnagca 298

<210> 71
<211> 596
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA173223

<220>
<221> unsure
<222> (1)..(596)
<223> n = a or c or g or t

<400> 71
ttttttttt ttcagccaaa ttcatattta ttccagtctc taacactctg ttgttatgtc 60
tgctgtaaga tgatcaggag ttagtatgaa gtattcttct ctacgcacca aagaaaacaa 120
acaaagcaaa cttcaagtca gtgaattagt taccacagtt aaaatgcatt tgattttgtc 180
cttttccttt ttcacaagaa cgacagctga atactctttc atgtgatgcc tgatattttt 240
ctttttcttt ttctctcttt tttgagacag ggtctttaag atggggtctc gctctgttgc 300
ccaggttgga gtgcagtggt gcaatcttgg ctcattgcaa cctcagcctc ctgttttcaa 360
gtgattcttc tgactcagcc tcccaggtag ctgggattac aggcatgtgc accgtgcccg 420
gctaattttt gtatttttag tagagatggg ggnttcacca tgttggccag gatggtctcg 480
aactcctgac ctgaagtgat ccacccgcct cggcctccca aaagtgctgg ggattaccgg 540
tgtgagccac tgtgccagct ctgatggtga aaatttcngg tacaggccta gcccan 596

<210> 72
<211> 408
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA180314

<400> 72
ttagcaaaaa cagctttttt attgtggtag tttgtggtat gtgctcctgg atcatgcaga 60
aaaaaggctg ggcctcagtt agctccggga gccattctta ggaccctccg gctgcacaca 120
gagaggggct gggtagctgg ctgggctggg gcacgcattc actgggctgg cacaggctga 180
ggggtctctc gcccactatc attaggcccc tccagcccgt tatgctcagc ccccggctca 240
ggatgctcca gggcgtgccg ggtatcagcc tgccagagct gcaccaggtc cgtcggggtc 300
tttcctgcca ggttcttggt catcatgtca gccccatgca ggagcagcag tttgatgatt 360
ttgtagcggt tgagcctcac agcgtcatgc agggcagtat ccctcgtg 408

<210> 73
<211> 479
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA182030

<220>
<221> unsure
<222> (1)..(479)
<223> n = a or c or g or t

<400> 73
atcatcataa aaaatattta ttataaaaaa ttatcacatt tctctgtaca tagcataaag 60
acaaaaacac aatgtataca ttaataaatt aagtgggcct gagtattcag tatccatcta 120
ctagaatcct aaagctcttc cccagatttc acaaaggcca atgtagatta tttctatttt 180
atcaaagttc atttgcacag ttggtgtaat tgagatacta acatttcttt tttctagtgt 240
tttaaagata gttcacagta tttgagttaa ttaattaatc aactgattta aatctttggt 300
aaatacaagt atttacatgt aaaaatgttt agctcaaatt tcagtaaaaa actggaaatg 360
accaataacc tactgccaac tgttttggta taatccagaa atgcatgagc cggactccca 420
ccattaagaa atggcactgt cnaggacctc ngatgataaa actggaatcc ncaaaaaat 479

<210> 74
<211> 313
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA182882

<220>
<221> unsure
<222> (1)..(313)
<223> n = a or c or g or t

<400> 74
ttctggcaca tgattgagca tttattgcgg cactaacaga gggtgctggg ggccccacca 60
tccttgcctc tgccctttc acctcccct ccctcccagc ttcttctgcc tagagcgttc 120
cagattcccc tcacattttc ctggatcagg gccactcctc ccaggcacct cttgccctca 180
ccagtacctt ttgtcccttc tcctggggct gagggtcctc agctgtgctg gnccccaact 240
ctccaccctt agtgcccact gtctctgcca ccctcccttt ggaactcagg gggctcaggc 300
atcctggcct ctg 313

<210> 75
<211> 258
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA188981

<220>
<221> unsure
<222> (1)..(258)
<223> n = a or c or g or t

<400> 75
tttacacttt actgagacaa ttttattcac tatggatata tatacatgat caacatttta 60
tcttcattct tcagaagact taattagagt agctttcttc tcatacttat ctctaatctc 120
tttaatattt tccgagagat cttctgacat gcattcntca tattctctat caactttagc 180
aatctgctcc tcaagatgtt tctctacaga cccaacatgt gtagcaacca tctctaacag 240
acgttgcaag ttaatttc 258

<210> 76
<211> 506
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA189083

<400> 76
ttttttttat tccaaatgtc tttattgaaa cagaatgata gagcaagaaa taatgaggtc 60
tgggtggatg tctttgggcg caggatggag cccagaccca gtggttacag tgtggagctc 120
tctccctgtc ccctgactct ggccaaggaa gtgaatgcaa agcagcaggg aggaggcagg 180
gtggggacgg ccctctgagc tctccgcgat ggctggcgtg aggtgcctct gagacttctg 240
ggcagccctg ccttccctac tcagtcttcc cgatcttctt gccacctttc tgtgtgggcc 300
agcctcccgc cagtaactca gaggccgctc agagggcagg gttgggggtg gcaagcagcg 360
ggacgtggtc acagcgggta gggggtggct gccgcagcag ggaaggccgg cgacacagct 420
ccccgtcccg gagcacctcg ggcaggagct tgcgcttggt ctccggaagc agcataatgc 480
tgaagaatgc agaagagggc gcaagc 506

<210> 77
<211> 513
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA193197

<220>
<221> unsure
<222> (1)..(513)
<223> n = a or c or g or t

<400> 77
tttttgaatt tgactacttt tacttacaag agacttttcc ccatcaaacg atttccccat 60
ccatttatta cacttctgaa gtaggatttc tgaagtcatc ttatggcatg taattcttag 120
tataatgcac aggattcctg tcattttgaa gcacgaggag aggtttttga tatcttaaac 180
atttttttag tgtagatgca catattctcc acttccaatt gtaatagaaa atcagtttaa 240
ggataccnta atgatgcaaa tgaaatgatt agcaaacaac tcaaatttag gagccttctt 300
tacaatccat tgagtgaaac agattcacaa aataatttgt tcaactgaag atttaattta 360
ttattagaaa atggttttaa actctgatca ttacattgaa gagtcaatga ctgaggtttt 420
cttacctact ggctcatctc ttagacaata acttcttgaa taatttcnac atgagtgtct 480
gtacaagctt ttaaaaaacc gaataaatta aag 513

<210> 78
<211> 499
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA195678

<220>
<221> unsure
<222> (1)..(499)
<223> n = a or c or g or t

<400> 78
gaaaatttgc ctcctggtaa ccctgtaatg gatggggccc agaaatgaaa tatttgagaa 60
aaacaagtga aaaggtcaag atacaaatgt gtattaaaaa aaaaaagcct attaataggg 120
tttctgcgcg gtgcagggtt gtaaacctgc ntttatcttt taggattatt cctaaatgca 180

tcttctttat aaacttgact tgctatctca gcaagataaa ttatattaaa aaaataagaa 240
tcctgcagtg tttaaggaac tctttttttg taaatcacgg acacctcaat tagcaagaac 300
tgaggggagg gctttttcca ttgtttaatg ttttgtgatt tttagctaaa gagagggaac 360
ctcatctaag taacatttgc acatgataca gcaaaaggag ttcattgcaa tactgtcttt 420
ggatattgtt tcagtactgg gtgtttaaag gacaaatagc tgctagaatt caggggtaaa 480
tgtaagtgtt cagaaaacg 499

<210> 79
<211> 463
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA197112

<220>
<221> unsure
<222> (1)..(463)
<223> n = a or c or g or t

<400> 79
aaagtataaa gtgttttgga aaaaaaggaa aaaaatctat ataaaaatct cttcacatat 60
aaaatcctga agaaggtgca aggtgagacc cagtgcgagg ggcgtgctca gatatgcagt 120
gtgtgtgtgt gtgtgtgtgt gtgtgtatcc gtgtgtacat gtgtgcacgt gtgtcgtatg 180
tgtctgtgtg tctgtgtgtg tgtgtgtgtg tgtgtgtgtg tgtgtggtgg gtgcaagtgc 240
acgtgtggcc cacagagggt ggggagaaag cttggctttt tacttccatc caggagggaa 300
ggagggcggc tggtcctcca gccttggagg gtctgcagct gggcgggacc tctactcagc 360
caggctgttg cgcatcgact ccttctcctg gagggcggcc atggcaagac gcaggtgctc 420
cttcagctgc tcgatctccc gctcagaccg tgtctngatg tga 463

<210> 80
<211> 404
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA205376

<400> 80
aagatttgaa ttttttttat tatcccagca aacattacac tagagaaaat gattgggaaa 60
atacaaataa gttcattaaa aacacaggct gattattcat atctattaca ttcagaatta 120
tgcgaaacaa ttagttatat tgcaaagctg taattctttt tctaacaaag catgatttta 180
taaaacttta atgttgccac tgattcaatt ttaatacaaa atacttatat acacaataca 240
atataaaagt aaactgtgta gtgccttcca caaagggata tattaaggcg ctttacaaat 300
ataccaatat tttgacccaa attacttttt gctttagatt aaaatgaaca ggctaaatgt 360
tccactttaa ataccaaagg gatggtttat taaaaatttt ttat 404

<210> 81
<211> 523
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA205724

<220>

<221> unsure
<222> (1)..(523)
<223> n = a or c or g or t

<400> 81
cccattgggt gacagcgttt attgaaagga aatcttgctt tatccaggaa ttcactcaca 60
tggaggtagc tgcaaggaga atgtctcttt ctcatgacaa ccaaagcgac caaaccatac 120
cctaaagcag agacgcaatg gaataagtca acgggcattg tagaacgaca ctcagaagca 180
ggaaaaacca taaaagatac aggatgattg tctcttcagt attgcatttg gccatgtatg 240
tgtttttaca taaaatatat gttttctttt taagctagct aaagaaaata ctcttgatcg 300
gggttagttc ttaaagcaaa aaacagaaga aaagtatgta tatataatan aattaaagaa 360
cgatagcatg ttatacctgg aaaggaccgt gggcactaat ctgcactttg ttccaggtaa 420
tccatggctc tgagagtgag cacactgtca aagtcactgg ggtgagatga gccgggactt 480
ggaaaaccct ctcttaactt tcagtctcaa ctcctcccac tcc 523

<210> 82
<211> 587
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA211443

<220>
<221> unsure
<222> (1)..(587)
<223> n = a or c or g or t

<400> 82
catttagtca aatatttatt tgaactcata caaagtttag tgacataatt taaaaggtga 60
agaactaaaa cgcattccaa atattgacca aaatactgta ggaagtagct tgggaaactt 120
ttcatcaaaa tcgttaggca cattgccata tcattctcca taaaatcata tccctcctca 180
aaaccacacc ctccaggtgt tgaatttatg ggctaatttg ttctgtgagg tgccaaaaat 240
gaagataaag taagaaatac agccaactag aaggaagaga tataaatgta caaacaggcc 300
atttctgcta gagtctcagg cattcaggag gttcacaatc atcatacaaa tatataaaat 360
tttagtgagc tattgaatcc atcttctgcc tctttatttc ttcacatcaa tccttttttc 420
ttcctactac tggtcagctt tggggacata ttttaggttc acttttaata ttctggattt 480
ccgatagatt gactgcaggn ccgggaggtt cctcgctccn ggaattggct tcttctcctc 540
atccgaggtg ggaggacacc ctcctccact tcgggggaca ttctttt 587

<210> 83
<211> 382
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA214688

<400> 83
gtttgtttgg tggggttaca cggggttcaa catgcgtatc gaaaagtgtt atttctgttc 60
ggggcccatc tatcctggac acggcatgat gttcgtccgc aacgattgca aggtgttcag 120
attttgcaaa tctaaatgtc ataaaaactt taaagagaag cgcaatcctc gcaaagttag 180
gtggaccaca gcattccgga aagcagctgg taaagagctt acagtggata attcatttga 240
atttgaaaaa cgtagaaatg aacctatcaa ataccagcga gagctatgga ataaaactat 300
tgatgcgatg aagagagttg aagaaatcaa acagaagcgc caagctaatt tataatgacc 360
agtttaggaa aataagagct ca 382

<210> 84
<211> 398
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA216589

<400> 84
cacaaattta agtttggttt atatatttta ttgacatggt tactcaatgt ccacatcatt 60
ccatctgcat cgtcttccta caaacagttt ttcttctact attcggttat ttctcctttt 120
tttgtttcct atttcagaat caaatttatt ttacttgcaa agtcagtgga atatggtttg 180
gaaccagtag ggcctctaac ttaagcccag aacctgtcaa agagaagtgc agtatcattg 240
ctaagacttg aacagtttat ctctcagaat cttcagttcc tttgaatttc tcagctctta 300
gtgtaatctg ttttatgtgt ttgttgtaga cttccattta tgggatagat ttccaaaata 360
attttgggta atccaactgg gtattttagc attcccgg 398

<210> 85
<211> 378
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA219100

<220>
<221> unsure
<222> (1)..(378)
<223> n = a or c or g or t

<400> 85
ttttttttnt atgcttgaac taatttattg atgagattct catttctgta gtataaaagg 60
aaaatatttt gcagttatct cgtatttgaa agactttgcc atagagaact ttatcagaaa 120
tggatgaact tttcattatt tcttataagc atattggttt tggcctgctt gagtttaaaa 180
ctttttttgg tagacntaga atgttaatat ttagataaag aaaatatttt acngaagaca 240
ttaccagaaa gtaaaataac ttgaacattt cngtattagc ncnttatcag agaataacat 300
ttattttatt tggaaagttt tccnaaatat gagacnatcn gcnatttctc agacnaagtg 360
aaaaatttaa taaaatag 378

<210> 86
<211> 444
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA219304

<220>
<221> unsure
<222> (1)..(444)
<223> n = a or c or g or t

<400> 86
gcttgggcaa aagtcttcag aacaaaggct gtgagcaggt gttgccctgg ttcctgccat 60
atcgctcccc aaaggtgctg taggagccat catagtgttt gtagttcaac tgtctctggt 120

aaccagtgtt gagatagcca atggcttgga cttgacctct ggagtaagct gctgtgtttc 180
atttagataa tccagtacat agatgttagg agcaaagagg accatattct gctctccaca 240
gccatagggc atctggagaa gattttgtgt gttttgcatg gcagagctac atatgtctcc 300
caaaactgag acagaagctc gggcagattc ttctaccaca tttggtggca gtttcaggga 360
taattcttca gaaacctcan cacctgntgg acnaagtagg gagttgaatg ttgtttcctt 420
ctctagtcct tcaggttcaa ccaa 444

<210> 87
<211> 341
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA219552

<220>
<221> unsure
<222> (1)..(341)
<223> n = a or c or g or t

<400> 87
tttttcagtc atgattggtt taaaagttta attggagacn ttgccggtgg nnaacaaaat 60
ganggcatac aactgtcaca ggcagggcag taagtacaaa gtctagctgt aaaaaccgtt 120
tgaaaatata aactcgtttt tggaatacat gtgtcaaagg ctgcccatgt taataccttt 180
ggtataaaac ggtaacgatt cccttgacaa acccatccat cacctgacgc acattcacat 240
ctcctggtaa ctactctacc tagtctagtc tcaaccaccc ctgtcagtca cgactcactc 300
ctgttccttt gcaggtgcag aggagcctgg gaggtaggtc a 341

<210> 88
<211> 323
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA227926

<400> 88
atgtaaacta tcaaatgttt atttaaattt ccatttaaaa tattttcaag taaaatatgt 60
acaaaaatgg ttataaaatg gttgaagcaa ctagaagcgt gacaggtata atacatataa 120
atacaaccaa aattcaattc aatgcaaagt tgaatgacat catattgcac caaaatttat 180
tccatacaaa agcacatgca tcaagagttt ccataagatg aaaacaaaca cacttacttc 240
atagcatctt accacttact tacacaaata gcccataaac accatctggc attgtgattg 300
cagtaccaga actctcccca gag 323

<210> 89
<211> 469
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA227936

<400> 89
ttttttttt tttaaaaaca gaagcgcgac catttcttta ttaaattata caaaagggtt 60
ggggaggggg gcagctgtgg ggctcggcac accccgggcc ccaccccggc ctggcgctgt 120
ctgagaagag gggatctgag ggagatccag ggatcaggca ggatagggat ggggcaggac 180

atgaggctgg gggatgcaga ggttaggtgg gagaggctac cggagtaaga atgaggctgg 240
taggggaggg agaaagagag caaagagaga gaggagcaat tgggggccag ctggagagct 300
cagatggagc aggtcaggag gtggaacaat ggcagagtga gggtggaggg cgcagtgtct 360
ggagaggcgg aaatgagaag gctggggaga aagaagaggg tggcagctct ggtgcagggc 420
ccagagcagg gagccaggtg aagagtggct ggactttgct gcccccacc 469

<210> 90
<211> 462
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA232266

<400> 90
atttttctac tttcttttaa tatcattttt taaagttggt aagcagctag acatcattta 60
gaagcagacg ggttaaaata gacaagaaat agcaaagaca catccttcac atcgtacaga 120
actgtattag tatccaccac caccatcaca ggggagggct agctgtcact ggggtcagga 180
gtactctcca ttattgtgca ggggaccaga cagcatttag gtgtgacgat gtcaaactga 240
gtggacatag agagtgccgg gatcaaggtc tacagttttg gctctagact tgcgtgaggg 300
ttggttactc ttaatctctt ccaggctgtg ctggatccca tagccgaagt agatagcaaa 360
gccaatcagc atccagaccc caaatcgggc ccaggtacca gctgtcatct gcatcataag 420
gtaaatattc acagagatgc tcattagtgg gaggagaggc aa 462

<210> 91
<211> 401
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA232508

<400> 91
gagggtacat cgggggagag gagaggagag gagagcctct ctgtgccttg gtttcccatt 60
tgtgcattca gggcctctgc aggctcacac agggagtctg aggggatagt gtttaagtga 120
gcactcaggc ttcctctgag gaaaagaaat gaccaaagtg cagactttta ttactgccat 180
tcctgctcct aatgggagca ggagtcaaaa ggaaaaacaa attaaaaggg gctaatgaga 240
aaggaggaga gatgagacag agagtgtgaa gggctatgcg cgtggcatct cataaattct 300
tattgagaat ggcacaggta ttaaaaaagt ttctgggtag tctacgagaa atgtcaatta 360
ttatctctac tacaactact tacatatatc taatgggaaa a 401

<210> 92
<211> 387
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA233347

<400> 92
gctgcaaaca tgcagagatt tcatttattt tgtttggcac atgggaacta cattttgttc 60
ctattatctg tgtgtttcac tttgctgtgc agattttcat ccaatttttt tcaggggagg 120
gcatatacat ttgtagggct gtatctatcc aattctgcct gtaacaaaca cccaaacatc 180
ctaaaatatc aattataaga cagacaagtg taatgtaaaa ctctggagaa catcaaagaa 240
aaatggccat gcatctgctc tttaatgttt tcctacgata tattaaaata aaaacaaagt 300
ttcagtctct tcacaagaag taatttatat tctctgaatt ttttcagcca caacaactgg 360

attctctttt ctgatttttg ctgcagc 387

<210> 93
<211> 403
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA234095

<400> 93
attaatgcaa acatattttt attaaagaat gaatgcattt atgctaaaga atagcttaca 60
tatgttgtaa agcaacaagc atatcttcaa gaagtgagtc ctcctcaata tgactccatg 120
cttattctac atgcctgaaa actgggccca cacacagggg cacacgtaca cgcacacaaa 180
cgcagatacg gacacacaga tatgcagacc gaaatgctga caccatcgct ctctagattg 240
gattagctct catttaaggc ttcttaggtg ccgcagtgcc cctaatatta ccaggattga 300
aaacagactt ttaggaagga gcagcattac ttcgaaaagt agtcatctgc tcttgtcctc 360
caatgtgtgt attttaacaa ataccattta attctatgtt gac 403

<210> 94
<211> 103
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA234634

<400> 94
cagctcacgc gggacctggc cggcctcccg agtctcttca agcagctgcc cagcccgccc 60
ttcctgccgg ccgccgggac agcagactgc cggtaacgcg cgg 103

<210> 95
<211> 291
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA234996

<220>
<221> unsure
<222> (1)..(291)
<223> n = a or c or g or t

<400> 95
ttttttgaag cttcacacct ttattgtgtc cgggggcgtc cggggcctca ggggtgttcg 60
tagcccgtgg cgagagggtt cacgtggcta ttgtggaaca gagtgtggtt gccgtccccc 120
caggggtagg gcttggtgcg gatcggaggg tgttggtagg gacggaactc ggggcgcggg 180
cggtggccag nantggagat aggtagttga aggtgcagag ggccacgctg ggcagcgcag 240
catcgaaggt cagcagacgc caggtacgag ctcctgctcc tccgtggcct t 291

<210> 96
<211> 139
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA235310

<400> 96
tcaacaaata tttattgttc atcaaagacg agccagattt tatgggcatt tgtgatggag 60
gctggcctta gctttaggag aaggaactcc aagagcagta gtgatctctg agatcacctt 120
gttcaccctc ctcggggca 139

<210> 97
<211> 382
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA235618

<400> 97
acaatttaat aatttattac attacagtgg catcacacca gcagtcaata aggccactct 60
agggaaaaat ctttcagtat ttccatgaca cattctgttt acaataattc ataaactggt 120
aaaattcatt ctaagaaaac ttggcaaatg aaactttgga ctggaattgg catttctttc 180
tctgcttttc gttcccacca tttctttctt ttatactaca gtattcatat tttaaaatgt 240
tttaaattat ttcagaacat taagatagca gttacatttt ttaatagtta tattatttta 300
aaatgactct ttaaaataaa gttttagaga aactatatta tggatagggc tgatttacat 360
tttcaaattt tctaaaatca gc 382

<210> 98
<211> 175
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA236241

<400> 98
ttttttttt ttttttttcg gcggtcaacg cgctttattc cgaggggctt cagatacaga 60
tgaccccagc cctgcatccg cccggaagcg tcccccttact cccatggggc acctcgatac 120
cagctgccct gccctgactc acttctcagc acccatctta cggcagtcgg ccctg 175

<210> 99
<211> 401
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA236455

<400> 99
tttttacgaa accaggttta ttaaaatttc tctacaagtc agaaacggcc atctcactgt 60
tcacatatat acacgtatgt acaggaagaa cctagtgttt ctagctttcc cggcagaagg 120
ccctgccagc ccagagtcct tagtcggata atgtatcaca gatacaacag tcgagcaacc 180
acgagagcgt tagtgcgaca gaggcctctg tcctccctct tctcaaagtc ccatgattct 240
gtcaaggtaa tattgccaat aatcattcac atttcacgtg gttttagaca cgcaggttat 300
tcagacagac acagacaaca aaacaagcct caaagccaga acaaaacaaa acaaaaccaa 360
atcgaacata ggtataaaag gtaaaatata tgtacaaagt a 401

<210> 100

<211> 533
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA236476

<220>
<221> unsure
<222> (1)..(533)
<223> n = a or c or g or t

<400> 100
ttttttttt ttttctcatc actgagtatt tattatatat aacaaataca tgggaaagaa 60
aaaactatat tgtgtgatat aaatagttta tttacattac agaaaaaaca tcaagacaat 120
gtatactatt tcaaatatat ccatacataa tcaaatatag ctgtagtaca tgttttcatt 180
ggtgtagatt accacaaatg caaggcaaca tgtgtagatc tcttgtctta ttcttttgtc 240
tataatactg tattgtgtag tccaagctct cggtagtcca gccactgtga aacatgctcc 300
ctttagatta acctcgtgga cgctcttgtt gtattgtctg aactgtagtg ccctgtattt 360
tgcttctgtc tgtgaattct gttgcttctg gggcatttcc ttgtgatgca gaggaccacc 420
acacagatga cagcaatctg aattgttcca atcacagctg cgattaagac atactgaaat 480
cgtacaggac cgggaacaac gtataganca ctgtagtcct ttttttcaca gtg 533

<210> 101
<211> 308
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA236545

<400> 101
ttttttttt taacgttttc aaaatctatt tttatttttc ttcagtatta cctgctgttc 60
ccaagtggct gggtaatcta tgggttatat tttcatttac cctcaaagct aggctgccag 120
tggaagctaa gaataacaca attaaattca agtttctcta gaaaatatga caaatcaaat 180
tttaagaaag tgtaacttgt ggttttgctt tggttcaaga tggctgatct gagaatatca 240
aagcatttaa ttcaaactaa tagtgtgtcc tcatcctagg actagaaggt aatttttctt 300
ttaaggag 308

<210> 102
<211> 297
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA247204

<400> 102
agatacagag ataaacgagt acatgattat gatatgaggg tggatgattt ccttcgtcgc 60
acacaagctg ttgtcagtgg ccggagaagt agaccccgtg aaagagaccg ggaacgagag 120
cgagaccgcc ctagagataa cagacgagac agagagcgag atagaggacg tgatagagaa 180
agagaaagag agcgattatg tgatcgagac agagaccgag gggagagagg tcgatataga 240
agataatggg cttttggaag cactgattgt ttaaagatac aaaaaatctt gtatttt 297

<210> 103
<211> 342

<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA248555

<400> 103
attcgttgaa ggacaccagc tgcggaattt gcggctttgg cagattgaaa tcatggcagg 60
tccagaaagt aatgcgcaat accagttcac tggtattaaa aaatatttca actcttatac 120
tctcacaggt agaatgaact gtgtactggc cacatatgga agcattgcat tgattgtctt 180
atatttcaag ttaaggtcca aaaaactcca gctgtgaaag cacataatgg attttaaact 240
gtctacggtt ctaacctcat ctgtaagttc catgcctgga gaagctaatg ccacctaatc 300
akgtgataat tcaatttgta caataaatta tgacctggaa aa 342

<210> 104
<211> 458
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA250850

<400> 104
ttttttttt ttttttattt ttttttttt tagcaaagaa aaagaacttt tatttcttca 60
gtagtttcta atgcagacaa atgtgacaag gcagggagct gagctgaccc caagccgaag 120
gtcccgactc ctctcgggag cctggaggag tcccggtagc gaatagatca gatgcctcat 180
cctcgttcac cccaaaaggc tgagaccctg gtgtgtcctc ctcgaggacc ctccctgttt 240
ctgggtgcta gaggccgttg ctgtttctgt gacagaggga tggctttggg agctccaaag 300
aacctaacca agttttttta agaaattcgg gggacgaagc aataaccgct tggccccctt 360
gaaagtttcg ttcaaacttt tttcaactgt aaaaaactgg ttaatctcaa attgtaaaaa 420
aatttttcc ccccttattt tgaaaaaatg cattttt 458

<210> 105
<211> 410
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA250958

<400> 105
cagttgcaag atttaataga gtgaaataga gtgaaaacag agctcccata caaagggaag 60
ggacccaaag gcggttgccg ttcgctggct cgaatgcctg ggtttatatt gcaatccttg 120
tccctcccac tgtgctcctc aggcaataga tgattggcta tttctttacc tcctgttttt 180
gcctaattag cattttagtg agctctctga ttggttgggt gtgagctaag ttgcaagccc 240
cgtgtttaaa ggtggatgcg gtcaccttcc cagctaggtt tagggattct taatcggcct 300
aggaaatcca gctagtcctg tctctcagtc ccctctctca acaggaaaac ccaagtgctg 360
ttggtgaggt tggctgatga ccactctaac tgcttcctgc tgaactgggg 410

<210> 106
<211> 372
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA251769

<400> 106
ttttttttt ttttttttt ttttttttt ttgatagcca aaagcaattt attatagttt 60
agcctcaaaa aaataaaaat aaaaaaatta tccagtggtt atgaggagtc taggaaaacc 120
tgtcccagta atgccaactt ggaggtgaag ggctgactgg ggcagctgag aagtgggacc 180
ttctgtttgg caggcttcct ctcccttgcc tggtcatggt tttctggtga gaagagtgtt 240
cctggccttg ctggaggttc ccatggcccc gaactaacag tgtttttctg aaatttcgac 300
ctgctccgtt tgagagagta gaattccctc atcaagtcct ccacctccca ctgctcttcc 360
ttcagcctct gg 372

<210> 107
<211> 389
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA252219

<400> 107
ccagaaatat ttattggtca ctttctgtgt gctagaaaca ttttttatac gatgataaat 60
gaacaagact gacaatttct tgcccattaa gggttacatt ctaataagcg ataaagacaa 120
caataatacc agggagctga gtaatctaat acaaagcaag acaaagccag ggtcactgga 180
agcagcagtg gtctttctga ggaagttgca gctgatcacc aacctgaatg aagtgatgta 240
atggaaaata gaagtgtttg aaggaagatt gctttagtaa ctgaggagga gagaggaaag 300
aggagaaact gcacaagtgg gtagagatgg gaaagtccat ggcctatggg gaaggtgagg 360
aagttgactt ttattttcaa tgtgccgtg 389

<210> 108
<211> 281
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA252528

<400> 108
ttatacttat gattagtttt attataaagg atacaaatca gctccacaag ccaaggaaga 60
cacagggaaa ggtctggaag ggtcttgagc acagtgctcc catgcccccc cttcgtggaa 120
ttagggcaca ctgccctgcc ggcatagcca cagcttcacc acccaggaag ctatgctgag 180
ctttagtgtc cagagttttt attagggttt catgatgtac tgattaaagc actggccaga 240
tgattaaact cagcctccag tcccccgccc cataggtcag g 281

<210> 109
<211> 412
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA252802

<400> 109
gctaggttga actggtacag ttctgtgtgt actggtgaat cggactcatt tctgcactac 60
tgaaggagag aaatggacgc ggctttcgaa ctgctgtatt ccttccagac ccgatagatg 120
aggttccagg tgctgaaaat gaacaattac atacaggaat agaggcctac tctgcactta 180
aaaatatctt caaaaaagtt gctggtcaag gagtatgcag caatggtcct tcctgttgtg 240
aacattgagt cctagtgggt gaggtgtggg ttgttactat taaaaatcct tgttgtattg 300

ggcacaagat agactgaaat tgactgtagt cctcacggtg agtctaattg cagcaacatg 360
tgaaaaaggc aggcaagagc tgagtcagga aaatagacaa gcagggtacc tt 412

<210> 110
<211> 326
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA255480

<400> 110
gcgcacaacc aacagcgctc ccgccccgtt tttatttgaa ttcggagaac cagaggcgcc 60
tgcagattct ggaggggtct cgcctgccca tcgctggcag cccgagatcc tggggagggg 120
atgccatact gctagagatg agggaagaga gccccaagca ggaaaacatt gatttgctgt 180
acactcaaag ggcatctcat gccttcagtc caccgcctcc tcgggccaca gcccgtgccc 240
tcgcgccggc tcagactagc tctggccctg ctgctgtcgc tgcaggttgt cgtcttcttc 300
ctggtggtcc tcgggcaggg gcggct 326

<210> 111
<211> 410
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA256268

<400> 111
cccagctttt caaaagttta ttttaagttt ggagactaga caaggtcata ctggttttac 60
atcctacgtg atataagtat atatacaaag aaaaaaacaa cattggaata ttacacagct 120
tgaaggtttg caaaggttat ttgtgtctta gttatttctg cacttaatga cacatcagac 180
gcattgagta tatttcataa gttgttgact agcaaagata caatcattag taacccaagt 240
cttcaaaatt cacaccaaac tttatgaagt cattcagaaa gagaaagtca atcctaaaat 300
taaaattggc aactatgata aataccttca aaaggatgta gatgtaatgg agatgtttaa 360
aagtttagtt tcattaattg taaaattagc atgttatatt tactcaatat 410

<210> 112
<211> 355
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA256294

<400> 112
acaactttaa aaaatggttt atttttttct ttaacaaaat cgtacagctt tctcaatccc 60
caaattaaaa aaacagaaaa caggaagaaa gggaagaagg caaaggccac acgcacaggc 120
cggcccgcgt cacgcgcctg ctggacggca cttcagggca caacccacac gcgtctttgg 180
acttgcagac attccgcgag gcttctggcc tctcgaaggc aaagcttttc agcgatttca 240
ttaatatttc attacgctga gatgagatga aggcagatgc tacagaaata tgtcagttaa 300
agccacagaa acagaacagc ttaagaaggg ctgggcgccc aagctcgtca cgaca 355

<210> 113
<211> 196
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA257093

<400> 113
tggtgttttt tcaggccaga ccagaacatt tttattggtt tagtcactta ggcatgctaa 60
ggtccccctg ggttagggag atttcagccg tgagtgtgca ggtgtgcatg cacattaggg 120
ggatatctat tgggatgcag agaggtgaga gcagctcttc agaagcgctg gcaaaagaag 180
aatgtgtatt gaaacc 196

<210> 114
<211> 284
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA258476

<400> 114
aagcttacac tgagaattta ttggagggct ttgagacagc tcatgtaatg gaaagctctt 60
aagaactagg tttagaaggt gcagagacca gggcaacttc agggatccag gtagcaggaa 120
ggaatcggta gcctctttgg tatggccact atggtggtag acactgtcta cgttgtttgc 180
tgagtcttct ggctttcttc cactcttcct gctcttggac atcagactcc aggttcttca 240
gcctttggaa tctaggactt gcaccagtgg gttggttgcc aggg 284

<210> 115
<211> 377
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA261907

<400> 115
gcatttcaat agaactagct ttatttactt atttatttat ttaaacaaaa gaaatggttt 60
aaaagcaaat gcatatatgt accaagggat ggacatgacc tggtacttac aaaggagctg 120
ctgtgtcata atggaaacag catattagga gaaaaatagt atttcgtgtg ctgtctgctt 180
gagtaatcaa tctggagatg caagttaacc gaagtgcatc tgccaagcca tcagcgtgag 240
aaaaaaaaac caccagaagt tgcctccaga taacgatgta gtggcagcat gataactggc 300
atcaactcac ggtcttctca ttttccccat tttctataat tttcctcttc ttttcatcta 360
ttttttttctt gaagatg 377

<210> 116
<211> 181
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA278767

<400> 116
atacaaaatc agatctataa tttaatgcca ttttggttaa ttaaaaatac atgtacactg 60
gacactacta catattaggg agcatctatg caaataaaag gaaacatcaa attcattaaa 120
atgtttacct atgaggtagg ggtaagaggt tagatatggg agtaaggact ggagattaaa 180
a 181

<210> 117
<211> 419
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA279313

<400> 117
ttttttttt tttctttttt ttttttttt tttactgaaa gaaaaaaaaa tatttttat 60
ttcagttaat cgggaagctt tgtcagagcc ctacccataa ggagaagaga caacagctgc 120
ctttattctt gttggtttgc tttgaatccg ctccgtgtaa agtcagctaa ctctctcggt 180
cacgggcgtc cggctgtcca aaggctcctc tctgtttggc cttggaatgg aggatgaaac 240
aatgtctttg ggctctccct cccctcggtg tttgtacttt tctggggccg ttgcggggtg 300
gcaacccggg gctgagtcct aaccgggtcc ttggggcaac cgtcgctctc cagtgaagct 360
tctctgggca acttctcctc tttggaaaag ctggtgctca agtcctgggg ccaggggggg 419

<210> 118
<211> 513
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA279757

<400> 118
atttctgttg ccatgttttt tccagggctt ccccgccccg ttctcagagc tcgcagtgga 60
tgcagtcact acaccactcc cgggcttgta acccatcaca gcctggactc ctttggtcaa 120
agccctcaca ttctcttgat ggaaaaaagt tttgtcaacg atattttcaa tctgctttgc 180
ttttttattt ctgcctagct gcatttttat ttcatcactg ttcattttgt tctctaggag 240
tcgctggtgt tgatgctgaa aagttacagg atctcttcca ggaggaggat ggcagtacag 300
cagcttacca ctgacatagt ccttcaggat gtagcgcgca gatcgaggct ggtctggctg 360
tccatgcgct gtcatgaatc ctcgcatgta tccataagct gtcaacagtt cttccgatgt 420
tggaggtcgg tggggatctt catcctctct aggcgttatg atgttaatgc cataggtagc 480
ttctaaaaca tgtcttggaa tattctggca aac 513

<210> 119
<211> 256
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA279760

<400> 119
ttgataaact gaacatagta tttattgagg tcaggatgca tgaatagact cttctcaaca 60
gaaagataat tcaacagcaa tcaatttaca gaatttagaa cagcactaca tttcagcaaa 120
atgcaactag agaacatcag ataaattata gtaatttgtt tttaaaaatc cattaaacta 180
tctcttacct ctgcaataat gtatcataca tgcagttaca gaagttagta gggaaaagca 240
tgatcttcct tcccta 256

<210> 120
<211> 367
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA280929

<400> 120
ccctttaaa cattttattt tgaaacaatt gcagatgtac acaaaagttg taaaaatagg 60
ccacagtgct cccattttgt ccttatatca gatttcccat ttgtgagtga ttctgaacaa 120
taagttgcag acatcttgac ccactactcc ttactattcc agtgtctatt tcctatatac 180
aaagggaatc taccaggtaa tcatagtaca acaatcaaaa cctggatgtt aatactgatc 240
caatatgaat ataggatcct caggtgccat tcaacatttt gcctcttctc ctttatattt 300
taaaattata tatgactact tacatttttc tagaagaaaa aatagaacaa taaatcacaa 360
aaatgcc 367

<210> 121
<211> 427
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA281145

<400> 121
aacagtgaga tccaccttta ttgaaacatc acacggcagc atcagggctc ccacacctca 60
cagggcagca ggcagttcac aggacagcag gcagttcaca gggctttggg ggcctcacag 120
ggcagcaggt ggttcacagg gcttcggggg gcctcacagg gcttcggggg gcctcacagg 180
gctgcagggg gttcacagag cttcaggggc ctcacagagc ttcaggggcc tcacaggact 240
gcaggggggc tcacagggcc ctgtatgcag ggctgctggt acaaagaaga ggcccagaga 300
accctaacac agcctggggc cccggggaag tcagggcttc cagcagggca ggtacagagg 360
cccctaggac ttggcaggag ctcagccttg gggacagtcc cacggaagac gctgcatccg 420
ggctctt 427

<210> 122
<211> 257
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA281345

<400> 122
ttactcttat ggtttttatt ttcctatctg acatttctaa cattagccat gtagacggag 60
ttaaaaagaa tccaccgcac gaaaggtaaa caaagcagac cctcagaaac tccctggcaa 120
ggaagaaccc ctccccagat tggcccagtt tcaccagcaa ctggtctcag ctcagcctta 180
tgcctttcca ctgacacccc ccacccctcc acattctcga tgattcagac caggaacttc 240
tcggctgatt gtgtccg 257

<210> 123
<211> 365
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA281591

<400> 123
ttttttaat tattccttca tattcaaact tcacaaacag tgtgaacttg tacaatacct 60
cggaaagtga aacttacaaa aaaagtgctg gtaacattta aaaaaaaaac aacaaaaacc 120

ccaaaaaaac aaacatcatt cttagcaaca tcaattactc ttccacacaa aacagaaacc 180
ttgtaaaatt tattttcgta tttttaaggc gtaatacttc cgtataaagt atatgcaaga 240
gataaaactt cacagtattc caaaatgtca caataataat aataatataa tagtataatg 300
aagcgctaca gttaattttt ctttttttga atgtttttt tcctgtttaa ataacaaata 360
caagt 365

<210> 124
<211> 369
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA281599

<400> 124
gaaaaggcat acaaatttat taaggtacag ggctgaggac cacagaatat taccccaacc 60
ccccagtggt tacagaagct tatatactct ttctcagagg caaaagagga gatgggtaat 120
gtagacaatt ctttgaggaa cagtaaatga ttattagaga gaaggaatgg accaaggaga 180
cagaaattaa cttgtaaatg attctctttg gaatctgaat gagatcaaga ggccagcttt 240
agcttgtgga aaagtccatc taggtatggt tgcattctcg tcttcttttc tgcagtagat 300
aatgaggtaa ccgaaggcaa ttgtgcttct tttgataaga agctttcttg gtcatatcag 360
gaaattcca 369

<210> 125
<211> 375
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA282247

<400> 125
ttttttttttt ttttttttact tttagttcac atttttttaat gtttaaaaac tatgttaaca 60
gagcagttat agaacagaac ttcttatatt tctttattta caccacactc tgaaaaaaaa 120
aacccagttc tatttgatta actatgaata gcaaagtttt gtgacttgtg actcacttaa 180
atcacccatc tgaaattcat ttacaaggtt tttacattaa taaaacagta gtgtggtaca 240
tgtattggac tcagatgaag tctaaagtac actggactct agagagtgga ttacatacca 300
acgaccaaga ttcaagtgtt tggggaaaaa aataccttag acagtctatg ttggcgtcaa 360
cactaaaata aaagg 375

<210> 126
<211> 242
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA284153

<400> 126
tgcacaaaaa agagcagtaa aataaatact cagaactttc ccaggttgtc aactattaaa 60
ataaaacctc agcatttcaa aaaagcttat tccgctgcag gaaagaaggt ggacattttt 120
ggtaccataa taaatcacac actcacacat ccatattgct taggttgaag agaacggaat 180
gaacagagga aatttcttcc atgaattgcc ctcctttcgg tacccgccat gttttagtta 240
cc 242

<210> 127

<211> 428
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA284879

<400> 127
ttttttttt gattagtcaa atatttttat tttgccaaag aactctaaaa gcctttggtg 60
attcccaaac atacaatgaa ccccaaataa aacaaaacca aattgcacta ttacaaagga 120
acaagtccat gaaagtagag aggaggcgcc agttaaggga cagcaacttc aaggagacgg 180
ttgttttttc gtttacatgt tgggacactc ccatttttct ggtttccctg aataaacttc 240
acacatactt tgtccggtct gaacaggtcc agggctccac cggaaactcc aatattgagc 300
ctccggttgg gtttggccta aaatttttgc ggaagaacct gggtgggcca tttcaaacca 360
agtggatccc tcctgaaaag aaaagttccc ttactaactg cttctgagcc ctcctttaag 420
tggacggc 428

<210> 128
<211> 425
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA284920

<400> 128
ataaagattt cctccaagcc acatgaggac tctggcaccc acccacaaag caagacctgt 60
atttataagc cgagggtcag ggagctaact gcgggacccg tcagccccgt gtacccatcc 120
ccgtccccac ccccccctcc accgctgggc ccatcagtgt gtgttggggg gatgcttgca 180
gctgggggtg aggagacaac aaacctcggg aactggagcc agagctgcgg cctgactgac 240
gcctttttgat gctcacggga aatttctgcc caggatctca gccccaggct ggttgtttct 300
acaaatctct ctcaaatgta ttattttggt gacaaaaatg aaggagcttt gtaaattttt 360
ttaaaattat gaatcatatc aagtagttgt ttacatttct tgaaaaaata ggaactcggg 420
cagca 425

<210> 129
<211> 405
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA287389

<400> 129
caaaataatt aacctttta attttttaaa ggaaaaatac tctccatagg aaggcatttc 60
tatttttgt ccatcagtag ccaaatggaa cttgatataa acacttccag tatgccaact 120
ttggtttaat gcacaacttt gaaaataact cattaaaaca cacatcaaga tgctactaac 180
aaattcatta atatccaaga ttcattactg tatgtcaaag gtcatccagg attaacattt 240
tcattacaat gaactgtgaa attccaatga aaaatgtttg cctgaattaa attatttaat 300
ctctcaaatt ggaagtctag cactcttgaa aatcaaattc acacacacac agacacacac 360
acacacactt acaaactgca cattaggaca tgagggcaat ttaat 405

<210> 130
<211> 478
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA287832

<220>
<221> unsure
<222> (1)..(478)
<223> n = a or c or g or t

<400> 130
cacacacaaa tcctgattta ttccctgttt ctcatacatc gttggcattg ttctacttaa 60
acagcgacag tgatgactcc aaaaaaaatg tttagaatta gaagtgcatg ttaatctgag 120
taacttaagt acagaaaaga gttagtacac cacaagcatt ttctacactt ttattttgtg 180
gtgattgtga gacaaacaca gtccaaacaa tagacttctt gtcctccccc tcccaacaac 240
tatctgactc catagctcat gcaccccaat tacagcaggt gtcgggctgg cataaaggct 300
tcttaccagg attccagttt atccttctca atccttttct catctctaac aaaaatgcca 360
cacatacatg tagttgtgag aggcaaagtc ttctttacac tcaccaccag ggnggcgtat 420
gggagcacaa aagcctcaca aaactgctcc aggatcctgc ctcttccagg gccggaat 478

<210> 131
<211> 216
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA291676

<400> 131
ttacttacac ctttctattt tttatttttt acatcaaaca ggtaatgtga tgatgctgta 60
acaaggtttg agggaagcat atctgacaca tgagcatgaa accaaatcac catgcttatg 120
gactacaaaa ggacctaagc cttttaaact agactgtctc aactgtgcat taattatgta 180
tttagatata ggatatgtgc ttgggaaaat gtataa 216

<210> 132
<211> 431
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA292328

<400> 132
atagagacag ggtcttacta tgttgcccag gctggtattg acctcctggc ctcaaacgat 60
cctcctgcct tggcctccca aagtgctggg attacaagca taagccactg cacccggccg 120
agaggggttt ggaatgaagg tagaggcagg gggatgaagg cgccagagct gaagaccagc 180
ccccagaagc cacacccctg cccttctagc agctacgggt cctctggctc cgggccttgt 240
aaacctcgat gagcaggtcc ttgacgtact ggatctcgcg ctccacggac tctgcccgtt 300
ccttcagctc gcgattccgt gcctccagcc cctggaactc gaccctccag ggcctcaccc 360
tctgcccgct tccgctggcg gtacctcaga gccgccgact tgttctggtc tctctacttt 420
tgcttgcggt c 431

<210> 133
<211> 318
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA293187

<400> 133
atggtacaaa aatagtttat tacaaaagaa atccaaccaa aatgcttaat aatttacatc 60
gtgatccgtg cccgttacgg cccacctctc ccctcctcag ttatctggta gagagtggag 120
gggagtggct gttccctggg tccaccagct ctgggagggg acatggaaat ggaagatgtg 180
ggtggcattc cggacaggga ctggtgcctg agaatgctgg ggtcagagtc ctgggaggga 240
gcgagatggg ggaacatctg tgctcagaag agggggtgta tgggtaggtg catgtgcttc 300
tgtgcaaatc ctggtccc 318

<210> 134
<211> 424
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA293489

<400> 134
ttttttccg tagtccaaag gctttattgt tctgctgaaa tgcttacaaa tactgaaaac 60
ccccagcctg ggcccaggca accaagggct caatgctggg aaggagagca ggggaggtgg 120
gcttagtgtt aaggcgtgaa gggcgaggcc agacagctgg aggcctggtc ctccactctc 180
catttccatc acccttcgga ggctgaagga agggcggcgg caccacaggg cccttcccct 240
ctgctgcatc atctcctgct caggctttct ctctaggcgc attggaggaa tcctctttcc 300
ctgtcggaaa ctcaacactg tacagaactc caaccataac ccttctagct tcctctccca 360
actgcatcgc tcctcctctg ttccatagat cccccggctt catcccttct ggctctaagc 420
aagg 424

<210> 135
<211> 340
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA298981

<220>
<221> unsure
<222> (1)..(340)
<223> n = a or c or g or t

<400> 135
attcggcacg agtttcaaag aaaatagatt aggtttgcgg gggtctgagt ctatgttcaa 60
agactgtgaa cagcttgctg tcacttcttc acctcttcca ctccttctct cactgtgtta 120
ctgctttgca aagacccggg agctggcggg gaaccctggg agtagctagt ttgctttttn 180
cgtacacaga gaaggctatg taaacaaacc acagcaggat cgaagggttt ttagagaatg 240
tgtttcaaaa ccatgcctgg tattttcaac cataaaagaa gtttcagttg tccttaaatt 300
tgtataacgg tttaattctg tcttgttcat ttgagtattt 340

<210> 136
<211> 535
<212> DNA
<213> Homo sapiens

<220>

<223> Genbank Accession No. AA308998

<400> 136
aggctctact tcaggtgctg ctataatgcc tcatctaatc aggactaaat tgtgtaggaa 60
actgcagtgg gaagaatatg ctttctgctc aggctaagag ggtcactgat ctgtccttag 120
aaattcagag taacatgagc aaaacctcag ctaaaaccca tttaagtggc atggattgtg 180
catgatcttt gataagaatt cctcatgtac ttgtgcctag tttttcaagg tattggctgt 240
tctatagatg cagtgattgt cccagctagc tctgttacca gccttttggt gtgtctttat 300
gttcatttgg agagtcaggg cgaaagacag gtgatgtagc acttctgttt ttaataatta 360
ttgcttaaaa tacctattaa tagttttggg tcatttaaag ggacttgagg aagctaccca 420
ggattacaga agagtgtcca cctaacaaga tggtctggca gtttcctagt tttgtatctg 480
gttcaataga aatatgtgaa agtggtaatg tcatcatttg atgcagagtc cgggg 535

<210> 137
<211> 324
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA312946

<220>
<221> unsure
<222> (1)..(324)
<223> n = a or c or g or t

<400> 137
gaagttaaag gncactttat tnactgacag attgaaaact gtaactccag gnagtgcaaa 60
atgcaccaca acccaattac aaagaacagg tgttaacaca caatgtttaa acaatgctac 120
actcattttt ggcaaagtgc tgtattgttc agtctgtgta caaaactgac catctatgan 180
ccaatcagta taaaaaattt ctataaaanc aaaatttagn cagtggctca agaaaacaag 240
ctgccattta tgcatagnnt gatgtacagn aacctaacca aatgtccctt ttgaattttc 300
aagttactga aaaaaaatgt gtcg 324

<210> 138
<211> 428
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA316686

<400> 138
gggatgtgga gctggagttg gagactgaga ccagtggacc agagcggcct ccggagaagc 60
cacggaaaca tgacagcggt gcggcggact tggagcgggt caccgactat gcagaggaga 120
aggagatcca gagttccaat ctggagacgg ccatgtctgt gattggagac agaaggtccc 180
gggagcagaa agccaaacag gagcgggaga aagaactggc aaaagtcact atcaagaagg 240
aagatctgga gctaataatg actgagatgg agatatctcg agcagcagca gaacgcagtt 300
tgcgggaaca catgggcaac gtggtagagg cgcttattgc cctaaccaac tgatgcgtgc 360
tttctcaaat atacctactg gattaattta tggcaataaa attttttttt gtctttttca 420
gttttatc 428

<210> 139
<211> 160
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA328993

<220>
<221> unsure
<222> (1)..(160)
<223> n = a or c or g or t

<400> 139
gctttagagc agttatggga gttatagatt ataacatatt agtgatttgt gaaacttttt 60
tactaaaatg tgaccctcat tttnctttac atgaaagaac atagaatatt tcacaatgca 120
tcccacgtgg taagaataaa aaattgtttt agttatatgt 160

<210> 140
<211> 359
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA342337

<220>
<221> unsure
<222> (1)..(359)
<223> n = a or c or g or t

<400> 140
agagataacc agtttatttt ggggagcaaa gagaaagggt ccctaacccc agactgcctg 60
cgaagaggtg aaatggaatt gaatgggatt atggtcagcc aaggcttcct agtggagctg 120
ctacctganc tgagttttaa gaggggtagg aaagaaaaaa tgtagtgggt cataatggca 180
ttccagatac aggggacaca aacagctctg tgtttatgaa ctacaaccag ttgttgactt 240
ttgtttcaag tggctcccct tccccagtgc tgtgtggacg atggactgaa gaggagaagg 300
ctgggagcaa gggaccagta agctgttgca gcagtgcagg tgagatatga ggcctcaac 359

<210> 141
<211> 346
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA347359

<220>
<221> unsure
<222> (1)..(346)
<223> n = a or c or g or t

<400> 141
gtgttgcaaa gcctttaatt agaatgtttg tatttttttac atcatgcata acttcacatt 60
tgtgattaat tagtaattat ttcaatactt gtaagcncat ctgcctcaga tttaatcata 120
atacatgaat taaattaatc aaattaagga acagcaattt agaaagaaac acactttaag 180
aaatcaaaat tctcaattca ggcagtctgt ttctatcatt tggtattcta ctcctttaaa 240
aatttcatat tgcccaacaa aaagtggtta tttttactgt ttttggagat gactgaacag 300
atgaagggca tcagatgcct tcatcagctg ggtattttgc ctaaga 346

<210> 142
<211> 196
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA350265

<220>
<221> unsure
<222> (1)..(196)
<223> n = a or c or g or t

<400> 142
caatagcaga cttttaatca atgccagaga caaagtgagg ccgagctaag aacacgctca 60
gctncgttac aatgaagaaa tggtttcctt tcgatgcaaa gtataattgt aaaccacagt 120
gctcgcacag ttcacgnctg nttaaagnga aatcttagcc atacatcacc taaaagtaat 180
taaaaagtca acacag 196

<210> 143
<211> 286
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA358038

<220>
<221> unsure
<222> (1)..(286)
<223> n = a or c or g or t

<400> 143
caggttattt ctctttctcc tttttaatgt agagctgcag atacacttaa gttgccatag 60
taatggcaga aggagggaag ggtgtttttct ttgtaaaatc attggngtat acaggatggc 120
ttggcaggta acaacactat ttctacgata tctacttatt aatataattt tatgttaata 180
tcccattctc ctcaccataa tcaccataat gttcaaattt taattttgta ttcattttga 240
atgtttgcat gtgaaaaccc aactaatcta ttatttcaac attaag 286

<210> 144
<211> 287
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA374109

<220>
<221> unsure
<222> (1)..(287)
<223> n = a or c or g or t

<400> 144
cgccgaccat ctctgcactg aagggccctc tggtggccgg cacgggcatt gggaaacagc 60
ctcctccttt cccaaccttg cttcttaggg gcccccgtgt cccgtctgct ctcagcctcc 120
tcctcctgca ggataaagtc atccccaagg ctccagctac tctaaattat gtctccttat 180

aagttattgc tgctccagga gattgtcctt catcgtccag gggcctggnt cccacgtggt 240
tgcagatacc tcagacctgg tgctctaggc tgtgctgagc ccactct 287

<210> 145
<211> 292
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA380393

<220>
<221> unsure
<222> (1)..(292)
<223> n = a or c or g or t

<400> 145
catggagtca gggacatgtt taattcattt gtgaatcccc tggtactggc acatagaaag 60
cgtcccatat tatctgcaaa atgaatgant gaataaatga gcaagtaggt gaatgantga 120
ttctnaggtc tcctccagct ttgatggcct atgaccgtgt gactcctgca tatgcatgan 180
cacacagaca cagacactac acacatgcac agacacacat acacacttgg ngcaaagagg 240
gatgaagcct gccacactgc aggtggtcct agctgcctga cctcccttcc tt 292

<210> 146
<211> 255
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA382275

<220>
<221> unsure
<222> (1)..(246)
<223> n = a or c or g or t

<400> 146
aaataataaa tgaaagattt tattcatctt tgtagataac aagcactcaa aggttaatga 60
gtgaaggaga taaccatctc ctccaaacaa agnggctctt aataacgcag aagcaaaaat 120
ctttccactt ttagatgaaa acaaactaaa aaataacttc aggcttcaga tatggaaata 180
aagcaccatt tttcaaatgg tagacttggc ttacttaaaa taagtaaata gcccccgnct 240
atctgaaaaa gaaaa 255

<210> 147
<211> 407
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA386264

<220>
<221> unsure
<222> (1)..(407)
<223> n = a or c or g or t

<400> 147
ttatttaata actgtagaaa tccaaaagaa ttagcatcaa atcttgaagt cgtgagtnaa 60
gctgcgggtt ggcttgactg ggctcagcca ctgagctgcc tcaaccggcc aaggaacggg 120
attatgatga ctatgcggac ttctatattg tcttcatctc attgtgtgta ttatgtattt 180
agtttcaata aagcatttgt accaatggct ctggagcttg gaggaagact aaaggaatgt 240
gtagtgattc tgaagtaaga tgtagaccta cgcagcagag ctatggggga gaagattaac 300
aaagtccttt cttccaatat caggatagtc atgagttgca gtcccatcca aaaggtcatt 360
agggctnaaa ggcccctctgt gtctctgaac tatgagattc ttgctcc 407

<210> 148
<211> 205
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA386386

<220>
<221> unsure
<222> (1)..(205)
<223> n = a or c or g or t

<400> 148
ggnggtaaaa ttncaacttt atttggccaa tgtgttcaat tcgattgtna aatagaaatg 60
cctganganc tgtnagcgtc tgattcagct ccagcatcct tcttcaggcc aaagaactcg 120
aggatgcgct ggttgtcggt gtggtcgctg tcgatgaaga tgaacaggat cttgcccttg 180
aagctctcgg ctgctgtttt gaagt 205

<210> 149
<211> 440
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA397919

<400> 149
ttttctgttt aagaacagct ggtttattct tttgatttat tgtaggtatt aaaagtttct 60
tttgtgagat ggcacatagg caggtttggt gtttcctaac actatgaata tcttaaattg 120
cttttgaaag ttttatccac aaagaaagaa aaataagggt ttcctcacag ttgaaaatag 180
tttttgaaaa aaggttaaga ggaaaaaaat ctaaatacca tccttgataa agaaatggaa 240
cttcaagtta aaaatacaaa tttaaatgaa gttttataaa atattaaaaa ctagctaaaa 300
gtacatgcat aggcatttaa tcaaggtaag aggaacagca gtggaactta aatatgatac 360
aatttatcaa caataaataa acatttcagt gcaaatagtg cagaaaaatt tctcaaagat 420
catagcaatc attctaatcg 440

<210> 150
<211> 425
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA398280

<400> 150
tttgcgtggg tcattctgat ggtggctgct gtcagcctcc aagtggctta tgggatagga 60

caacccccca ggcacttcac tgtaggacag ttagcaccaa gagctaaggt tgtgagataa 120
tgcaaatctg gcctgtcacc tctgcagagt acaggttccc atactgtgag gcagcagcag 180
cagagggaac caccagagaa acagcatttc agaattgtct ttcctttggt gtatggatat 240
gtgtgtgttc tagtctttgg tgggcaatgg aatctgcagc tccatgacaa tcttgttaag 300
tagcttatgt gggaagtgtt tcaggtcaca agggccaccc attctaaggc ttctcactta 360
attccccagg ctaagagaca ggtggggaaa ggaaaaacct agcaccttgc tatactgaat 420
tggaa 425

<210> 151
<211> 382
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA398903

<400> 151
tttaaattag tagagacagg gaatcttact atgtgaccca gactggtctt caattcctgg 60
gctcaagcga tcctctcgcc tcagcctccc aaggtggggt tatatgcgtg acgcgctgtg 120
cccggctcca aagaacattt cttaagattg gtggtgcaag gatcacacct tgagaaacac 180
tgatttaggc cttcccacag tacaaagaaa tgttgcctgc cccatcctta cagcacacct 240
gatgacttac aagaggtgct gctgaattcc tcccagggaa gcaaccttaa ttcttctcag 300
caagacaagg aggcagcctt caggaaggac ccaggagctt ggtattagag gatgatccaa 360
gtctgatggc aaatttagag tg 382

<210> 152
<211> 449
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA398908

<400> 152
tttccagatt tataatttaa tggctgtgca gatcccagtc cctcatttct gtcgctcacg 60
tgcccactgg tctggggtca gggttttctg ttcaaaggca tggatgtgcg ggactcttct 120
gctaggcacg cgttcaccag cctgtgtctc tgaagcagcg gtttcccctc gaacttggcc 180
gacaccacca ggactcggaa gctacaggag caacggttga gggtcgtgtc ctccacctcc 240
acatgctccg cctccaggtc ccgctgcagc ttctcgcgga ggtattcggc gctgagttcc 300
atggcggcag tccagctgga acggcagccc agcagggaca caaccccagc tcgggcgccg 360
gcacgctacc ttgctgcctt acaggagcca cttccgctgg aaaactcact tccgccttac 420
taaggcgtac gtcaacgcag tacttccgc 449

<210> 153
<211> 333
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA399273

<400> 153
ttttttttt tttcagaact atctgatatt tatttcccaa tattttgata cttgttttac 60
aactggaata catggaatga aggggctgat atgggacccc aggtaagagt gaggtcagga 120
ctctctaagg gtctggggtt ccccctagag ggactttggg catccagttt cagggactga 180
gccgggttgg gtcgggggggc agcatggcat cggacgtggt gccgtctgtg cctctcctgc 240

ctgcggtaca gccggcgcag gtgtttccga acggcccaca gcaccaggta cacctcccac 300
agcaactcag cctccggagt cttcaaaggt gac 333

<210> 154
<211> 467
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA401433

<400> 154
ttttataaac tttattacgg aaaatgccaa acatacaaaa atagagatga acatatataa 60
tgaaccatca ttttagccat cacccagctt caacaattat caaggccaat ttcgtttcat 120
caatatttcc aatgcactta acatccagac ttattatttt gaagcaaatt ccaagaatca 180
tatcatatca gccacagatg tttgagaatg tagatgagga cccttctttc taacataatg 240
ataaaaccat tattctaata ccaaataccc caccaatgtt caaattaccc cgattgtctc 300
ataaatgtat tcgttttaca gttcggtcaa atcacaattc aaataagatc caattaacaa 360
ttggttaata tgtctcttaa gtctctttaa atctataggt tcatcctcca tctttcatcc 420
ttgcaagtta tttacagaag aaactaggtc atgtgtcctg tagtttc 467

<210> 155
<211> 378
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA401965

<400> 155
gagagcacaa ctccaaatca tcttttatta atataaaaag ggcatattta gcaaaagaca 60
cacagataaa agagtcacta tggctcagga cacaaggcag ggaggtgcca ggcctgtgcc 120
cctgctgggg gagaaggagg ctcgggacaa agtgggagaa gtgctgggaa gggctgagcg 180
gtaggggcca caaaagttcc ggtgggcaac actgtcggca ggtcatgggt gggactcatg 240
gggacctcgc tgctaactct tgttgtgggg gggtgtcctt agtgctgcca cctggagggc 300
cactccttgg ttcctggagg ggacccacca agggacacag gacaggaagc ccaggatggt 360
tagtgcaact cgggatga 378

<210> 156
<211> 641
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA402000

<400> 156
ttttttttt gatacaacta gcaaatgttc attggtttac aacaaaccca aaatactcat 60
caaatatggg ctgttggatt tagaaaaata agattcttga gcgattccag ctgcatttgt 120
ttatacagaa cacatttact caggaccctg cagtgtcagc ttcgttcttt gggtatgcag 180
ccttctatct ggatctctgc aggccagcca gaatatctgt tgttcttagc atcagagtgg 240
ttgatctttt ctctctgaat ttcggaaggg agttccaagc cttttgctgc aataaatacc 300
cagctagacc tgaatttcat gttcctgatt tctttacttc caagtgcttc tatggcattc 360
ttggcatcgt tattcagtct tgtgcttccg tcgtcatagg tcaccatgaa gagcagggat 420
tttggagcag cactctgaat aaactttgtc atcggtccag agttatcgcc ttcatacata 480
tcaaaacatc gtgttgctgt cacattccca gttacatagt tgacaatggc aatgtttatt 540

cctctggcaa catttcccag ctgttctccc ataagtaggt tatcctcaaa gcagattttg 600
gcgtacttgc ttctgccacc tccgctgagt aacctgtagg c 641

<210> 157
<211> 290
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA402224

<400> 157
tttgtttcta aaaagtttat tgtaaaattc aaagcttcaa cagcagcatc ctttagaaaa 60
cgaagcattg cccggatccg ttttgaaaaa gcagcgcagt cggctaagtc cttcacgctc 120
ctgcaactgt accaagtcca gggcgccgct ccttcctgcc gagcgcaggc tgctgagtca 180
cgcctgcccg gccagtctgt ccttcctggc cctgaggcca acgtcctagc ctaggccttc 240
ctgggcgagc agccgctcca gacacttgca gagtcctcag ctcggaccag 290

<210> 158
<211> 269
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA402903

<400> 158
cccagggcag tggtgggtgc tttatttcca tgctgggtgc ctgggaagta tgtagacggg 60
gtacgtgcca agcatcctcg tgcaaccgga gagcccgggg aggggctctg cggccgtcgc 120
actcatttac ccggggacag gagaggctct tctcgtgtag tggttgtgca gaccttatgc 180
atcacgggca tgagaagacg ttcccctgct gccacctgct cttgtccacg gtgagcttgc 240
tatagaggaa gaaggagccg tcggagtcc 269

<210> 159
<211> 359
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA402930

<400> 159
gatttgcatg ttggctcaac tctttttaag tccaaggagg cagtccacat taagtgtgca 60
ggcaaaaaag agatggaaaa aggagtcagt ttctcccctg ccctccctct ctccctttat 120
caagctgagc accttgagtt gcatttgagg aaatgaaaac tataggtgac gcaaccccat 180
tgtgtcgaat tctttcttta catttttttgg gttgctacaa ggaatcagta ttttttttt 240
ttaatcagat ggtgtgtgtg gtggctcaca tctgtaatcc cagcattttg ggaggccgag 300
gcaggaggat cacttgaggc cagaagtttg aggctgcagt gagttatgat catgccact 359

<210> 160
<211> 394
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA403159

<400> 160
tttttcattg tgcaatacac ttttattttc cttttacctt tgcagtcatc ttcgagtaat 60
cgttgtgtaa acaatagaat ggaatgaaat tacattaaat tgtatgcaaa tggctctaga 120
acaccttaac aattatgaca aggcaattat aaataacttt ttttccttag taatatatat 180
ttgctttttg aagtacatta aagagctgcc atatctaggg ttagctagga aagagcaatg 240
gtaccatcct gggagcccac ctccttgaaa gattagactc caattttcaa aatcctaagg 300
tttactagtt ccataatata cagtcaagca gagggctact tgggttgaaa gtattgattc 360
ttgaacctta acagcgtttt acctttttagt catt 394

<210> 161
<211> 376
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA404957

<400> 161
tttaatgaaa atagaagttt tctttctgtc ctccttttctc tcctccttcc ttctcctttc 60
cggatctttc cccaaataat tttctaataa ttcagttgtt ttctgaatat tgcttttaag 120
ttttttgatt ttaaagatac aattagaaat aatgtatatg atgaaaaagc tgtttcccac 180
tccaattcag atctgtgatc tacactggga aaaatgacca ctcctcatga agttttgtta 240
ctgacctctc ttggacttta gctctccatc tctgctgagg ggatatgaag gtatttgcat 300
ttctcctgtt aatgaaggga tcttagaaca gaaaataaat aaatgcagtt ttagcgacac 360
atagctggaa atattt 376

<210> 162
<211> 207
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA405488

<400> 162
ttttttttttt tttttgacgg ttcctatata acgtttattt ctggaagtta aagtagatac 60
agcaatatac caaaaaaaaa aaaaaaaaaa aaagacaaaa aacctcacaa taatataaat 120
ttttacacta tgaagtacac attggaattt gaatgcagtg gccaggacag cagcttataa 180
accaccttat aggtaggtaa gcaaccc 207

<210> 163
<211> 348
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA405559

<400> 163
tttttttttta aaatattctg atggttttat taacaagtat ataatatata ttgcatactg 60
tatatagtat atgaggactg tacagtacaa atttatgttc acagtttgac atgacaaaat 120
gtcattactg aattcccatt ggactacaga gtagaaacag agaaggtaca ttaaacattc 180
acatctttag taagaaagat taccaaaatg tttcagtatc tgcaagtata ctaacgcatg 240
ctaaaaacct ttacccattc agtcttatta gcttataaaa tatattacac tttattaaaa 300
atttctgcat agtttataca agtattaaag tactgtaaat gtaataat 348

<210> 164
<211> 359
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA405616

<400> 164
tttttgtgtt ttttgtgagt tcaagtggtt tatttggagg caatcccagg aaacattagt 60
aggagagcag caggaagaca gagcaaggag gaaaggcaat cttttgtgta ttaataggca 120
gcttatcaca tgagcagcta gagctccatc caactgggga cctttggaag agagtgtaga 180
acacatctta ttcagagttg tctcacttgc ggggtgaagg ttgaagactg ctccttggac 240
aatgccttct ccatttcctc atacttttca cctgcctgtg attgggccaa gcctggttcc 300
cattgcccaa gaaagctctc aggaagatgc tcaagtgctt gcagtaagaa gcaatcagc 359

<210> 165
<211> 346
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA406371

<400> 165
ttttctcag tcattacttt tcttcggtgg cactttgttt tcttgtgaca gtgaaaaggg 60
tactgtggag acgagacagc cccattgcaa tttatcaatg aaaatctaat accgcccata 120
agcagagaag tggaaatcaa tacttcatta ccaaattgtt agtgaggatg aagagaaatg 180
gctggggtga ttttttttt ttttttttt ggcagtcttc tcagagccag ggtgtcagga 240
ggagttcaat gagttcaatg tcagaagcag gatggtgcaa cgaagaaggg ttcagtgtga 300
ggggatccag gctggaaagt ggaaactaag gcattcgtcc tgcaga 346

<210> 166
<211> 143
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA410298

<400> 166
gcaggctaga aaataatttt aatgcaaagt agaaagtatc aatccacctc atcactttcc 60
ttgctctctc tctgtcacct cctctttcct gtggctctga ggaggtggga gaagcaggca 120
gtatttccac agcagctgtc cat 143

<210> 167
<211> 298
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA410311

<400> 167
tttttttaa agtaacattt aatgaataca catttataaa agccatcatc ccttaacatg 60

gggaaagtgt acaaaaataa tgtgaaagtg taaaaatttt tctagaatac aggaaacata 120
tcagcagtaa agaagtttag tttaactttt tttttaaatg taaaatagtt tggatctgtt 180
aaaaggaata cagttcgccc aaagcactta ttttcatctg ttgtaaactc attctttcta 240
ccttaagtaa actggaggag tcagctgtgt taatatggtc aaattaattt catagttt 298

<210> 168
<211> 445
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA410355

<400> 168
gcagcggatt gggggtggcc aggggatgct gctgatgtgc agagacatcc ctttttccgg 60
cacatgaatt gggacgacct tctggcctgg cgtgtggacc ccctttcagg ccctgtctgc 120
agtccgagga ggacgtgagc cagtttgata cccgcttcac acggcagacg ccggtggaca 180
gtcctgatga cacagccctc agcgagagtg ccaaccaggc cttcctgggc ttcacatacg 240
tggcgccgtc tgtcctggac agcatcacgg agggcttctc cttccagccc aagctgcgct 300
cacccaggcg cctcaacagt agcccccggg tccccgtcag ccccctcaag ttctcccctt 360
ttgaggggtt tcggcccagc cccagcctgc cggagcccac ggagctacct ctacctccac 420
tcctgccacc gccgccgccc tcgac 445

<210> 169
<211> 415
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA410383

<400> 169
aagtaaaatg tttgctcaac tttattgaat gtcattagat ttataggaat cattaaagaa 60
ttagatacca gagtcccccc ggcccagacc cccacaaaaa aagtcagtga aaaagatgtg 120
agtgaaagaa gtttgtcaag gcaaatgtgt gaaaggatac atgtgtacat cacctttaa 180
atgctttccc tgagtattct atgaagtctg gggatcttcg aatgctatta atcttagaca 240
gtaaatttta taaagaaatt ctttaaaagt aggacttaat tctcctccgt agtgagtttt 300
taagcagagg atatctacta catggattcc tttgcctctt gacaggctca agttccatct 360
gcctcccagg cagcttttg agtctttcat agaagcctgc ttttaatata tgcca 415

<210> 170
<211> 406
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA411860

<400> 170
ttttttttt tttttagatt ctcacaacct cttgttccgc agttcattaa tccgactctg 60
atgctaaggt gacagtgtat gtaagtagat ttttgttttc agtgaaggag acctgggaaa 120
agatggattt ctctctgtat cttcaagagt tatcagatgg tacatgctcc tcaaagccct 180
cactctctcg aactagagca cgttccagga tcacgcggcc ttccttatat cgctggctgt 240
cttcagtggc aaactcatag atccatccca gtttgctatt gcagtttttg cagctcacat 300
ctcgaaccat gtggcggcca gtgagcatga cccgatcttg aacttcactg tactgcaggt 360
taactacctt gttaaaaaga aatgctctgc cagtggggcc tgtgaa 406

<210> 171
<211> 73
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA411952

<400> 171
tttcatttaa ttgattttat tataactgga ttaggtctga gccctgggaa acagacatca 60
ccttgttata cag 73

<210> 172
<211> 289
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA411981

<400> 172
acactgttta ttgagtggca ggcacaggag aggtagctgg ctccggtgtg gaagcagagg 60
tggcaggtca tgccagggtg ctgtgggcat ctggcagcca gggccatgcc cccatcctag 120
ggggacggca caagctcact atgacaggag cagcaaggag ccggccagag gaggggggtag 180
ccacgacccc caggatcctg ggcaagaagc ggcagacaaa cttggcacag gggcctaggg 240
tgaggggggac tggggcctgg gtattctgtg ggggagggag ggggatcac 289

<210> 173
<211> 406
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA412049

<400> 173
ttttaggaaa aaacggcaca gtgatttaat ggtaagtcac tataaacatg aagggaaaga 60
ctgccatcca aggaagcgca gaaaaggaca cccctcaggt cctggatgga ggaggatgac 120
ccccaatact ggatggagaa ggatgccccc agtcctagat ggagaaggat gccccccctca 180
gtcctggatg gagacgtcat gagtaactgt cggtaggaaa catcatgttc ttcattctgc 240
ccttgctcct tgggctccaa caggaaaaac cagaaattct gtggatataa aacatggaaa 300
cattcattct ttaaagaaaa aggctgcaga gacaagaaca gcgaaaggat ggtattgaat 360
acatgcaaat ggataaaata tgaatgatta tgttctcatg ttcaac 406

<210> 174
<211> 521
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA412063

<400> 174
ttttgcaaag ttaacatttt tattgaactg aaattggtgt agaacagggg caaccacagc 60
tgctgagctc tgtaacaact gaaaagcccc tgtgacattt tacctttgag agtcctaaca 120

cggtttgagt ggaacagctg agaaacagca tatatatatt ttaacacctc aaaatagttt 180
gaaatgagcc tcacagcctt gttcaatctt cagattacaa ataacattga tagcatctcc 240
tgtggccttc agttagtagt gccagttaat attgtttctg aaaactttcc tctcaaagtg 300
ctggctataa ttttttttcc atccagtaca cataagaaaa ggatttagta acacttgggc 360
aagtaataaa ctgtagaact ttaaaagtag taaaggcata taccaagcat acgtgactcc 420
acacattgtc agaaaggcag tggactggct aacgagtttc tgccaagttt cagaagcaaa 480
gaatgcacta atgaaaaggg taaggcatcc aagcagagtg t 521

<210> 175
<211> 387
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA412505

<400> 175
ttttttttt ttgaataata taacagtttt attataaatc aaaacaccaa acttttgcaa 60
actttacata aacgtgtagc catatgactg tataacaaga gcccaagagc aaccattgtc 120
taacaggtag aaatgcagac agtttcatgt taagccttta gaatttcctt tcacggcagg 180
tttccaaaat aaactaactt ttctaacatt tattctcaca aaaatatatt tcaagttaga 240
ataaacaact cattggcttc agacatttaa ttgtatgtat ttaaccatac tcagataatt 300
gtcatattta gccaaatgga ggctttttct gtgacctatt tccaaattct cagattctgg 360
ttcatctact ccttcaagca gtttgga 387

<210> 176
<211> 399
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA412722

<400> 176
ttttttttt ttttttttt ttttttttt ttttttccgg cacgaggctt tttattctaa 60
cagcactggg gggcccagcc tacctgccag acagttccca ggagtgaggc tggtctttcc 120
tggcagataa gacacagttt tgttgggtga atgagcggct cctcccttgg tccaggaaga 180
gctccccctg cattgggtga tgaaattctg tctttctgaa ggccgggcag tgcacagcgg 240
cccttcctct ctgggaatgc ccaggctcac acagtccact tcagacacct ggtctcctgg 300
tgggtcccca gacagcgcac agtgcagtac cgggcaccgc agctgacaca ggtgtagggg 360
gatgggaagc cacagacagc acagaagggg cgctggggc 399

<210> 177
<211> 427
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA416685

<400> 177
ttttttttt ttttttgct ataagataat ttattacaga ctagcctata atctcctgta 60
acaatggcac atataataat taacaacagc aaagatgctt ggtttcttgt ttcatgtaat 120
ggccagtaca tctgtggaca atgtcgagtc ctcaggaagt ccaggaggct gctacagagg 180
aaatccaaga accatgtcac atctctcaac aagtcttggg aagtccatct gactctctga 240
aacagtttgt ctctgacctc ccaggaagtg tggagggccc cttccatcca gcctgtacag 300

agggatcaga gtccaggctc cttctatagg gttgaatatc agaggggaat agcaaatgac 360
cccgatgaga gagagagaga ccaaaggcta gattctttct gcaaggtgga ggacggctag 420
aaggcag 427

<210> 178
<211> 527
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA416762

<220>
<221> unsure
<222> (1)..(527)
<223> n = a or c or g or t

<400> 178
tttttcctgt ttctgttttt agtttttatt aaataaaagc agaggaagag gaaggcccct 60
ggtctcccgg gctaggggggg agagccatgg gtcctcccct ccctctgttc aaggtgcact 120
gcgtgctggg cttgaggtgt aagctgggga gggagggcag ccgggaaggg tcagtggtcg 180
ggacctgcaa ccctttcacc ccttctggaa gactcgctgg gcagggaggg agcctcctgg 240
acctggactg gggcttatcc caagggatga gagccgatag gtctacaggc tcggcccaag 300
ggcccttcca ccctaggaag aggaaggggt gccggcgtct atctgctgga gggtggtcag 360
gcaaggctgt ggggctgggt ggccagccct tcactcgtgg acgtcccaga tctccgacag 420
cagaggcggc agcttcttgt cctggagccg caaggannga cctgctccga gtgcacagag 480
ctcagcgtgc gcaggctcac cagcttcatg agcatgcgcg ggaagag 527

<210> 179
<211> 368
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA419011

<400> 179
ttttttttttt ttttttttcaa ggggatttta atgaaatttt attaaggaga tgagaagcag 60
ggagtctgtg ttgaaaattc aataaagggc ttgttttcca tctcagcctg gataatctat 120
gttatctctg agtaaagggg gtaacaattc taacaacctg gcttccttag aagtttccat 180
tctcatatag tcaccgaagg cagcagcact caggcgtttg ctgccgtgcc tgccctttgg 240
tttctgggac ggctcgggtc ccgtagcgcc ggcacagctg agattgccaa gccgggaaga 300
gaccttgctc caggtgtagc tgcgttttcc ccagatcacc tgtccttttc ccctccgaca 360
aggaagct 368

<210> 180
<211> 260
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA419546

<400> 180
cacattaaat tatttattga acaaattgaa gataatgaca tatgttttta ttacaaagtc 60
ttccatcatc ttatatcatt gacacatatt atgagacctg catttgaaga gtgaatagaa 120

ataagaaaat gttttcccaa ccccacaaaa acagaaaaaa atatattaat tttataatta 180
tcttataaag ccaaaagttt tatgaattat actttttta ttagttaaaa atgacagcat 240
aactaaggtt aatttttatt 260

<210> 181
<211> 412
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA421562

<400> 181
ttttttttt tggagaaaac agaacacccc caaaacattt atttttttt tagaaaatca 60
tggctcacta tggtagtata caatattgtt ttcacacatg tacacttgaa accaaatttc 120
taaaacttgt ttttcttaaa aaatagttgt tgtaacatta aaccataacc taatcagtgt 180
gttcactatg cttccacact agccagtctt ctcacacttc ttctggtttc aagtctcaag 240
gcctgacaga cagaagggct tggagatttt ttttctttac aattcagtct tcagcaactt 300
gagagctttc ttcatgttgt caagcaacag agctgtatct gcaggttcgt aagcatagag 360
acgatttgaa tatcttccag tgatatcggc tctaactgtc agagatgggt ca 412

<210> 182
<211> 329
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA424530

<400> 182
ttttttttt ttttttgctg atcaaattca tttaatcttt gttaaaagca tcacaaatga 60
ttcatcgatt tttaaaaagg aaaaataaga aggaatgcat tgtctctttg ttatgtgcat 120
ggcagctgat ggcctcgttc ccaggcgccc aggtctacct gaacatcaga tatgcagacc 180
ctcgaattta caaccaggga cagccacggg cccacgcctg gatctccatg ggtgcacaga 240
cgggaacgta tcaggctgtc tcagatgcca cctccttccc aggtgcttgg gtccacatgc 300
ccaacatgtt cttaatagaa atattaaca 329

<210> 183
<211> 305
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA426372

<400> 183
gcggccgccg gggatccgcg ccgctcaccc gccgccctcc agctccttgc ggttgagctt 60
gaaggaaccg ttggcgccgg tgcccttcac ctgcagaagc gtgtcgttct gcaccagcgc 120
cttgatcgag tacttgaggt aggtgcgccc attctgctgg tcgaaccacg gaaccttctt 180
ggcctcggtg tagatcttgg ccagcgacga gccgttgcgc tcgcccagcc tacggatggt 240
ctccaccacc agctggctgt acttgcccgg ctggttcttc ttcttgctat tcttcctctt 300
cttag 305

<210> 184
<211> 486
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. AA426374

<400> 184
tttttttttt tggttttata cagaaccttt aattgcaaag aacttgaaag cagccacgct 60
ggtgggtggc agtggagtgg agaacccacc acaccctccc ctcagtattc ttcaccttct 120
tcagcctcgg cttccacgga atccacgccc acctcttcat aatccttctc cagagctgcc 180
aggtcctcgc gggcctcaga gaactccccc tcctccatgc cttctcccac gtaccagtgc 240
acaaaggccc gcttggcata catgagatcg aacttatggt ccaggcgagc ccaggcctcc 300
gcgatggccg tggtgttgct cagcatgcac acagcccgct gcaccttggc caggtctccc 360
ccagggacca ccgtgggggg cctggtagtt aatgcccacc ttaaatccag ttgggcacaa 420
tctacaaact ggatggtgcg ctggtcttga tggtggcgat ggcgcgttga catctttcgg 480
gaccac 486

<210> 185
<211> 133
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA427622

<400> 185
tttttttttt ttttttttaa taatcacgta agatgcgatc atacttctgg cattttcaaa 60
aagtgaaaac tgtataaaaa taaatattcc ccatacaaac acacacacag gccaatccaa 120
ggttagaggc atc 133

<210> 186
<211> 448
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA427890

<400> 186
ttttttaagg atttgaatct atgtatatat attttacatt tttcaacatt tgtgttttat 60
tccattaaca taaccattta cagttattcc agaaatttca gtcatacaca gtgctcttga 120
atccaaagag tggtctagtg tgttggcatt ttcatcaagt acagtcctag aaaatgtcaa 180
gttgaacaat aagatattga ggcacattgg tcactgtgta ttctgaattc tttagtatgg 240
tcagaggaag tagttaatat atttcatgtt gattctttgg ctactcttga tttttgcttt 300
gggtaacatc ctcatcctgg gaacattcat taccacttaa tagcaagata acattaaaaa 360
aaaatccttc attgccacat ttaatagcat gtttaaaaag gcagaggttg caatgagctg 420
agaacgcact actgcactcc agcctggg 448

<210> 187
<211> 159
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA428325

<400> 187

tttttttttt tgcacggctt atttccttta atctttgcaa caacccaaag tataatagta 60
agcacagggt ttttgcgtga tacccggtag gccttattaa gaattagctc ttattttcat 120
caaaggtaga gaaaatgagt aactattgag gcccccgct 159

<210> 188
<211> 366
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA429539

<400> 188
atcttgtttt tctgatcgga gcatcactac tgacctgttg taggcagcta tcttacagac 60
gcatgaatgt aagagtagga aggggtgggt gtcagggatc acttgggatc tttgacactt 120
gaaaaattac acctggcagc tgcgtttaag ccttccccca tcgtgtactg cagagttgag 180
ctggcagggg aggggctgag agggtggggg ctggaacccc tccccgggag gagtgccatc 240
tgggtcttcc atctagaact gtttacatga agataagata ctcactgttc atgaatacac 300
ttgatgttca agtattaaga cctatgcaat atttttact tttctaataa acatgtttgt 360
taaaac 366

<210> 189
<211> 257
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA429636

<400> 189
tttattttgg aaaatgttaa aatttattaa taatagttaa catcacatag ttaattaaac 60
tagttatgta ttgtacataa tgacaacatc ttcactagac tgagtgctca aggatttgag 120
atgattcgct attcatcaca ccccgaagat tgagatccac tgtatttaca caaagcaaag 180
ccatgtcagc aagggactgt caacctgatt ctgagaacat aaacattcaa aatttatttt 240
ccagtgttcc tttttgg 257

<210> 190
<211> 428
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA430074

<400> 190
tttttaccat tagattgtaa atttaattta aaataaaatg tccctaaaat catctcagta 60
cttggcacac tgacttaaga tgtggggttg gggagcatcc cttaacacat tctttgtttt 120
cctggtaaat actggtggaa caagacagct gagaatgtat gacatctgac catgaacata 180
tgacagctgt ttgtgccagt catgtccaaa cccatggctc tcaactccag atccaaaaac 240
tctccccatg ttttagacct cccacaccag catttaggat ttcttcctct ataatcttgc 300
tgggtgctgg tcttggcagg gcatctactg gggataggtg gtttggggtc tcagtggtgg 360
gcaccggctt gttcttgcct cctctgcagc tcctcttgcc gcctcgcctg ctgttcactc 420
atgcaatc 428

<210> 191
<211> 335

<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA430388

<400> 191
gatgttttat agtcctctgt ttcagtgcct tccccatgcc catggagctg tcccaaaacc 60
catccctcag tatttgttga tgccaaagac acgaacccca tggaactggg gcaacttcgg 120
cagcagtaca cttagcaatg aggctgtgtt gatgaggaag tgcgcacatc atacttggta 180
tagaagctgg ccaggagata gagcacaata ggagagatgc tgaggaactt gcgggaagag 240
gtaaactgga gcccatagtc catttgctcc cagtgtgtca gtagccgagc ctttccttgg 300
tcaggagtct caaagggtgt ccctttcacc gtatg 335

<210> 192
<211> 259
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA431470

<400> 192
tttttcacac aaatcatcgg catttatttc ctgggtccta ggtgtcactt atcctggtgg 60
acagggcaga ggtggtcaga tcgttttgag ccaaaatccc ttccctaaaa atggatctgt 120
ggagctccat gagggaacct cagagatgca caatgacagt ttagctaaaa tggcttaaaa 180
aatgtgaatt gattgtcagc tctctccata tctgctgaaa aaaggtttaa aatttttaaa 240
aagtttaaaa gtgttttct 259

<210> 193
<211> 489
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA432162

<400> 193
tttttacagt ttctttttt gcgttttatt tttttcaaat tgcattttac agtagaaatg 60
cagaccactt tggatagcta tggctcgata cttctgggtg ccctcctcct aagacatcct 120
cttcttacat tccactgaac agaaaaccat cccttctact ggcatgaact tctgcccaat 180
gaggcatttg ctgcagcaag agcacagaaa gcactctgtg gatgcatgcc agctgaaatt 240
gttataggtc acccgctgca cttctgggtc gatggcattg tggcatcctt gacacaccac 300
agcgtgattc ttcacatagc agggcttgca cacgggcttg tcattgacca tcacgtatat 360
ctccccagct agaatgctat cacagtcaaa gcagcagaag tgtttcaggt gccaattctg 420
gttttctgcc tgggtatact cattgctgaa tatcagctcg tcacagccag cacatcgggg 480
tttctcgct 489

<210> 194
<211> 367
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA432292

<400> 194
tttgaggaat gagcaattta tttcaataaa gagaaagcat taattttgct acagtgggaa 60
aaaatgaact caagagttgc tacatttaac tgtatcccca tttatctctg cacgatgtct 120
tatctcagtg tctcaattca cactaaaata ttgaatgaga aatacaccac gttggctgat 180
tgcttgacat gtctgattta gggagacttc tacaaccact cctctctttt ttctcccagt 240
aaatactttt gactttgaca cctaccatat tggaaatgac aggtgcccga gggcaagtgc 300
atcaaagcag ttaggattcg aatgcttgct aaggattatt tttttaatgg agcagttcta 360
ttgaatc 367

<210> 195
<211> 323
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA434108

<400> 195
ttatttttt ttttttttt tttgccatat ttttaaaata ctttattttt tacataatac 60
tgtcattaca aaaaaatata aaaaaactac tataaaaaca ttcgggggtt gtcaaagtga 120
gaaaacctaa agaccccacc ccaggatctg gctgaagcag tcttccccca gcttcttcac 180
tatgaccttt atacaactat gggggtgggg tgggatcaca caggcataaa agggctggaa 240
attccccaca cagcctccaa gggtaagaaa tgagtagctt cacatatcac aaaagtggga 300
tttggaagtt tgggggtggc tag 323

<210> 196
<211> 506
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA435720

<400> 196
ttttggtttt atacagaacc tttaattgca aacaacttgg aagcagccat cccgggggtg 60
gcaggggaga acccaccaca ccctcccctc agtattcttc gccttcttca gcctcagctt 120
ccacggaatc cacgcccacc tcttcataat ccttctctag agctgccagg tcctcgcggg 180
cctcagagaa ctctccctct tccatgcctt cgcccacgta ccagtgcaca aaggcccgct 240
tggcatacat gagatcgaac ttatggtcca ggcgggccca ggcctccgca atggccgtgg 300
tgttgctcag catgcacacg gcccgctgca ccttggccag gtctcccccg gggaccactg 360
tgggggggctg gtagttaatg cccaccttaa atccagtcgg gcaccaatcc acaaactgga 420
tagtgcgctt ggtcttgatg gtggcgatgg cgcgttgacg tctttgggga ccacgtcgcc 480
ctgtacaaca tgcagcaggc catgta 506

<210> 197
<211> 265
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA435769

<400> 197
ttttttgagc tttggacaaa tttattgaaa catacaggcg gctgttagca gagaaatcat 60
tccatgattg atgtgttaca tttggccact accttgaatg tataatttaa aaattatatt 120
tttcacaact aagcctttgg ccaaaaaagt catttagcac atctttaaag atcaataaga 180

aatggatttt ggacattaaa aagatcaagt cactgaatta aacagtagca acccccatta 240
atctagaatc ccatagtgct gaagg 265

<210> 198
<211> 437
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA436616

<400> 198
ttttttttt ttttttttt ttttttgtaa tttaaacttt atttcatatc tattgttaaa 60
ttacacaaaa tcagtgaatg gtttgtaaag ctacaccaat ggacagatgt ttacagttga 120
aatcatggga tttacataat ggcaaaaatg tatatgtata tttataacat cctctatata 180
caataatcag tatagacaga gaaaatgcac ttaatctttg caaatcatgc acaccacagc 240
aataacacaa aatgtttttt ctgtaacaag cttttccact ggctcaggct tcatcctgct 300
ttccaacaat acctatcagt tttaaaagca aacattttca attaaaacta aagaaaattg 360
aaataccata gtgatctact aactatttta aaaacacaat tgtacacaaa atagttttac 420
tctaaaacac tgtgact 437

<210> 199
<211> 443
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA436618

<400> 199
ttttttttt ttagcagtta ggtgacaagc aattttattt tgcaaaacaa tcactataca 60
gcaacaaata catttgcaaa tttgattgaa aaacatgaac taactacaac cagccattga 120
agaaatgcct ttctatggta acaggctcta gaattatcag aagaaagaaa ccccccacag 180
atttgtaaca gtgtgttgga acctcggaat cccagcatac agagtatact tttatgttga 240
tttttatttc tttttgctaa agttgaagta gatttttatg attgacattt tattttctga 300
gtttgaaaat aagctttttc ctgcagagag tcttggcctt cacctacaca cccaagctaa 360
aaatcctagg tgtaaaaaaa ctcaaaacat caatgcttat tttagcacgt caatctttga 420
aggaatgctt aaaatttcct tac 443

<210> 200
<211> 219
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA436655

<400> 200
tttttaattt gctaaacttt attttataca tacacgttta catttactag tcatggtgtc 60
aacttgttaa cacaacgaag ccctaatgga cccgttttga aattagaagc tggacagtta 120
caggctttgg tctcttcaag aatccaattc acccctgggt ttcgcttggc acacacccca 180
ggagaacgtc gatgcacaca gctgtgtagc tgcaaacgg 219

<210> 201
<211> 419
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. AA436861

<400> 201
ttttatttaa attattttat tgaaggagat aagttactca gatattaact ggttgtaggc 60
aaagggaata aacatggtga agtcaggttt gctggtaaag gggagacagt actaaacgcc 120
ctgcccaaca aatactcaga atccagggtt ttcatatttc tccatggttc aatctctcac 180
aggtcacttt ccattcaaag gattatggag accaaataag acaggattct ttcaggtatc 240
aacccagagt ctttaggtct tctctcagcc aaggcatcga gtgaaaatac aatttatttt 300
tcggattcct ctggaggatt aaaaagtttc tttcgcattg caatgccatg ctccctgctc 360
ttggtcctgt tttctacgta ctgtcgtcct agctactcag gaggctgagg tgggaagat 419

<210> 202
<211> 292
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA443114

<400> 202
atgtacaaaa acattttaat tgaaatacct gtataaaaaa atatgatctc cagacatctc 60
acttttgaac tgaaagaacc cccatctgcg atgcctgcac acaccgcatt cacacaaaca 120
caggtactga ataaattaaa cgctcaggct ctggccccac cccagctttc agagcccaca 180
agcagactgt acaaagtcaa taatttaaaa cccaaaccct gggcacagtg cctggaagtg 240
tcagggtcac ccactcccct taagttagcc actatacatg ttcatcttct ga 292

<210> 203
<211> 420
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA443923

<400> 203
tttttcaatg cattgtttat tgagtactaa ctagctttgg gcccaggctc tgggttagca 60
gcatgcgtga aacaatcaga aacaatcatg agcgcctgcc cacatggggc atacagtctg 120
gcagggcaag actgtagaca cagaaataaa tatccgatta taagctgtga ttagaggcat 180
gatggaaaag agcaaggctt cctgagagaa acagggcgag cacaggaaaa cctctctgag 240
acagtgacat gaacttgaaa cttgaagggt aaacaggagt gggcaccccc aaaggggaaa 300
gaaggaatct tccaggcaga gagaaagaga aaagacccag gcacggtata gaccagagga 360
aatttgaggc ccccacccca ccgccccccc ccccccccca ccccctcccc caggaaggcg 420

<210> 204
<211> 213
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA446241

<400> 204

aggtctctgt gaggggaagc agcaggtgag ggagaaggga gacacaaggg ggagacgtgg 60
ggaggcaggg ccaggggaag gtgacatata gacatggagt gggtcaagga agacacatgc 120
attcacggac ctcagggccc cttggcaggg acaaacagat ggactgacta ggatgagggg 180
aacaggacgg acgtggatgc ctcactcaag gcc 213

<210> 205
<211> 455
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA446651

<400> 205
tttttcctct taaattattt ttcattctga ttatattaca aagaaatgag ctgtggaggt 60
ttggcactgt tttccatctt aacagttgtt ctgtattgta agattttata tgtgattcat 120
aatgtactac tataacaaga cacagttttt atatattact ggaataatgc aaagaaaatg 180
aattttcctt tgggtccagt aattgtcaaa ggaatgattg cagattcaga aaatgtgctt 240
tgtaataacc ctgttaacat aaagtataca ctgaggaaaa aaataagtat ggcacatata 300
tggaaggatt agttgtatta gcaaggcatt tcagggatgg ttttggttct ttagactaag 360
taagatacat ccaatttaga ccccccttcaa atccttagac aaatgggaat cacttggtaa 420
cataaagatt attttggtgg gcaggggctg atttc 455

<210> 206
<211> 451
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA446661

<400> 206
tttccacaaa aatgtaatat acatttaata gcacattata aagttcctga ccaaagacgt 60
tgatttccta attataatag cacagaaatc ctttagaatt tagtaaacgt aattaagact 120
attcagaagt aatgaaaaac caatatgata aaaacaaaaa tcctccagta aagaaggaac 180
ctgtccattt gagagaaata caattgagaa cttgcaaatg agacaaggga agatggcaat 240
ttggaactgc aatagaaata actatagcag aaacaaccat ttaagaagtt ttagcagcaa 300
taagtattta ttattctgaa tgaaatgtac agttgacttt tatataaaaa tcatcaaaag 360
tgctatattg gattatttta ctattaattt aacccccaac agcatctatt agctataact 420
ttaatgggtt tttctttact tctgatacat c 451

<210> 207
<211> 209
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA447522

<400> 207
ttaatcaaca gaaaacaagt ttaatgcaac aggtgacaac ggtctggagc gagtccatgc 60
tccggaaggc tcagtctgtg gcagtcccgt ggctcaagac aggctgaggc cggctgcaat 120
ggaggccagc agcaggagga tggccagcca cagcccacca cagctctcac ccatgctccc 180
agcatattct ttgaacactg atgagttga 209

<210> 208

<211> 449
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA447537

<400> 208
tttttgattg cactaccctt tattcctagg atggaaagtg tcctgaatca catcccgggc 60
ccctgattcc atgtgtcaag gcttccagcc cctcaaagcg ttggaataag catgttcaag 120
gaggctcact gggcaggtgg ccaacatccc tttcaagggg atacaccata aagatgacat 180
tgtccaaggt ttggagggca gggtgatctg gtctgaccac ctcaaagccc atgtagctga 240
aggcccgcag cagggcacct ctgtcgttcc gatcattctg gaagttcaca aacacagagt 300
ccacatttgt cttctcttcc acgtactcca gggttgcagt caaactttcc cggttgcctt 360
gatccaaggc ctgatatggg atatccagga agagtcgacg gtcacagaga aggccgtgca 420
atgggcagag gtctgggagg taaggcgga 449

<210> 209
<211> 342
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA447707

<400> 209
ttttttttt tttattatac aaattagtag tttatttctt cctttagtat tacagttcca 60
aaacgtaact tgaaggtcag cacaggagct gctgtgatat aaaaggagag agtcacctgg 120
cgccccctgc agtcctccag ttgcccagca gcagtgggac gctcagtggc acacagtggg 180
tctctgtatg gcctcccacc tgcaagggct tccccgggca ggcccagctg ccagaagccc 240
cggaacacac aggaagacaa cactatagga tggcaggtgg ggatctgtgc aatacaaaca 300
tgtagctaga aaacccaacc gaggatctgt ctagaatact tc 342

<210> 210
<211> 409
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA447977

<400> 210
tttcatttac aacaatgcag tcatttattt attgagtatg tgcacattat ggtattatta 60
ctatactgat tatatttatc atgtgacttc taattagaaa atgtatccaa aagcaaaaca 120
gcagatatac aaaattaaag agacagaaga tagacattaa cagataaggc aacttataca 180
ttgagaatcc aaatccaata catttaaaca tttgggaaat gaggggggaca aatggaagcc 240
agatcaaatt tgtgtaaaac tattcagtat gtttcccttg cttcatgtct gagaaggctc 300
tcccttcaat ggggatgaca aactccaaat gccacacaaa tgttaacaga atactagatt 360
cacactggaa cgggggtaaa gaagaaatta ttttctataa aagggctcc 409

<210> 211
<211> 376
<212> DNA
<213> Homo sapiens

<220>

<223> Genbank Accession No. AA448625

<400> 211
gagttatggt agtcatgaga gcatctgata gctcctctgt gactcatcca tttattttaa 60
tgacatctga atatgacagt atattgaaaa aagaatgcat gttatttatt ccatactggg 120
gaagtgccac tataacattg ttttaaaaaa tcttcaaaaa tttcctatta gaacctatca 180
ttgaattaga aaagcaagct ttgccaaatg cctgattatg cctttactgg tcctgctagc 240
tggcatgttt caccaacttt tccctagtgt ttcctttggc actgttgagc ccacactaca 300
aaacatgaac aagtcccaca aaaccacact atgccctctg cttccccatc atgtggggac 360
catctgcctg gacatc 376

<210> 212
<211> 409
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA449749

<400> 212
tttttttag gtaaaacagg atgtaaagtt tatatacaag aatataatgt ttatctgaaa 60
tatttacagt gttggttaaa gcaatatttt tacaactttt aaaggtaaac tactatgtat 120
attacaggta agctacaatg ggtttaattt gcaaaagtta agtaagaaat gttttaaaca 180
aggcttaaag tactcaagtc aattataaaa tttatatctt ttgcctttta cttgaagaaa 240
tcatgctata gaaatggtta atgtgcttct aataaatgga agtattgtag ctggaatgtg 300
atacatgtaa cagtttaagt tcccattgaa ggtataaaat gatgaattgt tgtaagactt 360
agacactgag tctcagtctg gagctgatga agatgttgag ataacagcc 409

<210> 213
<211> 112
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA449791

<400> 213
gaaaggagtt gagtgattta ttgagtgctt acttggtgcc acggcatgta gctagcgtgc 60
ttacctaaat caaactcatg tggatccctc agcaaccaac ccctgtgcag ga 112

<210> 214
<211> 386
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA450114

<400> 214
atgagttcaa tatttttatt tctttacaat gatttcagaa gagattacaa agagattaat 60
atacttaaag aatcagactc ttgcaaacag tgacatcatt aaaaagagct tattttcatt 120
aacatgtgat taacaggaag gagatgattg gtgagttttc ttcgtaacca ggttcactgt 180
ggataggaag ggcctgcctt ccttcccacc atggagatcc taaaatcaca agctccagcc 240
tccatcaatg atgacagggt taccagttac ataagcagat tcatcagaag ccaaatacac 300
gcagagcatg gctatttctt ctgcagttgc gaatcttccc gtcttttgtc tcttcaggaa 360
atcattccgt gcctcttcag gatttc 386

<210> 215
<211> 431
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA450127

<400> 215
gcgaccgctc actcccttc tcctcctcct cttcctcttc agtctccaac gactctgccc 60
ccgatggtcc tcgtgggttg ggttgttttg gggggttgt gctgggggg agggggttca 120
aatatttatt gtatttttg tttgtggcag caactcaaca gattctgctg ctgggaaggg 180
cctcagcgtt cctgaagaga gatgtagggg acccactggt tgttgccccg gctttcttcg 240
cagtagctgg ccacctccac caagccgtgg ctcttccagg cgtccgtgtg agggttcgtg 300
accaggagac aatgcaggtc tcgggcctcg gtggtgccct gggtctcggc cggctctccc 360
aggagctgcg ccaggcgctg catgcccgac acccgcacga tgttgatgtc gttgtcacag 420
cagaaggact g 431

<210> 216
<211> 282
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA450324

<400> 216
tttctggttc atgaaatatt ttacttaata gccaggaatg acttatgtta aaaattgtgc 60
cgggcttata agtatctctt tgatctggcc aacagctctt cctctctttt ctaaaaactt 120
caaaatgccc tcatttctat ttttttccctt tcagttaata atttagttta aaagtgcaca 180
cttatggttc agtaaatggg ctttgtctag tagtcacaga tgctgagtat gaatttcaat 240
ggatccgtta gctttactac taagatcttg ctgagatcag ag 282

<210> 217
<211> 147
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA451836

<400> 217
tttttctgaa taaataagca tcaattttat tgaatcatga ataatttaag actggtacaa 60
tcatcagctt tattctctat gacatggggc atgatgtcca gcagatcatt ggcaaatcca 120
aaaacctcat gacaaatgaa aattaaa 147

<210> 218
<211> 386
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA453433

<400> 218

tttaaggagc aaaaggcttt attgataaat atgcagatat gtctgtccac agggacctgc 60
tgtggaggcc atgaccaggc tgcagacctc ccactgcctg ggttacagcc aggacatggc 120
cctgtgcaga ccctgccacg acagcccagc cgtccaccac ccgcctcatc tctgccaatt 180
gtgctggggg cagggagagg cagaggcccg cctcaggctt cccaagccct ggggctcacg 240
ggtggttccc tcccttccaa gggagtggca ctgtgcccag gggagagcca ggggatgggg 300
gcagaggagg gagacagcag ctgcttcaga ccctgagcag aaaaccagag tgagcacagc 360
tggcagcacc agatgacaga tctggg 386

<210> 219
<211> 346
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA453435

<400> 219
ttttttcac gttatgaaga tattttcctt taatttatca aacatttcac attcatgaag 60
tcatttactt cagagcaaat gtaagcttat aatattaaaa attaaagtat tacaatattt 120
acaagatggt tggcagggga cacttactag tataaaaata atacaaatat tgtattttcc 180
tcttatctgc cagtaaaaat ggcaaacagt tttgtctttc tgaagtttct agtcaataac 240
caaagatgag gagcccctaa taaagtgcct tgccctgtat gctccactgt ctatagcttt 300
agaccctcaa cattcttctt caagttcagc agctcttttt cttgcc 346

<210> 220
<211> 379
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA454908

<400> 220
ggaggaggcc cctgtgagcc cactctggaa cccttcctgg aaccctccct actctgtccc 60
cctacagaca accaagcact aatcccctta gtaccaagaa aggggagcca ggatttagtc 120
ctggcccagc ccagagctgg gacctggagc acgatctgtt gacttccctg ggtaggacac 180
tgccacctct gggctcaggt cctcatgcct ccaaatggca tctagagttt gagcagcctt 240
cttggctgag gcaggcctag cctgtggagc gggctagggc caggagcatt tggtgcccct 300
ccatgttgca atgcaaacac cttcaccact ggggcagtgg ggagagatgg ctatattaat 360
aaaataacgt gtgtctttc 379

<210> 221
<211> 426
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA455001

<400> 221
tgatgcaggt ctgcaggtct tctgcacccc cctcaatgag gagtccctcc cagaaaggaa 60
actgatctct gggatgtcag ctgctgagag gagcaagcgg tagtaccacc ccttagttga 120
gggagtcagc acagtccttt ctgcagcttc taacccagga ccatgaactc aggtgcctag 180
agaagccagg cagctaaagg acaaggaatg ctgggggctg tgggaacagg aatgcagata 240
ccctttgaag gagcattcct gctaaaagaa gctgaaaatg tagacctatg tgaagtgctc 300
tgatttctaa atattgtgaa ggttaagaaa gacataaatt taggtctatg ggctagattt 360

agcccacagt tgccagtttc tagcgctacc aaatgaatga ataaacatga gcttgcgctc 420
ctagcc 426

<210> 222
<211> 256
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA455070

<400> 222
ttttttttt ttttttttt ccagtttcaa agaaatttaa ttattattta cacagttaag 60
gaacaggtga tacattttca tttgttagaa actgatcttt ctgtaataaa atagattttc 120
aattcagtgt atgtcattat tactgctaag gaaatcttag cccttgtctg ccttaaagga 180
atctttattt aatttactgt aattattgct gtgtagtcac tacttttgtt aatttctcaa 240
atcacttaga tgatgg 256

<210> 223
<211> 465
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA455381

<400> 223
taaagaacca aagaatccta caagcccccg taacacacat acttgagttc cagatactca 60
tcaatgccat acttggaccc ctctcgccca aggccggact gcttcactcc accaaaaggg 120
cactccacag aggaaattaa tccttcgttg acgccaacca tgcccacttc cagctgctct 180
gccactctcc agatctgggc tgggtcttga gagtaaaaat aacctgctaa cccaacatca 240
gctgcgttac ggattgctat agcctctcct ctgtatcgaa cttgataact ggtgccagag 300
cgcgaaagtc tcttcatgag tgcacagcat gtcctgggtg acattgcaca gcagggtagg 360
ctcaaagaaa ttttttccaa gttggtgtcg ttttccacct gtcacaacgg tggcaccttt 420
agaaacggca tcattcacct gtttctccac cttttctacc ggttt 465

<210> 224
<211> 433
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA456147

<400> 224
tttttttaga tttttaaaaa ctattttaat acaagattaa tagcaatttt ctatccaaat 60
cagaaatgaa aaatcttaac ccaaataata ttcatttgac agtcacataa aattttagat 120
ttgattggtg cacacattta tcctgcatat atattatgta tatgcacaga gagacctcac 180
tattatgcca ttgttagggg tctttttttg gaagtacctc attacaaggc aatgtcaaag 240
gttccagtaa ctactcaact ttgaatgaag ttcaaaatgt ccccatgcta agctgagtct 300
gtgccatagc aaaccatgat atagcaagtc tccagaatgt gtacaaatca atactctgtt 360
tgtataagtt ggtctaaaac taaacactgg ctaatgtctc caacaaggag gaacacatta 420
caaatttata agt 433

<210> 225
<211> 355

<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA457235

<400> 225
aagtgcttaa gatggtgttt aatacagcag ggagccaaga tacagtagta ggacacagta 60
aagaatgtgg agtgtgtaga tacaataaag aattcatttt atgatctgcc acctgttact 120
tgacagagga gtaagttagg gaaataaatg actcagttct tcatacatgc aaaggtaagt 180
tagttattac aaaagttttt gctgttgttt gtgctgaaag aaaagcatat gcatttaaac 240
atttttaaa aaataaatca ctcaataggc ttaagaaaaa tactttagtt catagttcat 300
tgatctgacg ttttgattta agatcagggg atgaatccag gatgaaaacc aaaga 355

<210> 226
<211> 354
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA457566

<400> 226
ttttttttt ttttttagag atcataaata cttttaatat cagataaatc attaagaaat 60
tgcattctgt acttgatgac cacacgggaa ccttgctaga gtcaagagaa cttgtcacta 120
gtaattatga agacaccttt acggtgagcg ttattaaaac cctactagag gttttgggtg 180
ggactcaaga gcaaggggtg gccacctgtg gacgagggtt ccctgttgtt aacagaacac 240
gttgcccacc tcgcaagtat gcagcccaat cagtccccag ggtctcggtt cccgttgcgc 300
ccttccccat ggccactgcg ctcattcatg agcctagggt gatcaggcct ccgg 354

<210> 227
<211> 402
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA460651

<400> 227
ttttttttt ttattgcttt ctaacatctt ttacttcttg acctttttgaa acatccaaaa 60
attagtagta gtataatcta tgtcacaatc ataatataac agttaagaaa aaacataaaa 120
tgaaggccta aaaagatctt tgttactcat ctagaattat ttggtataac agtattttcc 180
catggaggaa gacttggatt tcaggcatta aacaacgcag aaaaaaatct caaggcatca 240
cagggagagg gagataactt ttgactctgg tttcccgtgt ttcaggccag gaagagcaag 300
gggagaaaaa tatttgtcca tgggaacaag taatcatgct ctaaaggaca atttcattcg 360
aatccattca tttccttttc atgcaaaatt tcaaagataa ag 402

<210> 228
<211> 384
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA460914

<400> 228

tttttttattc caatgaataa taatcacact ttaatataat aacaaacata caatacatta 60
aagttagaac actactttga taagacaatc atactcaagc taagatacaa ggtacagaca 120
tactgaaatt gtaaagtgac cattttaatg tttgatattt acttctctta ttggcacaag 180
actaataaga tagatgggtt gtattactct taaaatctaa gacttctcct ctagctcagg 240
gaaaatactg gtggaaacct gttttaccca aaagcagctt taatatctgt ttaaccaggt 300
tattctataa taagaactcc attttaatgc acgttatcca ttacaaatgt gtgagatatt 360
ctataaaaca catatttaaa ggtc 384

<210> 229
<211> 391
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA461300

<400> 229
tttgttttac aaaattttat ttttcaaggt tgaacaatga ttcattgtag gctttcagat 60
gaaacaatta gcagtcttga agtacacatt gaatacaaat taatttgatt tcagtaggca 120
catttcttgg aacaaactga agagtactta aaagatccca ttgaatgcat gtggcattat 180
tcctagttta cggatactgt ttgaactaaa tgaatcttgg gagagggcag ttagtaatta 240
atgcatttag aaactgatag cgctaaaata ttaaaactta tgcattccaa tgtttacatg 300
tgtatgtgtg tgtgcacatg tgattctgct ttgcctgttt tactatctta atgattatcc 360
cttcttactg tttcctctga ggatcttatc t 391

<210> 230
<211> 298
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA461453

<400> 230
ttttttgacc aaaaaaggca actatattta aagtaaatgt atgtgattct tgtcacaaca 60
aatatttgca ttttctcagc ggcacgtccg ggacctgggt ggctccgaca cgccaggccc 120
gggaaggacc cggcaccctc ccctgaactt cctggctact catttccagc gaagtttaat 180
ctatttttaa taatcgttca gttttcaagg aaatggagga gctgtttttt cccacggagc 240
ggcggccctg ggaggggccg gcccagcagg ttccggccgc gatgccgtca gcgccttc 298

<210> 231
<211> 420
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA463311

<400> 231
caccagatga ccacggcagg gccgtgctgg gtgagggccg gggctccgat gccttcttcg 60
acgcgctgga ccacgtcata gacatacacg gacacatcat cggcatgggc ctgtcgcccg 120
acaacaggta cctgtacgtg aacagccgcg cctggcccaa cggtgcggtg gtggccgacc 180
ccatgcagcc gccaccaatc gcggaggaga ttgacctgct ggtgttcgac ctcaagacca 240
tgcgggaggt gaggcgggct ctgcgtgcgc accgcgctac acgcccaacg acgagtgctt 300
cttcatcttc ctggacgtca gcagggactt cgtggccagc ggggcggagg accggcacgg 360
ctacatctgg gaccgccact acaacatctg tctggccagg ctgcggcacg aggatgtggt 420

<210> 232
<211> 253
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA463693

<400> 232
taactcccag tcaccctgtt ttatttcaac catggagaaa agtacagagg aaaggctgca 60
tatggagaga ctgtcgggct gacggtgtca cagcagatcc gagtccacgt gtggaaacag 120
cagccgcccg gccctgggtg tttcctccag gaaaggcctg gtcagtgaat gcctgcaggc 180
agcagggtgt caggaatcac ctgcccgatg ccagcgctgc tcttgtctgg agggccagac 240
tgtcatgaag tca 253

<210> 233
<211> 346
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA463726

<400> 233
tcagagaaaa ctcaaacttt attgagagaa ttttcaaatt ttcagtcaca ttttcaatgt 60
gacatcagcc atgtgtgtag cttcagcttg tcttcttttt aacttatggc tgcccatctc 120
ctgcttcttt agtcttagca tgcttaggat taggtggagt cttctctttt acatcagagc 180
catctccacg ctcactccga gtcttttcca gatccatttc ctggcaatca ccttctactt 240
tacgttcttc gatcggaggt gttccttctc tctcttgtcc aggttcaata tcctgattgt 300
cagttggtgg ttcctcttgc tgagattcac cgggagccac gaatgc 346

<210> 234
<211> 315
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA464728

<400> 234
cgggtaaatg aatatgttta tttaaatatg tatacaagca tggccctagg agcagcagat 60
acactttccc aaaggtggtt gcttccttta agatattgca caatagaaaa taaactcttg 120
tcaatcctta aaattagtct tcaatgctat gtattttagc tatgtaactt gtactgtgtc 180
aacagtgaac cttattagat tcacggtgtc atcgaactta tagcaagata aaaatcaatc 240
agtaggaatg tcatttttaaa aagtaaaata gtgggacggt tgtggtggct catgcctgta 300
atcccagcac tttgg 315

<210> 235
<211> 302
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA465093

<400> 235
gcacaggaaa taatttttt taataagaga acaatgaggg tcctaaagta gaaacataag 60
ccagaagaaa tctaaaaata gcttcctgat attttatttt aaaatatttc atttaagctg 120
cttttggttg catgccctga tctgtagaag ttaacaagga aataaaattt ccaagtattt 180
aaaaaattta ctcatcttcc ataaagcgac ttttaatgta tcaacactta aaaatacaca 240
gtgacttaat gaagtatcag cacaactgca tagaattgag ctccagagaa ttatacactc 300
ga 302

<210> 236
<211> 296
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA465394

<400> 236
gtttgtttgt ttgtttttt gagacggggt ccgctcctta gcccaggctg gagtgcatgc 60
tgcatgtttc catttatatg aacctcataa tcgaacaaat ctcatctatt gtgacataag 120
tcagaatact ggtcttgtga tataaatcag aatactggtc agggagagaa tctgggtcag 180
agcacaggag ggcttctagg atcctgatct gaatagtggt tatatggctg tgttcaatgt 240
aaaaattcat tacgttgtac ccttaaggat tttgcatttt gtgtgtatta cacatc 296

<210> 237
<211> 519
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA465491

<400> 237
ttttttttt ttttttttt ttttttttga ggtttgcagc aatgacgttt aatacttctg 60
gaatgattag gaatctgaga acagaccgtg ggcggctatg ctgacagggc tcccggatgt 120
ggaagctggg ccctgctccc ttgcagggga ctctgcccag ctggaagggg cagcagctcg 180
gcaggccctg accggcaagc gggcatgcag gcagcccagc agcagctgag cttccagaat 240
tgcacagcag tgggcctgtg gagaggctgg cgtcaactga aggagaactg gagggctgac 300
acgcttggct ggcgggcagg caggcaatgg agcagagggc acgggcctac gagagggcgg 360
ggcggccagc ggcaagtggg tggcccgaag gcactgttcg ccgccggtgc cactctgcag 420
gctgtagtgg tcgtccgcgt cactgctgct gccaacactg tccagctcac cagggccaaa 480
ctccatgccc tctatgtcca cttcttgctc tgagtcgtc 519

<210> 238
<211> 295
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA476944

<400> 238
tattctttca aaatatattt tattagcggc acatggaatg tcaagttaag caaattcttt 60
ccagagagaa ggtgagcctg acagactaaa acgttgagca cggatgatac agcagaaata 120
acatttccag tgtaatgaga gataaagagg aatactgccc accgaggaaa tgactttctt 180
caccatgctg accacactgc acagcgcccg atccggctgg tgaggatggg gaggtgggaa 240

gaatctcaaa gcactggaca gggtgaggac tcaggaagtc acggggtcag cccta 295

<210> 239
<211> 437
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA477767

<400> 239
ttgtttttt tgaggttatt tcctctgagc agtctgcctc tcccaagccc caggggacag 60
tggggaggca ggggaggggg tggctgtggt ccagggaccc caggccctga ttcctgtgcc 120
tggcgtctgt cctggccccg cctgtcagaa gatgaacatg tatagtggct aacttaaggg 180
gagtgggtga ccctgacact tccaggcact gtgcccaggg tttgggtttt aaattattga 240
ctttgtacag tctgcttgtg ggctctgaaa gctggggtgg ggccagagcc tgagcgttta 300
atttattcag tacctgtgtt tgtgtgaatg cggtgtgtgc aggcatcgca gatgtggggt 360
tctttcagtt caaaagtgag atgtctggag atcatatttt tttatacagg tatttcaatt 420
aaaatgtttt tgtacat 437

<210> 240
<211> 451
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA478778

<400> 240
gggtgtggtg atgtatttat tcataatata ttttcagaac acattaataa tggagaataa 60
cacttattca tatactgaat ataacttttc ctggagcact ctagagcttg tttggagttg 120
gagaatactg ccaggctttt cctaatctct ttggtctttg gaagtgggca gggtttctca 180
aaccaagtgt cttccatggg ccattggaaa ggcttccctt catcagcttg gaggggcaga 240
aagaccatgg cttcagcact tccattttgg aaagaagtaa caaaaaagtg aattaatgag 300
caatcggaaa gactcaaagc attttgtact ccacagttca tttcttcaca caaacgtcca 360
ttactgcagc gggcatgaaa accggcagga tgttaggctc atggcctgaa gagaagtcac 420
atcaccagcc gatgttttca tgcaaaaggc a 451

<210> 241
<211> 378
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA478962

<400> 241
ttttttttt ttttttggt catactacat ttcactttat tattattaac atttatcata 60
catggttact attccaatct ttcatgcaga caaaaataaa caatataaaa tacataatgc 120
actttgataa ttttaaccat acataaaata tggagtaatg gaagctatgt tacatggata 180
ttttacaaag gaaaaaaaga tgacttttat aataacacat ccagatgaaa tttatcatta 240
aattttggat ttcatatgat gttaagtatg gatatattca aaacaattac tatttataga 300
accaatttga tattttgtca tttaaaataa tgaatactat gtaaatgagt acttataaaa 360
atatttttag gcaaaaag 378

<210> 242

<211> 372
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA479044

<400> 242
ttctttttttt ttttttttttt tctcatcaaa acatgattta ttaattttaa gcaagagtaa 60
gcatatgtga tagtggccag cttggggata gaactcttcc tggttgatgc acagttcagc 120
acctgttggg tcttggctgt tgggatgata attcttttgg gtgaggggaa cagccgtggt 180
caaggctgcc tgcaccccca tccaggcaca ggaccctggg caaagtctca aaagaggtag 240
tgtttttact ttcgcaccaa caatacaaca taagtattgg gtacaaaaga ggagatttcc 300
ttcccctcta cctcaacggg caaaaggcct tccatcttca gaagaggctt gtgaggacca 360
tcggttgatg ac 372

<210> 243
<211> 501
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA479286

<400> 243
taagcgatat tgagtatgaa accctggatg agcaaaaggg atcttgacca aagggataaa 60
tgtctgatag gaacctgcct taccacacac aagcagagat gtcagaatat gtcttttcaa 120
aatatgtttt tgttgttgtt gttatagttt tttgcattcc ttctacacca gagaatgaag 180
acccagattc ttagaaataa agccaaactg gcattcatct ggtttctcac agcatcagtt 240
tgataaaaag aatttcactg tatttttttt gtccccatgt attttgcttt ttccaatact 300
tccaattatt tgttggtctc actaactctt caagcctggt gtggctgtag gaacagtaag 360
cacagtggcg gtgttgataa ctgacgtgat gtgggctaaa cagacatgtt aagtcaaaac 420
tattctctgg aggaccatgg aatgggcatc cctctagact atgggagggt gaagtggaaa 480
actttaatga atatagacag c 501

<210> 244
<211> 403
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA481407

<400> 244
ttttttttttt ttttttttttt ttttttcaaa gggagtttta aaaaaattta ttggctatgt 60
ttgattatcc acaacagaat ttcccttaat tagcacagga aattgaaagt tggttataat 120
ttaatatctc tgctcttgtc ttcaacagac atactcagca tttatacttg taaatagaat 180
tgagtttcca ttgtttcgtt tcctgttttt gtttccttag gaacaagagg atgaaggaaa 240
tatggtcagc attttaataa caccataaat ccaagataat aagtaattct ataaagtttt 300
ccagtttcat taattcagaa tttcatcata taacttgaaa tccaattggc ttcctctttc 360
ttagaaacaa aaaccaaaga aacctttttc tgaaagacat tat 403

<210> 245
<211> 612
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA485965

<400> 245
tttttgaaat caaatagtag atttattggc tgtctctgta atacaatgtg gtgaaaacat 60
cttaattcag gacatcttcc accttgtttt ggcttccagt tgtactgcaa gaccagtgtc 120
aggcacatag gctgattaat cagtggacaa cagaagcaaa ctgctgctgg gttacatgtc 180
tacgtgatcc attccacagt tttaggaatt ttttttcttt catagcatct tcctcttttc 240
aaattccttg tagatcgtgg ttcccagctg tgcaggagac atactgacca caactcctgc 300
actctgaagg gcagagatct tctctttagc tccacctttt cctccagcaa taattgcccc 360
ggcatgaccc attcttctcc caggaggagc agttaaacca gcaatgaagg acactacagg 420
cttggaattt ggacctgaat tatgttgctt caaaaattct gcagcattct cttctgcatt 480
accaccaatt tcaccaatca atatgatggc ctctgtggca gaatcgttca aaaagatttc 540
gaggcagtca ataaaatctg ttccattaaa aggatcacct ccaatgccaa cgcacaaaga 600
ctgccccaat cc 612

<210> 246
<211> 230
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA486072

<400> 246
ttttatggtt gcattgagaa ctttaatggt aagccgattt ttcatgtttg ccagtaagct 60
cctgtgaggg gttgagacgg cggaacgtta agagtgcagc gttcctcccc tccttgcctc 120
tagaggatac tgacttcctt cctggtcaca gagccctggc aaagcaaggc aaagccagag 180
ctcagaacct agagacttcc ttttgacaaa gcagcgcctc agaagctctt 230

<210> 247
<211> 208
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA488072

<400> 247
ttttatttttt ttttttttttt agagtttgat tgcctttatt atgaatataa aatgtacata 60
caatacaata tacatttata catttacagt ttgcatttcc tttcatcttt tttgagcaaa 120
ttcaattctg catgtcccag tttgccgctc cttccactga tttgcactta cactcatgac 180
gttctcttca cttgggtact ctgtgtac 208

<210> 248
<211> 469
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA488432

<400> 248
ctgacatacg gataaacttt tattgacata ccaaagagaa accaatattc actgaaggct 60
gccgaatccg tatttctaag agtaaaggtg tttaattgac tctccacact taaagcactt 120

tgtatgaaat atagctacaa atatacataa agaattcaga tcacaaaact ctctaggaca 180
ttggctgggc gcggtggccc aagcctggta atcccagcac tttgggaggc tgaggcaggc 240
ggatcacaag gtcaggagat caagaccatc ctggctaaca cggtcaaacc ccgtctctac 300
taaaaataca aaaaattagc cggatgtggt ggcgggcgct agtagtccca gctactcggg 360
aggctgaggc aggagaatgg cgtgaacctg ggaggcagag cttgcagtga gccgagaccg 420
cgccactgca ctccagcctg ggcaacagag caagattctg tctcaaaaa 469

<210> 249
<211> 231
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA490341

<400> 249
ttttttttt ttttttttt ttaggaaaga ccctttatt ggggtggaca cggagcacgc 60
actagtccat gataaaaata aaatgactca agagaaagat cgcaagggcc gacttctccc 120
caacgtgcgt gcacgctgag tgaggtctgg gcatgggaaa gttccgggcg acggtgggac 180
aagaccgagt ctcaatggcc tggatcggtg ttgggggga gaaggccact c 231

<210> 250
<211> 505
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA490667

<400> 250
ttttttttgg gagtgctaac tggatttttt atttttatat caagacactg tgtttaaaat 60
ttttacaaag gacaaactcc atgggtttcc gttagtgttt taagaacttt tctttaaaaa 120
aaaaaaaaaa ccaacaacaa caaaaaacac cgccttttg aaagagaaat gacagacaca 180
aaagactgta aagaaaatgg ggcgaatttc tgatagcatt tccccaaggg cagaggcaaa 240
acccagatca gacctggggg cccaatagtg atgtggcttc catagtacgt tgttcaccaa 300
atctaaggtc acctggtctg gccaggccaa tgctgttggc ctttggggaa gcaggtcacc 360
ctgcaggctc tgcagccctc cacacggaca cagagagagt tggagatctc tcccctacga 420
ccctccagct ccatccagtg ctagcccctt tctccttcca ccccatggtc ttgcttaaat 480
ctgtttcctt cctgggggtc ttgtt 505

<210> 251
<211> 407
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA495865

<400> 251
taatctccat gaaatcgtga aataagacaa gaatagtgtt tcagctgtag gccattttac 60
agctaattgc ccataaattg tagcatttat tgacctgaag tactaagcta attgtcttga 120
ctactcaaag cccctgaatt gttgtcaact ttccccttg tgttgtgtag ccctaacgtc 180
atttagcttg ttgtctgatg cctccagtag gacacctccg atggagcttt gatttctgag 240
cagcgaaact cccttcctaa gatgcatctc gcataggctg cctatgatga aggaccgtgc 300
acctccactc caacagagtg ctgagtttaa aagttgacct gtgtttgtaa tttcactttc 360
atcttgctta ataaatatct gctggattct ttcattcaaa aaaaaaa 407

<210> 252
<211> 520
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA496247

<400> 252
tttttaatc aacaacttta atgtaagagc aagagtgagt aatggaaatc cagctctggt 60
agtagagagc atctacttgt ggcagccaaa gatttctttg cagtaacttt tagctaggtt 120
tagggataaa aagaagaatg agatgaacac attacaatat gatgtaaacc actggtatgg 180
ttttcacaaa agtggaaaag atttaatcag tgaataaatg ctacaaattt gccaatcgat 240
ttttaacttc ccctaaattt atatttcgat aagcaatctc taagatttca actctacaat 300
atttgatgca caaaaacaca gaaaaatgtt ttaagggaag aataaattat tttaagttag 360
tcagactgtt aagatatatt taaaaacctg tattccagaa caaaagtcac agatgactaa 420
cagaaaaaaa agaacgcacc tatatctggg taaacaaagc tatgtaatac acaattacaa 480
taaattatta tggtataact ttggatactg ttatatattt 520

<210> 253
<211> 406
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA504805

<400> 253
ttttttttt ttttactatt aaaaatgtat tttccaaaag caaggtagtt gctgtcccaa 60
aaagccgaaa gcctctagtc cctgcggaac gggctggatg gggcttcagt ctgacacagc 120
caggcggggc agccctcggc gagctacgga ttctctggga gatttgatag agctccatcg 180
ttgccctcgc atcttccacc gagctgtgtc caagcaggct gttctggatg ctcttgtgca 240
ggaggcgctc actcagcacc cgcaggagac acgcctgcag tggtccagct tggcctcacg 300
ccacaacagc ctgtcagtgg acgtgtcgta gattgtgtag ccgctcatgt cctctttcag 360
tgcctggaag tcgtgcttca ggtcatgacc caccaccagc ttgcct 406

<210> 254
<211> 423
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA505136

<400> 254
ttttttttg tattgcaaaa tgtacagcat ttattcacat acagacaaaa aggcacaatt 60
ctactaaata gttcaacaaa aaaatacagc tgtcctcaac tagttttata aatactttca 120
aaaaggggt agaaataaat acaggattgg gtcatgtaat ataaaatagt catctctaca 180
tatactttga tttttaactc ttcatgcacc ttttttttt tcaattttag ctgaatggac 240
accaagctag gcacatagtg aaaaatcctc tgtacaaggt tacaaatgta atgacaagtt 300
tgtccatttc aaaataagat ttgtacacaa cacataaaac ccttcattta gatcttgtgt 360
ttataaccta acaaatgaca ttccaggcaa ctttacaaaa gtttaactag cctacatttt 420
gac 423

<210> 255

<211> 395
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA598695

<400> 255
atttcaactt ttattaaacc aaatccagta acttttacaa tgccttacta gagggttgcc 60
tcataactga accttcattt ctggcaggga agaaaccatg gcttcaggat catgactgaa 120
gtttggccat gttccatcat taatgttcca acatcaccag ggacacaaag ctcagcatga 180
gggcttctac ccaaatctcc ctacgacagg tacttcttca actcttccac cacctcttga 240
ggctcaggga atttgagttt gcgtgggggc cccttcttaa tcccagtcca gagctccgca 300
ctgctgccgt ccgggcgcac agcgtcacct cgaagctgcc cctccgcgtt aacgtcgggt 360
tcacctttac tggaagctct ggggcctcca gggca 395

<210> 256
<211> 369
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA598939

<400> 256
ttttttttt tttttaatta gattgcattt tatttagata aatgaaaatt tgccccaaac 60
agaactagga atcaaatatt gtcttggact agaggtaatt gctaagctgg aagcttatat 120
tgaaaactaa aatttccagc ccttgactat ctgtagttcc aaacatcaaa ggaaaatatt 180
ggaacaattt atctatgtac agagagaggc aactcatggg taccataagc aaaataacct 240
gaggggaac atttgatatt acaagaagtg gtgagagttt acaagtcttg cattgctttc 300
tattgtacat ggctctgtag taatgccaaa aataacaaaa tgtaggcact tgctctggac 360
ttctgcagt 369

<210> 257
<211> 408
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA598982

<400> 257
ttcattttgc aaatttaatg taactctgat accaaaatat gacagcacac agaaagcaaa 60
caataaagca ggaacagcaa acagattttt ccatcacatg acaccctcag ctgattggcc 120
ataactgcct tgactgctgt gtggacaaag attccaagga tgtactttgg ctccatggga 180
aggactactg caatttatta gcggtatctg taaacatggg gaataaatct gaaacctcac 240
tagccatacg agaagccaca ggcaccaaga ctggcggctc cactgccaaa gccagcactg 300
gtgctcggtc caccaccaaa gccagcacca gtgtttggtc caccgccgaa gccagctcct 360
gtgctcggtc caccgctgaa gccactggtg cttggtccac tgcagaag 408

<210> 258
<211> 346
<212> DNA
<213> Homo sapiens

<220>

<223> Genbank Accession No. AA598991

<400> 258
catcacgact tcaggtttat tagtgatatg cgcgaagtct tcctacgggt agctgcatgc 60
aacacacggc actcctcgaa tacagtcatc ctaaagcttt agttactgcg tggtaaggct 120
tcttaagtca cagtgtattc ttcaaggcct gggccaaaaa aagagacttc gagacaagat 180
gacgtcagat tacatggatc gctaatgaac cgagctggac tagatccgac ttgatctaca 240
cacatgccac tactgctcag ggccactgcg ccacgctggc caaggggtct gcactcacgg 300
ctggctgctt taggtgcggc caaggtcgcg ttttctagag tgggtt 346

<210> 259
<211> 428
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA599120

<400> 259
aaaccaaaaa acatttttc attaaaaaaa gtatttagaa cacacaaaac aaggcaacac 60
ttattctttt ttctcatctt ctggtatggg atctgttggt ggctcctcca ctgttgcact 120
gttgctctcc gagccagtgt tactatcact ggttccttcc tctgccatac tgtcgacccc 180
ctcctgccca ctctccttgt cctcaggagt agacgtgcct tcttcaccat tctgttggct 240
ctctgttgtt tcttcaaggt gtgtctcctc tgtctccatc ggaatgttct cgtcgtcttt 300
cttctcctcg cctttgttag ctgcttgttc ttcctcagga acgatgctgc tctgactgcg 360
ctcagcttgc tctgcggcct ccttctccct ttcctcctgc cttttgcggg cctgttcctc 420
tgcctgtg 428

<210> 260
<211> 546
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA599216

<400> 260
ttttttttttt tttagaaacc tagagaaaaa aattttattt aaagacacat tttaagtaaa 60
atgaagaaca ttttacttat ttttatgtcc agtacagtca aagcagccac attgcataac 120
cccgggggac ccccttcctc tttgtgatgc cccagaacaa tattgatttg attatagaaa 180
gccaccggca gcctacatgc gcaacggtga gttgttggtt atatacactg tggaccatac 240
agtggaatat tacagtcaat aaaaggtatt tttagagaga aaaaaaaaca ttggaacacg 300
cttatgatat aatgttaggc aaaatcgctg ttatgaacag ctcgtttggg gcagagcaaa 360
tcctgggaag taacgctgag gctgttggtg caggcagtgg agtacaacat cttcgagggt 420
atggagtgcc acggctcccc actagtggtc atcagccagg gcaagatcgt ctttgaagac 480
ggaaacatca acgtcaacaa gggcatgggc cgcttcattc cgcggaaagg cgttccggag 540
cacctg 546

<210> 261
<211> 324
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA599331

<400> 261
gactgtgagg aatttttatt ttcctttcat gttcactaat tgcaagcttt cttcatttcg 60
gtaatatcta aaatgatctc ctcttgtcgg aggtagattt tcccagtagc ttctaactcc 120
tgacccagaa gcggtgtatt gcgcctcagc atggaggagg acgtgaaggc gtacggagtc 180
tgggagtagt acaccacgta ggtaggtttg tactggtttg gctttgtgta ctgtgttccc 240
caggcaattc gaatccagac tgcattctcc tcagtttctc tgaagctgac tgtcacattt 300
tttaatgctc tctgaagaat tttc 324

<210> 262
<211> 271
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA599365

<400> 262
tcacatgata gttttaatat ttatttagca gaggggtaaa ttgaaacatc agttctctag 60
accagtcagg aaatgtatgc tttgtgcttt ataagcttac attcaacata gatgacataa 120
gttaccatac tcaaatgtaa gatagggaga ggtagaagaa atagctgaga acttgaaaag 180
atgtactgtt attgtcaaca aaccaatgtc ttctcccttc ataaaattgt gtttagggaa 240
tattaacaat taagcttgta tacaatagta a 271

<210> 263
<211> 317
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA599522

<400> 263
ttttttttt ttttttttt ttttttttt ttttttttt aaaaaataag gagggagctt 60
tatttaatat gaaggttgag gcagggccgg ggcgggaggg cgctgtcact tggtgatggt 120
gttcgcgttc atgctcttgc cgctgccgct gagcacgatg taggggtct tctgagcctt 180
ctgcttctcc tggagcaggg ccacggtgcc caggggcgtg tcgctggagc tcatcttctt 240
caggagcgcc tcctcgtcca gcttcttcat ccgccgctct gtcttcatct tgcctgagcc 300
cttgccatgg aagcggt 317

<210> 264
<211> 226
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA599661

<400> 264
gaaccatttt tctgttctct tatttattga cagtttcttt taattacaac acaatgaatt 60
gatggtaaat acagaagatg caatagtata aaaagccatt taacccttcc ctaggttaag 120
acacttacag cagacaaaaa ctgccccacc cctaatcccc tccttgaatg gaaacaaaat 180
aaatataaat taataaatac aaaacaaatc actgcacagc ccttaa 226

<210> 265
<211> 273
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. AA599662

<400> 265
tttactctaa gaatttgtct tatttttaat gcatggaaaa tagcaaaatt atcatgccaa 60
catgaggaat atatactata attcataaat gcctaattat caaaataatg acatagtcat 120
ggttagatgc aacctagaaa tcttatataa gatgcaacta catattgtat gatcattcct 180
cttatatatg acattcaatc ctcatcaaat tcagctatga ataaatggca ttatgaaata 240
aacacttaat atcacaatag ggtcatagtc tgc 273

<210> 266
<211> 281
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA609006

<400> 266
ttttttttt tttggcctgt atctcataat tatttttatt tagaggaatt tggtagtggc 60
ggggttgggg tgggaggtgg tgtgtggacg gtgtgaattg acagaaacaa tttccctaca 120
ccaaaataca ggtatgtttt cattctctat gcccctaaac accctccctg cagctatgca 180
acgagcaatt cacgggaaga ggcttcttta catagacccc tgtttttggt gttttgattt 240
acttttgtgt atagagttga tctgtccctc ttcccattgg t 281

<210> 267
<211> 467
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA609027

<400> 267
ttttgaacat gtagctcact ttatttccc caaagatgtc ttgaaatttt aatcagttca 60
gtcatcccta tctttcttct tacatattaa tcctatagat tagtgactct tgtataagac 120
aagaaaaact aatgtgcttg tttgatatca gcacagatca gtctctaagc agaagtgaaa 180
atatgggaaa atgagttgga aaggaaaatg ttatagaaaa tagtaaagac aaaccatggg 240
accacctttt ctcagtgaga gatacattgt cgggggcaga gtgctggaga gctgggcaga 300
gaggaacaaa atgtctgaca gcaggagccg gagcccaggg aggaaaccag atggaaaggg 360
ctctgctcag actgactcaa tgtgggcaca tatgggataa aggacatcac agagaactca 420
ggaacagaaa ccacactgaa atagagggat ggggagacat gctgggc 467

<210> 268
<211> 399
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA609309

<400> 268
tttcctcact gatagctgat cacattaaac aggtacaggt gctaagaaag tttaagactg 60
atattttggc aatgacagtt taggttaact ctgtttggaa ttcctaaaaa taaaaagaaa 120

tcccttaaaa aaggctgaca aactgaccac ttggccttga atcgactgtt agggtcacac 180
ctgccaatgc caggggacat cacaaaaaaa tagagaatgc caagataaaa agttcactgc 240
attcaatttg gcctaatttc ttgataatag tttcctatta gattttccga ttaatactga 300
tggctcttac ctaggctgtg ataattaggt tttgatctat tgtgacatta atgatcacaa 360
tcagttgact ttgaaattgt cttaattaat ggctctttc 399

<210> 269
<211> 387
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA609312

<400> 269
ttttgggttt gtttctttta atcacaagaa gtctctctgt gggtgctgag ctcaccgtgc 60
cgcaacgtca tggttatggg tggctggtcc ccagtcagtc tcgtgtggca gtcgggacct 120
tctacttcct tgccttcgct ttctttcctt tgctcgctct ttggggcttc agggcttcct 180
cctggcctgc gtggctggtg atgggggggcg ggataggggt gggggcgttg aggttcagag 240
tcttcttctg aagcttcagg tccaagatgg cgaatgtgtt ctggatctgg cgctgcagca 300
gctcctgcag gagctccatc tgggtgtgga ctgcctggca gatgaggctc tccaactcct 360
gtctctccag gacctggccg ggctgcg 387

<210> 270
<211> 353
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA609504

<400> 270
gttgtttttt ttttctttta aaataagact ttactgaata tatcaacaag gtactgtata 60
gtgtagagtg aagtttgtca ttaacaaagt gtgcgacatg gtaggtctca gaggatgtgt 120
gatgcagaat ctttcagccc cttatcagag agaacacact aaacagaaac cagaagcaaa 180
tcagcatatg gttcaaacaa taacaaatca tcaggttaac tttcagtgaa tatacactag 240
tcctatgagc gacacacact tggcaatgcc ttcaccttgc cttaaacatt ataaatctta 300
cattccaggg acacctttac aaatgcccct gtttgtgtgt gtgtgtgtgt gtg 353

<210> 271
<211> 424
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA609645

<400> 271
tttttattgt tacagaacca ttaaatacaa cttatacaca agcaagctgg gcggcgtccg 60
gggggcaggg agagtgcaag agggtcaggg gtgagcagtc cgggcccggt cctggagggg 120
gctgaggctg ccgtcgtggg aggggcttgg ctggcggagg cgggctgcct gtggaggcct 180
tgaagctttg ccagcagctc ctggatgaag tcctcgacag gtttcccaca tgacttcagg 240
agtccctgga ttttccggct tctctcctct tcactctcta actccaacaa ttcatcaatg 300
ttgatctcat cgggcatgtc tgcctccatg ccgcggtaca gctcctccag gcgcccgtcg 360
atccacttct ccacgtccag ccgccgctgc agctcccgcc ggtcatactt gacggtgacg 420
cgcg 424

<210> 272
<211> 377
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA609943

<400> 272
tttttttaa atttaacact ttcaaacttt attatcagta cagtcaaagc aatacaaagt 60
tatatggaac taaattaatc tagaaagtag atttttatat cattcaagat aaggagaagc 120
ccagattaaa tatataaaat tgttgttatt tacacagcta acttcccgct ttgaaaacaa 180
tcccatacgt aaatttcttt tttggagcaa ggtaacttgg tgattgttct atctctaccc 240
agaattcacc cctatttgga aaactggggg ctaaaagcaa tcagaattca ccagttcaaa 300
aacacttacg tccatcttat tagcaacact aactacccag aggaaactaa aatagaccag 360
atttacagca gtaagta 377

<210> 273
<211> 487
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA620289

<400> 273
ttttttttt tttttgttaa gacaggaaac acatttattg agagcacagt ggggtgcgcc 60
aagccctgtg ctttggaacc gcatcacagc gcccctcaca acagccctgt gaggtaggtg 120
aaggagccca cttcccacat gcagacactg aaggctcaac agctccccta ggcctcaggg 180
ttcctgcggg gtgggcaggg gtccagccca cgggtctgac cccaggtcag cggcgtccat 240
cagtcagagg gcgggtctct actcaagggg aggccccggg tccagagtct ctgggtccag 300
cctgtcccgt gggaataggt gcagggtgtc cccgtggctg tggagggatt tcgagctgga 360
gaggggctgg ggtccacatt cgaggtccct tcccacgtag gcatccaggt gatggcttcc 420
gccaaaccag gaaggagacg agaggcccgc caggaagaag acttgggtcc gggatggtgg 480
gcccatc 487

<210> 274
<211> 303
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA620461

<400> 274
aatgttgcat aacaatgttt atttagtttt acatttgttt acaatttctt ataaacactt 60
cattataatt gttttataca aacaacagtt taaatttact tatgtttatc atttatttgc 120
ttactagttt ttcaatttca gataatcctt ttagaatcat ttccctttct gaagatcatc 180
cttttgtagt ctctttactg aagttgtgct gaggataaca tctgtttttc atctgagcat 240
ctgtttgttt cagtttcgct tgttgcaaat tctaagctaa tagtttttct cagaattcta 300
ccc 303

<210> 275
<211> 277
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. AA620825

<400> 275
caaaaagact tatttacaag ttgagcatgt catctcaatt catagcatgt agaaaaagct 60
aaaaatgttt tggagatata aatttggctg gacgactcac ctacagtata ttcagggatg 120
tcttctgtac agaatatata caggttggga ctggcaaggg aaatcctatc tcaggaaggc 180
gatgaacacc accacagagc cacagaccct tagcaatgtt ccctggcttt catttgcagt 240
tggccttgtc tctggacaga gtttgatgtg ctgggac 277

<210> 276
<211> 464
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA621367

<400> 276
tttctagttc ttgactttaa tgcccttgga gtgtactgag gctcaataca ccaaagcact 60
cacagacagg tacatgaact cacacaggaa gtgttatagt gtgtacataa acccaacacc 120
atacagaagg aagacgacgg acccaggtga caaaacttct cgggacttcc tggtcaagcc 180
ctagctatca gcctcaagga aagactacca tgccttgagg aaaggccagg tgagcgctgg 240
ctggagtgcc tgcaggccgc aagccctgag cccaaccctg aggtgcagtc agggagattg 300
gagctacacc tctgtcccct gggagctgtg cctcaggatg ctgttctcac ctcggcagat 360
tctggggcag tcagcagccc cttcagggat cttactccca gagccaccaa gcaaggtgga 420
catcctccct gatgggactc tcgcctaccg gggctactca ccac 464

<210> 277
<211> 361
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA621634

<400> 277
tttttgggct ttgcaaaatt ttaatatatt aaaataagag gcatctgtta gaaaacattc 60
tattgtataa aacccgagtt cttaaaaaca tgttttcttt ggcactttca ttccctccct 120
ccccttccc cagcatattg caaaaagctc tccagtgcta aggcattggc agggtgtgta 180
aacagcagcc agcatatgtg gaagaataat acaaagcttt tttttttctt ctaatatgtc 240
tgtgcagcaa gcataaataa caggacccat tccaaggagt gtgtgtgggt tttccccctc 300
ccctgtgtcc tctgtcacct tggtgatgag gccagagtga tgtgaagact gggagggaac 360
c 361

<210> 278
<211> 372
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AA621695

<400> 278

tttttttttt tttttttttt tttttttttt tttttagggt ctacccataa agctctttat 60
tggcctccag ggccctggtc cagccccact gtggggtcac atggaaaccc aggctgggga 120
gccgcctctt gtctcacaaa agtccacgtc ctccgggaaa acggcaagcc ctcggcgtgg 180
gggtcagcga tgccgggccc tccatgctac aacctcttgt tcttgctcag ccggttgtgg 240
cgccagatgt tctgtttccg cagccgccgc cagtactccc ggctctcggg gtccagctcc 300
tccagggtct ttgggggacc aagttcatct caaacagcca ttcagggtac tcagcatccg 360
gtttcagggg ta 372

<210> 279
<211> 1201
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AB000584

<400> 279
agtcccagct cagagccgca acctgcacag ccatgcccgg gcaagaactc aggacgctga 60
atggctctca gatgctcctg gtgttgctgg tgctctcgtg gctgccgcat gggggcgccc 120
tgtctctggc cgaggcgagc cgcgcaagtt tcccgggacc ctcagagttg cacaccgaag 180
actccagatt ccgagagttg cggaaacgct acgaggacct gctaaccagg ctgcgggcca 240
accagagctg ggaagattcg aacaccgacc tcgtcccggc ccctgcagtc cggatactca 300
cgccagaagt gcggctggga tccggcggcc acctgcacct gcgtatctct cgggccgccc 360
ttcccgaggg gctccccgag gcctcccgcc ttcaccgggc tctgttccgg ctgtccccga 420
cggcgtcaag gtcgtgggac gtgacacgac ctctgcggcg tcagctcagc cttgcaagac 480
cccaggcgcc cgcgctgcac ctgcgactgt cgccgccgcc gtcgcagtcg gaccaactgc 540
tggcagaatc ttcgtccgca cggccccagc tggagttgca cttgcggccg caagccgcca 600
gggggcgccg cagagcgcgt gcgcgcaacg gggaccactg tccgctcggg cccgggcgtt 660
gctgccgtct gcacacggtc cgcgcgtcgc tggaagacct gggctgggcc gattgggtgc 720
tgtcgccacg ggaggtgcaa gtgaccatgt gcatcggcgc gtgcccgagc cagttccggg 780
cggcaaacat gcacgcgcag atcaagacga gcctgcaccg cctgaagccc gacacggtgc 840
cagcgccctg ctgcgtgccc gccagctaca atcccatggt gctcattcaa aagaccgaca 900
ccggggtgtc gctccagacc tatgatgact tgttagccaa agactgccac tgcatatgag 960
cagtcctggt ccttccactg tgcacctgcg cgggggaggc gacctcagtt gtcctgccct 1020
gtggaatggg ctcaaggttc ctgagacacc cgattcctgc ccaaacagct gtatttatat 1080
aagtctgtta tttattatta atttattggg gtgaccttct tggggactcg ggggctggtc 1140
tgatggaact gtgtatttat ttaaaactct ggtgataaaa ataaagctgt ctgaactgtt 1200
c 1201

<210> 280
<211> 6289
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AB002335

<400> 280
acgacctatg gtctagtagg ggttctgggg gctggggcgt gtaccgctcc cctagctttg 60
gagctgggga agggctcctg cggtcccagg ctcgaacccg tgccaaagga cctggaggca 120
cctctagggc attgagggat ggaggatttg agcctgaaag agtcgacagc ggaagtccct 180
gtcaaatcca gatatcgcct cagagaccct gacgcttctc agtttcctgc gctcagacct 240
ttcagagctg agggtccgaa aacctggtgg gagctccggg gaccgtggaa gcaaccccct 300
agatggcaga gactcaccat ccgcaggtgg ccctgtgggg caacttgaac ccatacccat 360
cccagcccca gcatcacctg gcacgcgccc cacactcaag gacttgacag ccactctgcg 420
gagagcaaag tcattcacct gctctgagaa gcccatggcc cgccgcctgc cccgcaccag 480

tgctctgaag tccagctcct ccgagctcct gctcacaggc cctggtgccg aggaggatcc 540
gctgcccctc atcgtccagg accaatatgt gcaggaggcc cgccaggttt ttgagaagat 600
ccagcgcatg ggtgcccaac aagatgatgg aagcgatgcc ccccctggaa gccctgactg 660
ggcaggggat gtgacccgag ggcagcggtc ccaggaggag ctctcaggcc ctgagtccag 720
tctgacagat gaaggcattg gggcagaccc tgagcctcct gttgcagcat tttgcggcct 780
gggtaccaca gggatgtggc gacctctttc ctcatcctcg gcccagacga accaccatgg 840
ccctgggact gaggacagtc tgggcgggtg ggccctggtg tcgcctgaga cccctcccac 900
accaggtgcc ctccgccgac gacgcaaagt cccaccttca ggttctggtg ggagcgaatt 960
tagcaatggg gaggcagggg aggcctacag gtccctgagt gacccaattc ctcagcgcca 1020
ccgggctgcc acctctgaag agcctactgg gttctctgtg gacagcaacc tcctgggctc 1080
actgagcccc aagacagggc tccctgccac ctcagccatg gatgagggct tgaccagtgg 1140
tcacagtgac tggtctgtgg gcagtgaaga gagcaaggga tatcaggagg ttattcagag 1200
catagttcag gggcctggca ccctggggcg tgtggtggac gacaggattg ctggcaaagc 1260
ccccaagaag aaatccctga gtgaccccag ccgccgtggg gagctggctg ggcctggatt 1320
cgagggccct ggaggggagc ccatccgaga agttgagccc atgctgcctc catccagcag 1380
cgagcccatc cttgtagagc agcgggcaga gccagaagaa cctggtgcca ccaggagccg 1440
ggcacagtct gaaagggccc tacctgaggc tctgcctccc cctgccactg cccaccgaaa 1500
ctttcacctt gaccccaagc tggctgacat tctgtccccg aggctaatcc gccgaggctc 1560
caagaagcgc ccagctcgga gtagtcacca ggagcttcgg agagacgagg gcagtcagga 1620
ccagactggc agcctgtctc gggcccggcc ctcctccaga cacgttcgcc atgccagtgt 1680
gcccgccaca tttatgccta ttgtggtgcc tgagccacca acttctgttg gtccccctgt 1740
ggctgtgcca gaacccatag gcttccctac ccgagcccat cccacgttgc aggcaccatc 1800
gctcgaggac gtcaccaagc agtacatgct gaacctgcac tccggtgagg tccctgcccc 1860
agtgccagtg gacatgccct gcttgcctct ggctgcaccg ccctctgctg aggccaagcc 1920
ccctgaggca gctcggcctg cagatgagcc tacccctgcc agcaagtgct gcagcaagcc 1980
acaggtggac atgcggaagc acgtggccat gaccctgctg gacacagagc agtcgtatgt 2040
ggagtcgctg cgcaccctga tgcagggcta catgcagccg ctgaagcagc cagagaactc 2100
cgtgctctgt gacccttcac tggtggacga gatcttcgac cagatccccg agctcctgga 2160
gcaccacgag caattcctgg agcaggttcg gcactgcatg cagacctggc atgcccagca 2220
gaaggtggga gccctgctcg tccagtcgtt ctccaaggat gtcctagtaa acatctattc 2280
tgcctatatc gataacttcc tcaatgcaaa ggatgctgtg cgtgtggcca aggaggcgag 2340
gcctgccttt ctcaagttcc tagagcaaag catgcgtgag aacaaggaga agcaggcgct 2400
gtctgacctc atgatcaagc ctgtgcagcg gatcccacgc tacgagcttc tggtgaagga 2460
cctcctgaag catacacctg aggaccaccc ggaccatcca ctcctgctgg aggcgcagcg 2520
gaacatcaag caggtggctg agcgcatcaa caagggtgtg cggagtgccg aggaggcgga 2580
gcgccatgcc cgtgtgctgc aggagataga ggctcacatc gagggcatgg aggatctcca 2640
ggcccctctg cggcggttcc tgagacagga gatggtcatt gaagtgaagg cgatcggtgg 2700
caagaaggac cggtctctct tcctgttcac ggacctcatc gtctgcacca ctctgaagcg 2760
aaagtcaggc tccctgcggc gcagctccat gagcctgtac acggcagcca gtgtcattga 2820
cacagccagc aagtacaaga tgctgtggaa gctgccgctg gaagacgcag acatcatcaa 2880
aggggcatcc caagccacca atcgggagaa catccagaag gccatcagcc gccttgatga 2940
ggacctcacc accctgggcc aaatgagcaa gctctctgag agccttggtt tcccccacca 3000
gagcctggac gatgcactgc gggacctctc agctgccatg caccgggacc tgtcggagaa 3060
gcaggcgctg tgctacgcgc tttccttccc gccaaccaag ctggagctgt gcgccactcg 3120
gcccgagggc accgactcct acatttttga gttccctcac cctgacgccc gccttggttt 3180
tgaacaggcc ttcgatgagg ccaagaggaa gctggcatcc agcaaaagct gtctagaccc 3240
tgagttcctg aaggccatcc ccatcatgaa aacccgcagt ggcatgcagt tctcctgtgc 3300
ggctcccacc ctgaacagct gcccggagcc ctcgcctgag gtatgggtct gcaacagcga 3360
cggctacgtg ggccaggtgt gcctgctgag cctgcgcgcc gagccggacg tggaggcctg 3420
catcgccgtc tgttccgccc gcatcctctg catcggggcg gtgcccgggc tgcagcctcg 3480
ctgccaccgg gagcctcctc cgtcgctgag gagtcctcca gagacggcac cggagcccgc 3540
cgggccggag ctggacgtcg aggccgctgc agacgaggaa gccgcgacgc tcgcggagcc 3600
ggggccgcag ccctgccttc acatctccat tgcaggctcg ggcttggaga tgacgccggg 3660
cctcggcgag ggtgaccccc gcccagagct ggtgcccttt gacagtgact ctgacgatga 3720
gtcttcgccc agcccctcgg ggacgctgca gagccaggcc agccggtcca ccatctcctc 3780
cagctttggc aatgaggaga ccccgagttc caaggaggcc acggcagaga ccaccagctc 3840

agaggaggag caggagccag gcttcctgcc actgtctggc tcctttgggc ctggtggtcc 3900
ctgcggcacc agcccaatgg atgggagagc ccttcgccgc tccagccacg gctccttcac 3960
ccggggcagc cttgaggacc tgctgagtgt cgaccctgag gcctaccaga gctccgtgtg 4020
gctgggcact gaggatggct gtgtccacgt gtaccagtcc tccgacagca tccgtgaccg 4080
caggaacagc atgaagctcc agcatgcggc ctctgtgacc tgcatcttgt atctgaataa 4140
ccaggtgttt gtgtctctgg ccaatggaga gcttgtggtc taccaaaggg aagcaggcca 4200
tttctgggac ccccagaact tcaaatcagt gaccttgggc acccagggga gccccatcac 4260
caagatggta tctgtgggtg ggcggctgtg gtgtggctgc cagaaccgag tccttgtcct 4320
gagccctgac acgctgcagc tggagcacat gttttacgtg ggtcaggatt caagccgctg 4380
cgtggcttgc atggtggact ccagcctggg tgtgtgggtg acattgaaag gtagtgccca 4440
cgtgtgtctc taccatccag acacctttga gcagctggca gaagtagacg tcactcctcc 4500
cgtgcacagg atgctggcag gctcggatgc catcatccgg cagcacaagg ctgcctgtct 4560
gcgaatcaca gcgctgctgg tgtgtgagga gctgctgtgg gtgggcacca gtgctggtgt 4620
cgtcctcacc atgcccactt cgcccggtac tgtcagctgc ccacgggcac cactcagtcc 4680
cacaggcctc ggccagggac acaccggcca cgtccgcttc ttggctgcag tccagctgcc 4740
agatggcttc aacctgctct gcccaacccc accacctccc ccagacacag gccccgagaa 4800
gctgccatca ctggagcacc gggactcccc ttggcaccga ggccccgccc ctgccaggcc 4860
taaaatgctg gttatcagtg gaggtgatgg ctatgaggac ttccgactca gcagtggggg 4920
cggcagcagc agtgagactg tgggtcgaga cgacagcaca aaccacctcc tcctgtggag 4980
ggtgtgaccc tgtctgccgt ggcccaggac tcgcccgccc acctgccttc agcctgcttg 5040
cctctcccta gcccacacgc agactttgac caggagtatc cagccagggg cacacatgtg 5100
cctgcgtggg ctctgccttg tcttcgcgga agcattcctg atggaacacc cactggccag 5160
ccaggccatg gcttctcccg accctctggc tgccccggtg cttccagtca tgatcgggtg 5220
ggggacatgt gggctgacca ggacctctga ccctggagct tctaccaaag acacagctgg 5280
gtctggaccc cacggggctg gggagggcca tgtgcaatat ttggagggtt ttctggaggg 5340
cagcaggaag gctggggaat tccccatgta cagtatttat gtttcttttt agatgtgtac 5400
cttcccaagc acttatttat gcagtgacct ggtcacctgg ggtgggggtg atttgaggaa 5460
atgacatgag gaaaagaaac ctattcctgc cctggggacc accctgggac tctaaccaag 5520
ccttcctgga gggacccatg cgcccctgag ccccattcca ttcatacaga cacacacgta 5580
cgcacactgc atgtccaagg ccctaaacat tgcccgttga cataaacttt ccagggcccc 5640
agcctgatgg ggctgccctc agtcctctag atcaagatgc tgactattag ggggcagtga 5700
ttgccatctg gggacctgtc aggctttgtc atttcccagt ttgttggtgg tgcctttagt 5760
ggttccctaa tttgggaaca ctgatggggc cttggacagg gctttctctc aggtaggaga 5820
aatgggccca tgatctcctc acagtcgccc ccagtccttg gccctgcttc cctgtgtctc 5880
atgcactggc acatatggtc accttggagg gcagacctag gagcccctct gaccactgaa 5940
tccgtctcca cacccttct gccaagggaa gcccccttcag gaaggacccc ccaaagctga 6000
ggggctgaat gtagcctttt caacagagaa ggctcccact tgagagcagc ctctacctga 6060
ccccctggac cacagagagc cactctgacc ctcagccccc tcgcttcttc agctaaaact 6120
ccaaaggttt ggtttcagat ggggtttgtt ttgttctgtt tggttttggt tttgtttggg 6180
gtgggtgggt cattgcggtc ttagattatg tttctcttgc taccaaacag tcatgtatta 6240
actctctttg gatgatgaag tttaaagagt caataaatag aaacaccag 6289

<210> 281
<211> 6824
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AB002340

<400> 281
cttgtgctaa caatttatga agcaaaaggc ttagaatttg atgatgtcct cctttacaac 60
ttttttactg attctgaggg atgcccaagt tggagcaagc tctaaggaga gccttacaga 120
tgaagccaag gttagcaatg tccaccctgt gatgacagaa ctgggtaagg tcagttcata 180
gatagagaca attccaggaa gacaaatgag gcttggttcc tgccctctgg atcaggtaat 240
gtgggggaca agaacagctt ccttgcatga gagacccctc tagcatggct tcactaccac 300

tgcttgcagc tcatgcagat gatggcagcc aaagagtccc cacattgacc cccagtgacc 360
tctgtattgg tccactgctt tcacttggct cctgagtcct tgtgggtttt tctccccaag 420
cttagttcat tatgggtaga gctaccaact cacagccgtt gtcctgggtt ttctagccac 480
tgttttctct ttcccactat cttttggtgg agactcaagc tggctgctga ctgtactgtg 540
gggtcttctc tggggactta gctggctgtg tcccagtcct tgttgcagac ttcctttgca 600
catgatgcat gcttgaaggg gctatgttat acccaagtca agagcactgt tggctttaac 660
actttaaaaa tctgccccag aactgaccct ttagatagag tccttccttt ttttcttatc 720
atttttaaa tgttattttg ccttaatagc acaactatta caatattgat ataggtgctt 780
tgcagtttac agagtacttt ttgaagtcat tgtctcactc caccaaccct ctgaggttat 840
atgtattttt attactctca ttctattttt taaaatttat ttttattttt atagagatat 900
ggtcttgctg tgttgcccag gctggtctca aactcctggc cttaagtaat cttcctgcct 960
tggcctcccg aagtgctgag attataagca tgagccacct ttatctgtag ataaagcaga 1020
aggtcactga gattagtaca tttctcatag tcgtaatgta gatggcagag cctggagatg 1080
aactcagatg ctttgagttc taaatctctt tccattttcc ttccttttaa agcctcgcat 1140
gcgaattgaa ttccagaacc ttccacaatt agtgtatcat tgctgttcct tatgtacatt 1200
cctttcctgt taaattttgc taataaaatc agatgcacac tcattaaccc tggaaccatt 1260
tttacctctg aggactaact ttttttttcta atgatacatc catcggtcat ggttggactg 1320
aggctctcct aaaagaggaa gggcttataa ggaatggaag atcatttcct cattcacacc 1380
tacctcaact gactccagag aggaaaaccg gccattggtt gaagtacccc tggacaaacc 1440
aggctcttct cagggtcgat ctctcatggt gaatccagaa atgtacaagc tcctcaacgg 1500
agagctgaag cagctgtaca ccgccatcac acgggctcgg gtcaacctct ggatctttga 1560
tgaaaaccga gagaaacggg ctcccgcatt caaatatttc attagaagag attttgtcca 1620
agttgtaaag acagatgaaa ataaagactt tgatgatagc atgttcgtta agacctcaac 1680
tcctgcggag tggattgcac agggagatta ctacgccaag caccagtgct ggaaggttgc 1740
agccaagtgt taccagaaag gaggtgcatt tgagaaggag aagttggccc tggcccatga 1800
cactgccctg agcatgaaat ccaagaaagt cagccccaag gaaaagcagt tggaatattt 1860
ggaattggct aagacctatt tggagtgcaa agagccaaca ctgtccctta agtgtctgag 1920
ctatgccaag gagttccagc tctctgccca gctgtgcgag aggctgggaa agataagaga 1980
tgctgcctat ttctataagc gaagccagtg ctacaaagac gctttcagat gctttgagca 2040
gattcaggaa tttgatctag cactcaaaat gtactgccaa gaggagcttt ttgaagaagc 2100
tgctattgca gtggaaaagt atgaagaaat gctaaagact aagacccttc ccatttccaa 2160
gctctcctat tctgccagtc agttttactt ggaagctgca gcaaagtatc tgagtgcaaa 2220
taagatgaag gaaatgatgg ctgtcctctc aaagctagac atagaagacc agctggtgtt 2280
cttgaagtct cggaaacgct tagcagaagc tgcagacctg ctgaacaggg aaggtaggag 2340
agaagaggct gccctgctga tgaagcaaca tggctgcctc ctggaggctg ccaggctcac 2400
tgccgacaag gacttccagg cctcatgtct gctgggggcc gcccgcctca atgtggccag 2460
ggattccgac atagaacaca ccaaggacat tctgagagaa gcacttgata tctgctatca 2520
aactggccag ttgtctggca ttgcggaggc ccacttcctg caaggggtaa tcctgagaga 2580
ctttcagaag ctcagggatg ccttcttcaa gtttgacacg ctcaaccact cagctggagt 2640
ggtggaagca ctctacgaag cagccagcca gtgtgaggcc gagcctgaga agattctggg 2700
cctggctcca gggggcttgg aaatcctcct cagtctggtc agggctctca aaagagtgac 2760
caacaatgct gagaaggaaa tggtcaaatc ttgctttgag ttttttggga tttcccaggt 2820
ggatgccaag tattgccaga tagctcagaa tgaccctggg cccatattaa gaataatttt 2880
tgacctggat ttgaacttga gagagaaaaa aacaaaagat catttttga taatgactga 2940
ccaagtgaaa ttagccctaa acaaacacct tttgggcagg ctgtgtcaga tcacacggag 3000
cctgcttggg aagacctacc gaggagtctg catgaggttt attgtaggct taaaatgtga 3060
ggatgaaaac tgtgaacatt ttcacaggcc tctgcggcgt tgtgaagcca agtgtttagt 3120
tcagtcgaaa atgaacttgg tggcaatcaa cgggttgctt ttggaagcca aaaaagtatt 3180
ccctaaaatc ttagcagaag aacttaaaga aattgattat attttgtcta cagatatgta 3240
tggcctttgc aagtccattc tggatgtcct tttccctaag catttccatc agagagtgtt 3300
gtcagaaaac cccatggcat gcaaagaaat cctcaaacca aattacaaat ccttccggtt 3360
ctacagattt gctttgaagg agtacatcca ctttctgttt gaaaatgaaa gcgcacgcaa 3420
ccgccgggaa tccacagacc tgtggctgag tgccatgcaa gctttccttc tctcttccaa 3480
ctacccggag gagtttgaaa agctgctcca ccaggaggag gacaactaca acagggaact 3540
caaagctcta gagtctgaaa aggatgaaag gggcaggggg agaggcagca ggataaaagg 3600
aatagaaggg aaatttggca tgctggcacc caacagggat gatgaaaata tggacaagac 3660

ccacctgtgc ttcatccggc ttctggagaa ttgcattgat caattctacg tgtacaggaa 3720
cccagaagac tacaagaggc tctttttccg tttcatgaat gtcctcatca agaggtgcaa 3780
agaaccactc atccccagca ttggaaacac agtagccctc ctggagttcc agttcatcca 3840
ctgtggggtg gtgctggccc gcctctggaa gaatgtcatt ctatgcctcc ccaagagcta 3900
cattgcactc ttgcactact gggagttcct gtttagcaag aaggacaagg agcttgggga 3960
tgtgttctcc atcattcagg aatacaaacc caaggacgtg acaagagcca ttcaggattt 4020
ccggttccat ctctcctacc tcgccaaggt gctatgtggc tatgagaatg tgaacttcaa 4080
cgtcctgctt gatgccttca gtgaaataga ctatgtggtc tcgggtgagg ctgagcggac 4140
actggtgctg tgcttggtga tgctagtgaa tgctgaggag atcctgcagc catactgcaa 4200
gcctctcctg tatcgccact tccgggagat tgagtcaagg ctgcagctca tgagcatgga 4260
ctgccctggc caggttcccg agaggctcct gaaggtggtg aagcgggtct tggtggcagt 4320
caatgtgaag tctgtggctg aggcactgca ggacctgctc tttgagcggg atgaagagta 4380
cctaatggac tgtgactggc ggtgggaccc tgtgcacacc aaagggtcca tagtccgtgg 4440
cctctattat gaggaggtca gactaaaccg cctgctctgt ttggaccctg tggactactt 4500
tgctgaacct gagtgtgagt ttggccagga tgagatggat gaactggcat tagaagaccg 4560
agaccacgtc ctggccacca ttctttccca aaagcaacgg aaggcctcca tacagcggaa 4620
gttgaggagg gcatgcctgg tggtgtctct gtgcatcagt tggaggagaa gagtgggcac 4680
ccagatggag cgtgtcaggg aggaggccag ggagcccagg gctgggaact tcaaaaaggc 4740
agacgtggac aggacccagt gtgacctatg tggagtgaag tttacccgtg gcccagagaa 4800
ctatttcagc cccagcaaag cgtttgaggg ggcagcttcc gaggtggcag tcctttccag 4860
ggctgagctg gaaagggagg agtgtcagga gaggaacagc gagtcttacg agcagcatat 4920
ccatctagaa caccaccaga ggcagcaagt ggcctaccag aaatactcag aatttttcca 4980
cgagaaggtg gacccggcca ttgatgaagg caagctggtg gtgcaggaca tcgagcaaag 5040
tgtatggatc cacagtcacg tgggctccaa ggagcacagc cacatgctgc agaaggtcca 5100
ggagcacatc aagagggttt cggatatggt ggaggacctc tacaggcgga aggcctgggc 5160
tggcgcggag gaggcgatga ctcggctggt caacattctg atcctgtcag tcagggatgc 5220
acgagactgg ttgatgaaaa cagagacccg cttaaagaag gaaggtattg ttcaggaaga 5280
tgattatgaa aatgaagttg aagactttgg tgagcttcgg cctagaaggc gttctcggaa 5340
atgtggaaag cagagaaaat actaatgtcc acacagctgc agcctcctca tccttcggaa 5400
cattccattc tgacttagaa ttctgagcgc tggggcagaa gacaaaaaga atgtgaatta 5460
gcattttaaa aatagatagg ggagtctaac aacaccattg ctttttattc tcattacttc 5520
tctttcagtg gcttaggatc tgattgctcc ctcacctcta aagtgtttcc aagtagagtc 5580
tggcagtatt agtttccccc acaaacaaat tcaggtagag aagttgtagt cgaagggaat 5640
gttgggactc ctcactgcat ggtccctggg gtgtctggct catccccatc atgacatgag 5700
ttggtagcag aggactaggt gttaggacag actctcctca cctcagttgc tgctgctctg 5760
ggccaggaaa tctctctatg gattccctca tctcctgcca cactgctgca gcatcaagtg 5820
tgctatgaga gctgtatgtg cccaggggtg ggccctgcca ctggccaccc cgagcccagg 5880
acgcattctg gtcatctctg agcccacttg tagtgtagct tcttctgtta gagatgttag 5940
ccttttctct ctgtggcgac ttttctgcct tcccttcttc tgtttttgt gatcattctt 6000
agctacctgt gccaagtcac agttagacta cctcagaatg tagtcaagaa ttcacccagt 6060
gttctttgga tgtcccttcc ctaggggaa aggctgggga atgttgctgg gagcattccc 6120
agctgcctct ccaaagtggt cctaactctg ccttggctat ggtgcagaca ttccaaaaag 6180
tgttttgtat acagccctgt acatctagtt ttcttggttc tccctggcaa gttcgctacc 6240
ctagcttagg ctgacgttct gatgagtctc tgcttgctga gctcatcact gtgggatggt 6300
gacctgcaga gctgcagatt ggagcaagtg gacagaggag ggagccagct aagccaaatc 6360
cgtcactgcc acttggctgg caggccttat aagagggcgg atctgggccc gtttgcagga 6420
ggccattgcc taccctctcc ccacagtgag ccagcagcca tcagctgatc ccacctggga 6480
aaccttcatg cctctctgat ggttactgcc caccttacc ccacccctca gctcagcctg 6540
gtatggaaag caaggtgcac gttggtcttt gattgttctg tcctcacagc agagccagct 6600
ttccccccat gttgctgctg cttttgctgc tcatgctgct tgttgttttc tcttccttat 6660
ctttccaaat tgtttccttg aaatgcttgt ttccaatttt tcttagatta tgtttctaat 6720
ttttattcca ggtgtttttt tttcttactt gacagaaaaa aagaaaaccc caacaatatc 6780
ttgctgtatt atcacatttt ttataaagtt aaagcatttc tctt 6824

<210> 282
<211> 5432

<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AB002379

<400> 282
gcaagaccaa ggtggctgtg ctggagatcc tgggtgctgt gtgcctcgtg cctggtggcc 60
acaagaaggt gctgcaggcc atgctgcact accaggtgta tgcagcagag cgaacccgct 120
tccagaccct gctgaacgag ctagaccgaa gtctgggccg gtaccgggat gaagtgaatc 180
tgaaaacagc catcatgtcc ttcatcaatg ctgtcctcaa tgctggagct ggagaggata 240
atctggagtt ccgcctacat ctacggtatg aattcctgat gctgggtata cagcctgtga 300
ttgacaagct ccggcaacat gaaaatgcca tcctggacaa acatttagac ttcttcgaga 360
tggtgcggaa tgaggatgac ctggagctag ccaggaggtt tgacatggtc cacatcgaca 420
ccaagagtgc ttcccagatg tttgagttga tccacaagaa gctgaagtac acggaggcct 480
acccctgcct gctctctgtg ctgcaccact gcctgcagat gccctacaaa cggaacggtg 540
gctacttcca gcagtggcag ctcctggacc gcatcctcca gcagattgtc ctccaggatg 600
agcggggtgt ggaccctgac ctggctccct tggagaactt caatgtcaag aacatcgtca 660
acatgctcat caacgagaat gaagtgaaac agtggcgaga ccaggcagag aagttccgga 720
aagaacacat ggagcttgtg agccgtctgg agaggaagga gcgggaatgc gagacaaaga 780
cattggagaa ggaagagatg atgcggacgc tgaacaaaat gaaggacaag ctggcccggg 840
agtcccagga gctgcgccag gctcggggac aagtggcaga gctggtagcc cagctcagtg 900
aactctcaac aggccctgta tcttccccac caccccctgg gggcccactc accttgtctt 960
cctcaatgac aaccaatgac ctgcctccac cccctcctcc tctgcccttt gcctgttgtc 1020
cccctccccc accaccaccc cttcctcccg ggggaccccc gactccccca ggtgccccac 1080
cttgcctcgg catgggcctg cccctccctc aggaccccta ccccagcagt gacgtcccac 1140
tcaggaaaaa gcgtgtcccc cagccttctc acccactgaa gtccttcaac tgggtgaagc 1200
tgaatgagga gcgtgtccct ggcaccgtat ggaatgagat tgatgacatg caggtatttc 1260
ggatcctgga cctagaggat tttgaaaaaa tgttttcagc ctaccagagg caccaggagc 1320
tgataactaa tccttctcag cagaaagagc tgggctccac tgaagacata tacctggctt 1380
cccgcaaggt caaagagctg tcggtcattg atggccggag ggcccaaaac tgcatcatcc 1440
ttctttccaa gttgaagctt tctaacgagg agatccggca ggccatcttg aagatggatg 1500
agcaggagga ccttgctaag gacatgctgg agcagctcct caagttcatc ccagagaaga 1560
gtgacattga cctcctggag gagcacaagc atgaaattga gcggatggcc cgtgctgacc 1620
gcttcctcta tgaaatgagc aggattgacc actaccagca gcgactgcaa gccctcttct 1680
tcaagaagaa attccaggag cggctggctg aggcaaagcc caaagtggaa gccatcctgt 1740
tggcctcccg ggagctggtc cgcagcaagc gtcttagaca gatgctagag gtcatcctag 1800
ccataggcaa cttcatgaac aaagggcagc gtgggggcgc ctacgggttc cgggtggcca 1860
gcctcaacaa gatcgctgac accaagtcca gcatcgacag aaacatctct ctgctccatt 1920
acctgatcat gatcctggag aagcattttc ctgatattct aaacatgcct tcagagctgc 1980
aacatcttcc agaagccgcc aaagtcaacc tagcagaact ggagaaggag gtgggcaacc 2040
tcaggagggg cctgagagcg gtggaggtgg agctggagta tcagaggcgc caggtacggg 2100
agcccagtga caagtttgtc cctgtcatga gcgacttcat cacggtgtcc agcttcagct 2160
tctccgagct ggaggaccag ctaaatgagg ccagggacaa gttcgccaag gccttgatgc 2220
acttcgggga gcatgacagc aagatgcagc cagacgaatt ctttggcatc tttgatacct 2280
tcttgcaggc cttctcagag gcccggcagg atctagaggc catgaggagg aggaaggagg 2340
aggaggagcg gcgggcgcgc atggaagcca tgctgaagga gcagagggaa cgtgagcggt 2400
ggcagcggca gcggaaggtc ctggctgcag gcagctcgct ggaggaggga ggagagttcg 2460
atgacctggt gtcggccctg cgctctgggg aggtcttcga caaggactta tgcaagctca 2520
agcgcagccg caagcgatca gggagccagg ccctggaagt tacccgggag cgggcaataa 2580
accggctaaa ttattgacct ggggaactag ccacacagga ggccgggaga cagggactgg 2640
tgagaatggg gctgagtgga ggaggtggtg atatttaaac catttggtgc ttggtttaga 2700
gccttgggct gggtcctggg atgggggggct gtgtgtggct ggaccaggtg tctccccacg 2760
cttaccttaa ggggctcctc ttatctcccc ttcacatgat tccttctgtg ccctggcccc 2820
aggtattatt ctgaggctgc cttggatggc ctcaggccag gtaaccccag gctgaagggg 2880
ccctgctccc catcccctac catgggcacc catgtgctgg cacagaacag ttccagatct 2940

agactggaga ggtccacagc cttgtccaga gttcctgtgt agcacgggga gcaatgatgg 3000
agggagcccc tgagagggaa tctggtgagg gaatccagac tcccttctct caaggggagg 3060
ctcaacagaa cattgacctg ggggcaaact ttcctcttga atgggaacag aggaggcatt 3120
atatattcta gttagatcag ctctggtagg ttccagagaa cagtcaatgt tggaaggatg 3180
atgcagggac caaagccatc aggacagagt agcagtgtct gtttcccatg tcacaagtcc 3240
tctggcctct ccctgcatgt cttaagtatc tttcccttcc ttctctaccc tcacctccat 3300
cctgtctact aatccacagt cctagaagac tcaccttggg tttccacagc tatggctcac 3360
taccaggtgc ttgatgaatc tggcgagggg ctcaagacag acctcatgca tcaccacacc 3420
tcatgccttt tgggcatctc ccatgtcccc atctcctgga cacctggcca ttgttgtgaa 3480
gccagacagt gacctcaaat gttgccttgg agtcccctac agcccctcag cagagggcag 3540
cacttgaatg cttagctcca tcccatagtt ctctacttca tataaattgc tcaggccctc 3600
ccaccccttc tctaacacta gcttcaaggc agaagccaca gcagcctctg tccagcctgc 3660
aggtggccac ttggaaccat gtgtccactg gcgttgggga gttggttcct gagaggtctg 3720
agggccagag ctgccctcta cattaacatg ctgtctctaa gggtggcccc tcctctcagg 3780
cgttcagatg gtgcgaacag cagagcaggc aagggaaact ggggagatgg ggatggagga 3840
ggaaggctga tatcctctgg ggagcacatc acctgaaggt gccaaggagg aaggctgaga 3900
gggggccac cccatttctg gtacccaatt tggttcttca gcccaacttg caaggggttc 3960
cttctggtcc tcccatccac tgccaccttc cattttgtcc atctcatgct ggccttggtg 4020
gatgggatgg ctgtatctag acaaaatttt tctaaaactc catcaaggct cttattcaat 4080
accacgttcc gagttggcct ttcatcttct ttgagactgg ccctgcctaa cctctaccat 4140
caatgagctc ttggcccttc tgcccttccc tgtgtttctc actttccaac ctaatccctg 4200
gctcagggtt attgccagtg gagactggtg agctgggcct actctcagct gcctatcttc 4260
tgcctttcac ttgcatccaa ctcctggggc tgggaccgta gtagctgcgg tgggggagaa 4320
acacagggtc ggtgagccca gcatgtgcgt tggtttgagg gggcgggcgg tgtgtgtgtg 4380
ttctggtggg agggatctga gcaagtgcaa gcctggctga cacaggtgtg aagaggccat 4440
cctggaaccc aggtgagggc aagatgaagg cttccaggca gaacagctgc agagagtttg 4500
gctatatgca tctgcagccc caagagctcc cactgcaaga caagtgttgg ggaagatggg 4560
aggttgtggg tgaggcctct aaaggtcctc tcccaaactg accaggctga tgtcaaccta 4620
acccccctcag gggcagggaa caggggaggg ctccacaagc gtgtctggca ttcccaccca 4680
ccatggaaga ctggatacgc acctggaaac aaaaggacta tggaagctgt tcaagataca 4740
tttgatcttc agaaaagcag aatttggttc aactgttgac agaggacaca aatacgttgt 4800
tccagagctc agccttctca ctctaaaaga aagatatttt tctatttatt ttctacatct 4860
ggccagtggc tctggtgcta gatgccactg tagccagatc tccaacagtg ccttggacca 4920
tggactcata ctcaactgag taagaagggg ctggtgccca gtcggggtgg ctgagctggt 4980
ccttaatagg ttgtttcttg gtcttgcttt cttcatgccc tccccactgc tcctgccacc 5040
tttagataag tttctctagc taattttgtg gccaatgtaa aattcgtcat caacctaaca 5100
aacacaacct tctcagcagc atttctcccc tgtgatggaa ataaataaag tgtttagggc 5160
agtgggagga gaaaattctc caggtgaatg gggaagggtc tgttccagcc tctccctact 5220
cccatcccat ttccaccaac tggggaactg tgactatcta tctcccccga cttctaccag 5280
ggatgccttc aagccaaggc tgttctcacc agctgcctca gatgacaaat gaggctaatg 5340
gacataatct acagtgtcct ttttcacttg caccttttt ataagaatat attgtaatac 5400
taaaaaatat taaattcata ccatccctac cc 5432

<210> 283
<211> 760
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AF001294

<400> 283
agagccggcg ccgtcaccgc ccgcattgcc gctcccagtc ccgcgctcgg cacgacatga 60
aatcccccga cgaggtgcta cgcgagggcg agttggagaa gcgcagcgac agcctcttcc 120
agctatggaa gaagaagcgc ggggtgctca cctccgaccg cctgagcctg ttccccgcca 180
gcccccgcgc gcgccccaag gagctgcgct tccactccat cctcaaggtg gactgcgtgg 240

agcgcacggg caagtacgtg tacttcacca tcgtcaccac cgaccacaag gagatcgact 300
tccgctgcgc gggcgagagc tgctggaacg cggccatcgc gctggcgctc atcgatttcc 360
agaaccgccg cgccctgcag gactttcgca gccgccagga acgcaccgca cccgccgcac 420
ccgccgagga cgccgtggct gccgcggccg ccgcaccctc cgagccctcg gagccctcca 480
ggccatcccc gcagcccaaa ccccgcacgc catgagcccg ccgcgggcca tacgctggac 540
gagtcggacc gaggctagga cgtggccggc gctctccagc cctgcagcag aagaacttcc 600
cgtgcgcgcg gatcctcgct ccgttgcacg ggcgccttaa gttattggac tatctaatat 660
ctatgtattt atttcgctgg ttctttgtag tcacatattt tatagtctta atatcttgtt 720
tttgcatcac tgtgcccatt gcaaataaat cacttggcca 760

<210> 284
<211> 3111
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AF010193

<400> 284
ggcacgagcg gagagccgcg cagggcgcgg gccgcgcggg gtggggcagc cggagcgcag 60
gcccccgatc cccggcgggc gcccccgggc ccccgcgcgc gccccggcct ccgggagact 120
ggcgcatgcc acggagcgcc cctcgggccg ccgccgctcc tgcccgggcc cctgctgctg 180
ctgctgtcgc ctgcgcctgc tgccccaact cggcgcccga cttcttcatg gtgtgcggag 240
gtcatgttcg ctccttagca ggcaaacgac ttttctcctc gcctcctcgc cccgcatgtt 300
caggaccaaa cgatctgcgc tcgtccggcg tctctggagg agccgtgcgc ccggcggcga 360
ggacgaggag gagggcgcag ggggaggtgg aggaggaggc gagctgcggg gagaaggggc 420
gacggacagc cgagcgcatg gggccggtgg cggcggcccg ggcagggctg gatgctgcct 480
gggcaaggcg gtgcgaggtg ccaaaggtca ccaccatccc cacccgccag ccgcgggcgc 540
cggcgcggcc gggggcgccg aggcggatct gaaggcgctc acgcactcgg tgctcaagaa 600
actgaaggag cggcagctgg agctgctgct ccaggccgtg gagtcccgcg gcgggacgcg 660
caccgcgtgc ctcctgctgc ccggccgcct ggactgcagg ctgggcccgg gggcgcccgc 720
cggcgcgcag cctgcgcagc cgccctcgtc ctactcgctc cccctcctgc tgtgcaaagt 780
gttcaggtgg ccggatctca ggcattcctc ggaagtcaag aggctgtgtt gctgtgaatc 840
ttacgggaag atcaaccccg agctggtgtg ctgcaacccc catcacctta gccgactctg 900
cgaactagag tctccccccc ctccttactc cagatacccg atggattttc tcaaaccaac 960
tgcagactgt ccagatgctg tgccttcctc cgctgaaaca gggggaacga attatctggc 1020
ccctgggggg ctttcagatt cccaacttct tctggagcct ggggatcggt cacactggtg 1080
cgtggtggca tactgggagg agaagacgag agtggggagg ctctactgtg tccaggagcc 1140
ctctctggat atcttctatg atctacctca ggggaatggc ttttgcctcg gacagctcaa 1200
ttcggacaac aagagtcagc tggtgcagaa ggtgcggagc aaaatcggct gcggcatcca 1260
gctgacgcgg gaggtggatg gtgtgtgggt gtacaaccgc agcagttacc ccatcttcat 1320
caagtccgcc acactggaca acccggactc caggacgctg ttggtacaca aggtgttccc 1380
cggtttctcc atcaaggctt tcgactacga gaaggcgtac agcctgcagc ggcccaatga 1440
ccacgagttt atgcagcagc cgtggacggg ctttaccgtg cagatcagct ttgtgaaggg 1500
ctggggtcag tgctacaccc gccagttcat cagcagctgc ccgtgctggc tagaggtcat 1560
cttcaacagc cggtagccgc gtgcggaggg gacagagcgt gagctgagca ggccacactt 1620
caaactactt tgctgctaat attttcctcc tgagtgcttg cttttcatgc aaactctttg 1680
gtcgtttttt ttttgtttgt tggttggttt tcttcttctc gtcctcgttt gtgttctgtt 1740
ttgtttcgct ctttgagaaa tagcttatga aaagaattgt tgggggtttt tttggaagaa 1800
ggggcaggta tgatcggcag gacaccctga taggaagagg ggaagcagaa atccaagcac 1860
caccaaacac agtgtatgaa ggggggcggt catcatttca cttgtcagga gtgtgtgtga 1920
gtgtgagtgt gcggctgtgt gtgcacgcgt gtgcaggagc ggcagatggg gagacaacgt 1980
gctctttgtt ttgtgtctct tatggatgtc cccagcagag aggtttgcag tcccaagcgg 2040
tgtctctcct gccccttgga cacgctcagt ggggcagagg cagtacctgg gcaagctggc 2100
ggctggggtc ccagcagctg ccaggagcac ggctctgtcc ccagcctggg aaagcccctg 2160
cccctcctct ccctcatcaa ggacacgggc ctgtccacag gcttctgagc agcgagcctg 2220

ctagtggccg aaccagaacc aattattttc atccttgtct tattcccttc ctgccagccc 2280
ctgccattgt agcgtctttc ttttttggcc atctgctcct ggatctccct gagatgggct 2340
tcccaagggc tgccggggca gccccctcac agtattgctc acccagtgcc ctctcccctc 2400
agcctctccc ctgcctgccc tggtgacatc aggtttttcc cggacttaga aaaccagctc 2460
agcactgcct gctcccatcc tgtgtgttaa gctctgctat taggccagca agcggggatg 2520
tccctgggag ggacatgctt agcagtcccc ttccctccaa gaaggatttg gtccgtcata 2580
acccaaggta ccatcctagg ctgacaccta actcttcttt catttcttct acaactcata 2640
cactcgtatg atacttcgac actgttctta gctcaatgag catgtttaga ctttaacata 2700
agctattttt ctaactacaa aggtttaaat gaacaagaga agcattctca ttggaaattt 2760
agcattgtag tgctttgaga gagaaaggac tcctgaaaaa aaacctgaga tttattaaag 2820
aaaaaaatgt attttatgtt atatataaat atattattac ttgtaaatat aaagacgttt 2880
tataagcatc attatttatg tattgtgcaa tgtgtataaa caagaaaaat aaagaaaaga 2940
tgcactttgc tttaatataa atgcaaataa caaatgccaa attaaaaaag ataaacacaa 3000
gattggtgtt ttttcctatg ggtgttatca cctagctgaa tgtttttcta aaggagttta 3060
tgttccatta aacgattttt aaaatgtaca cttgaaaaaa aaaaaaaaaa a 3111

<210> 285
<211> 1601
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. AF141349

<400> 285
ttcctgccgt tgcgtttgca cctcgctgct ccagcctctg gggcgcattc caaccttcca 60
gcctgcgacc tgcggagaaa aaaaattact tattttcttg ccccatacat accttgaggc 120
gagcaaaaaa attaaatttt aaccatgagg gaaatcgtgc acatccaggc tggtcagtgt 180
ggcaaccaga tcggtgccaa gttctgggag gtgatcagtg atgaacatgg catcgacccc 240
accggcacct accacgggga cagcgacctg cagctggacc gcatctctgt gtactacaat 300
gaagccacag gtggcaaata tgttcctcgt gccatcctgg tggatctaga acctgggacc 360
atggactctg ttcgctcagg tccttttggc cagatcttta gaccagacaa ctttgtattt 420
ggtcagtctg gggcaggtaa caactgggcc aaaggccact acacagaggg cgccgagctg 480
gttgattctg tcctggatgt ggtacggaag gaggcagaga gctgtgactg cctgcagggc 540
ttccagctga cccactcact gggcgggggc acaggctctg gaatgggcac tctccttatc 600
agcaagatcc gagaagaata ccctgatcgc atcatgaata ccttcagtgt ggtgccttca 660
cccaaagtgt ctgacaccgt ggtcgagccc tacaatgcca ccctctccgt ccatcagttg 720
gtagagaata ctgatgagac ctattgcatt gacaacgagg ccctctatga tatctgcttc 780
cgcactctga agctgaccac accaacctac ggggatctga accaccttgt ctcagccacc 840
atgagtggtg tcaccacctg cctccgtttc cctggccagc tcaatgctga cctccgcaag 900
ttggcagtca acatggtccc cttcccacgt ctccatttct ttatgcctgg ctttgccccc 960
ctcaccagcc gtggaagcca gcagtatcga gctctcacag tgccggaact cacccagcag 1020
gtcttcgatg ccaagaacat gatggctgcc tgtgaccccc gccacggccg atacctcacc 1080
gtggctgctg tcttccgtgg tcggatgtcc atgaaggagg tcgatgagca gatgcttaac 1140
gtgcagaaca agaacagcag ctactttgtg gaatggatcc ccaacaatgt caagacagcc 1200
gtctgtgaca tcccacctcg tggcctcaag atggcagtca ccttcattgg caatagcaca 1260
gccatccagg agctcttcaa gcgcatctcg gagcagttca ctgccatgtt ccgccggaag 1320
gccttcctcc actggtacac aggcgagggc atggacgaga tggagttcac cgaggctgag 1380
agcaacatga acgacctcgt ctctgagtat cagcagtacc aggatgccac cgcagaagag 1440
gaggaggatt tcggtgagga ggccgaagag gaggcctaag gcagagcccc catcacctca 1500
ggcttctcag ttcccttagc cgtcttactc aactgccccc ttcctctccc tcagaatttg 1560
tgtttgctgc ctctatcttg ttttttgttt tttcttctgg g 1601

<286
<211> 330
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. C02016

<220>
<221> unsure
<222> (1)..(330)
<223> n = a or c or g or t

<400> 286
gatcctcact caacgaaaac tcggttggaa actgttccgc ctggcagtcc ttttttnttg 60
ttttccatct catttccctt ccatctgaaa gtggcattca gctgacttgc tcatttagac 120
tgttcacgga gtctgaatct gccaacgtgg tgttggaggc tccaccttga aaagggccac 180
agtcagggca actttcccca tacaggaaan cttgaaaatt acancaacag tctacgtcac 240
agccaaatta tatttccttt ataccaaaca naactatgga gaactaaaag tacancacac 300
anaacgttna tagtgttttg catgtgacct 330

<210> 287
<211> 2589
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D10522

<400> 287
caaccaggga gatttctcca ttttcctctt gtctacagtg cggctacaaa tctgggattt 60
ttttattact tctttttttt tcgaactaca cttgggctcc tttttttgtg ctcgactttt 120
ccacccttt tccctccctc ctgtgctgct gctttttgat ctcttcgact aaaatttttt 180
tatccggagt gtatttaatc ggttctgttc tgtcctctcc accaccccca ccccctctcc 240
tccggtgtgt gtgccgctgc cgctgttgcc gccgccgctg ctgctgctgc tcgccccgtc 300
gttacaccaa cccgaggctc tttgtttccc ctcttggatc tgttgagttt ctttgttgaa 360
gaagccagca tgggtgccca gttctccaag accgcagcga agggagaagc cgccgcggag 420
aggcctgggg aggcggctgt ggcctcgtcg ccttccaaag cgaacggaca ggagaatggc 480
cacgtgaagg taaacggcga cgcttcgccc gcggccgccg agtcgggcgc caaggaggag 540
ctgcaggcca acggcagcgc cccggccgcc gacaaggagg agcccgcggc cgccgggagc 600
ggggcggcgt cgccctcctc ggccgagaaa ggtgagccgg ccgccgccgc tgccccgag 660
gccggggcca gcccggtaga gaaggaggcc cccgcggaag gcgaggctgc cgagcccggc 720
tcggccacgg ccgcggaggg agaggccgcg tcggccgcct cctcgacttc ttcgcccaag 780
gccgaggacg gggccacgcc ctcgcccagc aacgagaccc cgaaaaaaaa aaagaagcgc 840
ttttccttca agaagtcttt caagctgagc ggcttctcct tcaagaagaa caagaaggag 900
gctggagaag gcggtgaggc tgaggcgccc gctgccgaag gcggcaagga cgaggccgcc 960
gggggcgcag ctgcggccgc cgccgaggcg ggcgcggcct ccggggagca ggcagcggcg 1020
ccgggcgagg aggcggcagc gggcgaggag ggggcggcgg gtggcgaccc gcaggaggcc 1080
aagccccagg aggccgctgt cgcgccagag aagccgcccg ccagcgacga gaccaaggcc 1140
gccgaggagc ccagcaaggt ggaggagaaa aaggccgagg aggccggggc cagcgccgcc 1200
gcctgcgagg ccccctccgc cgccgggccc ggcgcgcccc cggagcagga ggcagccccc 1260
gcggaggagc ccgcggccgc cgcagcctcg tcagcctgcg cagcccctc acaggaggcc 1320
cagcccgagt gcagtccaga agcccccca gcggaggcgg cagagtaaaa gagcaagctt 1380
ttgtgagata atcgaagaac ttttctcccc cgtttgtttg ttggagtggt gccaggtact 1440
gttttggaga acttgtctac aaccagggat tgattttaaa gatgtctttt tttatttac 1500
tttttttaa gcaccaaatt ttgttgtttt tttttttctc ccctccccac agatcccatc 1560
tcaaatcatt ctgttaacca ccattccaac aggtcgagga gagcttaaac accttcttcc 1620
tctgccttgt ttctctttta ttttttattt tttcgcatca gtattaatgt ttttgcatac 1680
tttgcatctt tattcaaaag tgtaaacttt ctttgtcaat ctatggacat gcccatatat 1740

gaaggagatg ggtgggtcaa aaagggatat caaatgaagt gataggggtc acaatgggga 1800
aattgaagtg gtgcataaca ttgccaaaat agtgtgccac tagaaatggt gtaaaggctg 1860
tctttttttt ttttttaaa gaaaagttat taccatgtat tttgtgaggc aggtttacaa 1920
cactacaagt cttgagttaa gaaggaaaga ggaaaaaaga aaaaacacca atacccagat 1980
ttaaaaaaaa aaaaacgatc atagtcttag gagttcattt aaaccatagg aacttttcac 2040
ttatctcatg ttagctgtac cagtcagtga ttaagtagaa ctacaagttg tataggcttt 2100
attgtttatt gctggtttat gaccttaata aagtgtaatt atgtattacc agcagggtgt 2160
ttttaactgt gactattgta taaaaacaaa tcttgatatc cagaagcaca tgaagtttgc 2220
aactttccac cctgcccatt tttgtaaaac tgcagtcatc ttggaccttt taaaacacaa 2280
attttaaact caaccaagct gtgataagtg gaatggttac tgtttatact gtggtatgtt 2340
tttgattaca gcagataatg ctttcttttc cagtcgtctt tgagaataaa ggaaaaaaaa 2400
tcttcagatg caatggtttt gtgtagcatc ttgtctatca tgttttgtaa atactggaga 2460
agctttgacc aatttgactt agagatggaa tgtaactttg cttacaaaaa ttgctattaa 2520
actcctgctt aaggtgttct aattttctgt gagcacacta aaagcgaaaa ataaatgtga 2580
ataaaatgt 2589

<210> 288'
<211> 332
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D11824

<220>
<221> unsure
<222> (1)..(332)
<223> n = a or c or g or t

<400> 288
gatcgagaat gtttgcaacg accgnctggg gaagaaggtc cgcgttaaan gcaacacgga 60
tgataccatc ggannncctt aagaagctga ttgcagccca aactggtacc cgttggaaca 120
agattgtcct gaagaagtgg tacacgattt taaaggacca cgtgtctctg ggggactatg 180
aaatccacga tgggatgaac ctggagcttt atnatcancn nnatgagaat cctcatcttc 240
ctgccccgct ttcctctccc atcctcatcc cccacactgg gatagatgct tgtttgtaaa 300
aagggacctt aataaagact tagatgttga aa 332

<210> 289
<211> 4211
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D13628

<400> 289
gcagcagata gggtagagga aagggtctag aatatgtaca cgcagctgac tcaggcaggc 60
tccatgctga acggtcacac agagaggaaa caataaatct cagctactat gcaataaata 120
tctcaagttt taacgaagaa aaacatcatt gcagtgaaat aaaaaatttt aaaattttag 180
aacaaagcta acaaatggct agttttctat gattcttctt caaacgcttt ctttgagggg 240
gaaagagtca aacaaacaag cagttttacc tgaaataaag aactagtttt agaggtcaga 300
agaaaggagc aagttttgcg agaggcacgg aaggagtgtg ctggcagtac aatgacagtt 360
ttcctttcct ttgctttcct cgctgccatt ctgactcaca tagggtgcag caatcagcgc 420
cgaagtccag aaaacagtgg gagaagatat aaccggattc aacatgggca atgtgcctac 480
actttcattc ttccagaaca cgatggcaac tgtcgtgaga gtacgacaga ccagtacaac 540
acaaacgctc tgcagagaga tgctccacac gtggaaccgg atttctcttc ccagaaactt 600

caacatctgg aacatgtgat ggaaaattat actcagtggc tgcaaaaact tgagaattac 660
attgtggaaa acatgaagtc ggagatggcc cagatacagc agaatgcagt tcagaaccac 720
acggctacca tgctggagat aggaaccagc ctcctctctc agactgcaga gcagaccaga 780
aagctgacag atgttgagac ccaggtacta aatcaaactt ctcgacttga gatacagctg 840
ctggagaatt cattatccac ctacaagcta gagaagcaac ttcttcaaca gacaaatgaa 900
atcttgaaga tccatgaaaa aaacagttta ttagaacata aaatcttaga aatggaagga 960
aaacacaagg aagagttgga caccttaaag gaagagaaag agaaccttca aggcttggtt 1020
actcgtcaaa catatataat ccaggagctg gaaaagcaat taaacagagc taccaccaac 1080
aacagtgtcc ttcagaagca gcaactggag ctgatggaca cagtccacaa ccttgtcaat 1140
ctttgcacta aagaaggtgt tttactaaag ggaggaaaaa gagaggaaga gaaaccattt 1200
agagactgtg cagatgtata tcaagctggt tttaataaaa gtggaatcta cactatttat 1260
attaataata tgccagaacc caaaaaggtg ttttgcaata tggatgtcaa tgggggaggt 1320
tggactgtaa tacaacatcg tgaagatgga agtctagatt tccaaagagg ctggaaggaa 1380
tataaaatgg gttttggaaa tccctccggt gaatattggc tggggaatga gtttatttt 1440
gccattacca gtcagaggca gtacatgcta agaattgagt taatggactg ggaagggaac 1500
cgagcctatt cacagtatga cagattccac ataggaaatg aaaagcaaaa ctataggttg 1560
tatttaaaag gtcacactgg gacagcagga aaacagagca gcctgatctt acacggtgct 1620
gatttcagca ctaaagatgc tgataatgac aactgtatgt gcaaatgtgc cctcatgtta 1680
acaggaggat ggtggtttga tgcttgtggc ccctccaatc taaatggaat gttctatact 1740
gcgggacaaa accatggaaa actgaatggg ataaagtggc actacttcaa agggcccagt 1800
tactccttac gttccacaac tatgatgatt cgacctttag atttttgaaa gcgcaatgtc 1860
agaagcgatt atgaaagcaa caaagaaatc cggagaagct gccaggtgag aaactgtttg 1920
aaaacttcag aagcaaacaa tattgtctcc cttccagcaa taagtggtag ttatgtgaag 1980
tcaccaaggt tcttgaccgt gaatctggag ccgtttgagt tcacaagagt ctctacttgg 2040
ggtgacagtg ctcacgtggc tcgactatag aaaactccac tgactgtcgg gctttaaaaa 2100
gggaagaaac tgctgagctt gctgtgcttc aaactactac tggaccttat tttggaacta 2160
tggtagccag atgataaata tggttaattt catgtaaaac agaaaaaaag agtgaaaaag 2220
agaatataca tgaagaatag aaacaagcct gccataatcc tttggaaaag atgtattata 2280
ccagtgaaaa ggtgttatat ctatgcaaac ctactaacaa attatactgt tgcacaattt 2340
tgataaaaat ttagaacagc attgtcctct gagttggtta aatgttaatg gatttcagaa 2400
gcctaattcc agtatcatac ttactagttg atttctgctt acccatcttc aaatgaaaat 2460
tccatttttg taagccataa tgaactgtag tacatggaca ataagtgtgt ggtagaaaca 2520
aactccatta ctctgatttt tgatacagtt ttcagaaaaa gaaatgaaca taatcaagta 2580
aggatgtatg tggtgaaaac ttaccacccc catactatgg ttttcattta ctctaaaaac 2640
tgattgaatg atatataaat atatttatag cctgagtaaa gttaaaagaa tgtaaaatat 2700
atcatcaagt tcttaaaata atatacatgc atttaatatt tcctttgata ttatacagga 2760
aagcaatatt ttggagtatg ttaagttgaa gtaaaagcaa gtactctgga gcagttcatt 2820
ttacagtatc tacttgcatg tgtatacata catgtaactt cattatttta aaaatatttt 2880
tagaactcca atactcaccc tgttatgtct tgctaattta aattttgcta attaactgaa 2940
acatgcttac cagattcaca ctgttccagt gtctataaaa gaaacacttt gaagtctata 3000
aaaaataaaa taattataaa tatcattgta catagcatgt ttatatctgc aaaaaaccta 3060
atagctaatt aatctggaat atgcaacatt gtccttaatt gatgcaaata acacaaatgc 3120
tcaaagaaat ctactatatc ccttaatgaa atacatcatt cttcatatat ttctccttca 3180
gtccattccc ttaggcaatt tttaattttt aaaaattatt atcaggggag aaaaattggc 3240
aaaactatta tatgtaaggg aaatatatac aaaaagaaaa ttaatcatag tcacctgact 3300
aagaaattct gactgctagt tgccataaat aactcaatgg aaatattcct atgggataat 3360
gtattttaag tgaatttttg gggtgcttga agttactgca ttattttatc aagaagtctt 3420
ctctgcctgt aagtgtccaa ggttatgaca gtaaacagtt tttattaaaa catgagtcac 3480
tatgggatga gaaaattgaa ataaagctac tgggcctcct ctcataaaag agacagttgt 3540
tggcaaggta gcaataccag tttcaaactt ggtgacttga tccactatgc cttaatggtt 3600
tcctccattt gagaaaataa agctattcac attgttaaga aaaatacttt ttaaagttta 3660
ccatcaagtc ttttttatat ttatgtgtct gtattctacc ccttttgcc ttacaagtga 3720
tatttgcagg tattatacca tttttctatt cttggtggct tcttcatagc aggtaagcct 3780
ctccttctaa aaacttctca actgttttca tttaagggaa agaaaatgag tattttgtcc 3840
ttttgtgttc ctacagacac tttcttaaac cagtttttgg ataaagaata ctatttccaa 3900
actcatatta caaaaacaaa ataaaataat aaaaaaagaa agcatgatat ttactgtttt 3960

gttgtctggg tttgagaaat gaaatattgt ttccaattat ttataataaa tcagtataaa 4020
atgttttatg attgttatgt gtattatgta atacgtacat gtttatggca atttaacatg 4080
tgtattcttt taattgtttc agaataggat aattaggtat tcgaattttg tctttaaaat 4140
tcatgtggtt tctatgcaaa gttcttcata tcatcacaac attatttgat ttaaataaaa 4200
ttgaaagtaa t 4211

<210> 290
<211> 4187
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D13643

<400> 290
ggcgcgaacc cgcagcgctt accgcgcggc gccgcaccat ggagcccgcc gtgtcgctgg 60
ccgtgtgcgc gctgctcttc ctgctgtggg tgcgcctgaa ggggctggag ttcgtgctca 120
tccaccagcg ctgggtgttc gtgtgcctct tcctcctgcc gctctcgctt atcttcgata 180
tctactacta cgtgcgcgcc tgggtggtgt tcaagctcag cagcgctccg cgcctgcacg 240
agcagcgcgt gcgggacatc cagaagcagg tgcgggaatg gaaggagcag ggtagcaaga 300
ccttcatgtg cacggggcgc cctggctggc tcactgtctc actacgtgtc gggaagtaca 360
agaagacaca caaaaacatc atgatcaacc tgatggacat tctggaagtg gacaccaaga 420
aacagattgt ccgtgtggag cccttggtga ccatgggcca ggtgactgcc ctgctgacct 480
ccattggctg gactctcccc gtgttgcctg agcttgatga cctcacagtg gggggcttga 540
tcatgggcac aggcatcgag tcatcatccc acaagtacgg cctgttccaa cacatctgca 600
ctgcttacga gctggtcctg gctgatggca gctttgtgcg atgcactccg tccgaaaact 660
cagacctgtt ctatgccgta ccctggtcct gtgggacgct gggtttcctg gtggccgctg 720
agatccgcat catccctgcc aagaagtacg tcaagctgcg tttcgagcca gtgcggggcc 780
tggaggctat ctgtgccaag ttcacccacg agtcccagcg gcaggagaac cacttcgtgg 840
aagggctgct ctactccctg gatgaggctg tcattatgac aggggtcatg acagatgagg 900
cagagcccag caagctgaat agcattggca attactacaa gccgtggttc tttaagcatg 960
tggagaacta tctgaagaca aaccgagagg gcctggagta cattcccttg agacactact 1020
accaccgcca cacgcgcagc atcttctggg agctccagga catcatcccc tttggcaaca 1080
accccatctt ccgctacctc tttggctgga tggtgcctcc caagatctcc ctcctgaagc 1140
tgacccaggg tgagaccctg cgcaagctgt acgagcagca ccacgtggtg caggacatgc 1200
tggtgcccat gaagtgcctg cagcaggccc tgcacacctt ccaaaacgac atccacgtct 1260
accccatctg gctgtgtccg ttcatcctgc ccagccagcc aggcctagtg caccccaaag 1320
gaaatgaggc agagctctac atcgacattg gagcatatgg ggagccgcgt gtgaaacact 1380
ttgaagccag gtcctgcatg aggcagctgg agaagtttgt ccgcagcgtg catggcttcc 1440
agatgctgta tgccgactgc tacatgaacc gggaggagtt ctgggagatg tttgatggct 1500
ccttgtacca caagctgcga gagaagctgg gttgccagga cgccttcccc gaggtgtacg 1560
acaagatctg caaggccgcc aggcactgag ctggagcccg cctggagaga cagacacgtg 1620
tgagtggtca ggcatcttcc cttcactcaa gcttggctgc tttcctagat ccacactttc 1680
aaagagaaac ccctccagaa ctcccaccct gacagcccaa caccaccttc ctcctggctt 1740
ccaggggcca gcccagtgga atggaaagaa tgtgggattt ggagtcagac aagcctgagt 1800
ccagttcccc gtttagaact cattagctgt gtgactctgg gtgagtccct taacccctct 1860
gagcccgggt ctcttcatta gttgaaaggg atagtaatac ctacttgcag gttgttgtca 1920
tctgagttga gcactggtca cattgaaggt gctgggtaag tggtagctct tgttgcttcc 1980
cgttcagcgt cacatctgca gtggagcctg aaaaggctcc acattaggtc acctgtgcac 2040
agccatggct ggaatgatga aggggatacg ctggagttgc cctgccatcg cctccatcag 2100
ccagacgagg tcctcacagg agaaggacag ctcttcccca ccctgggatc tcaggagggc 2160
agccacggag tggggaggcc ccagatgcgc tgtgccaaag ccaggtccga ggccaaagtt 2220
ctccctgcca tccttggtgc cgtcctgccc cttcctcctt catgcctggg cctgcaggcc 2280
caccccagcc accactgagt ccactcggag tgccctgtgt tcctggagaa ggcattccag 2340
ggttgaatct tgtcccagcc tcagcctggg acacctaggt ggagagagtg gtctccgctc 2400
tgaattggat ccaggggacc tgggctcatt cttcttggct caccaaccct gcaggcctca 2460

tctttcccaa aacccacttt gtcttggtgg gagtgggtcc gcgctgctct gcagcagggg 2520
ctggggagtg gacagcatca ggtgggaaag tggagtccac cctcatgttt ctgtaggatt 2580
ctcaccgtgg ggctggaaga aaagagcatc gacttgattt ctccaaccac tcatccctct 2640
ttttctttct tccaccactc cccaccccag ctgtagttaa tttcagtgcc ttacaaatcc 2700
taagctcaga gaaagttcca tttccgttcc agagggaagg gaacctccct aggtccttcc 2760
ctggcttgtt ataacgcaaa gcttggttgt ttatgcaact ctatcttaag aactgcccag 2820
cctcagctga aaacccgaat ctgagaagga attgcgtcat gtaagggaag ctggaattaa 2880
gggagctgag ccagtcatgg ttgtggcgtg tgagtcagga gacctaggtt tcagcccctc 2940
tctactgtca gcgagctgtg caacgtgggc aagtcattgt cctctgagct gcagtttcct 3000
catctgtcac atcgctacag acaagacctc cctggaaccc ttctgattgt cttagacact 3060
gtggttgcaa aacccacgga aagcctcatt tgtgtggaaa gtcagaggaa aaatgatcca 3120
gtggacactt ggggattatc tgtcattcaa gatccttcct tcaaccccaa ggccagctcc 3180
catctcattt ccagaaaggc tcatacctgg cttgcaggga agcatctgtc ttgtcattcc 3240
aggtgccaga atcctctcag agtcattgaa gggtgttcac ccatcccacc caaggcttgg 3300
cacactgcca gtgtcttagc agggtcttgt gagggctggg ggcatccagg cactcagaag 3360
gcaaaggaac caccctaccc atttggcctc tggagggggc agaagaaaga aagaaacctc 3420
atcctatatt ttacaaagca tgtgaattct ggcattagct ctcataggag acccatgtgc 3480
ttccttgctc agtgcaaaac tgatgattct acttgctgta gatgaatggt taacacgagc 3540
tagttaaaca gtgccattgt tttgccagtg aagcctccaa ccctaagcca ctgggacggt 3600
ggccagagat gccagcagcc tctgtcgccc ttagtcatat aaccaaaatc cagaccttat 3660
ccacaacccg gggcttggaa aggaaggtat tttggaatca caccctccgg ttatgttgct 3720
ccagtaaaat cttgcctgga aagaggcagt cttcttagca tggtgagctg agttcatggc 3780
tttttttgt agccagtcct gtccctggcc atccatgtga tggttttgga tggagttaaa 3840
cttgatgcca gtgggcagtg catgtggaaa gtatcagagt aagcctctcc cctccagagc 3900
cctgagtttc ttggctgcat gaaggttttc tttagaatca gaattgtagc cagtttcttt 3960
ggccagaagg atgaatactt ggatattact gaaagggagg ggtggagatg ggtgtggcag 4020
tgtatggtgt gtgattttta ttttcttctt tggtcatggg ggccaaggag aaaggcatga 4080
atcttccctg tcaggctctt acagccacag gcactgtgtc tactgtctgg aagacatgtc 4140
cccgtggctg tggggccgct gcttctgttt aaataaaagt ggcctgg 4187

<210> 291
<211> 1199
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D14826

<400> 291
tggaacactt tatgttgaac tgtggtagag gaaacaagac agttctgtct gcagaagccc 60
attatggctg taactggaga tgacacagat gaggaaactg aacttgcccc aagtcacatg 120
gctgctgcca ctggtgacat gccaacttac cagatccgag ctcctactgc tgctttgcca 180
cagggagtgg tgatggctgc atcgcccgga agtttgcgca gtccccagca gctggcagaa 240
gaagcaacac gcaaacgaga gctgaggcta atgaaaaaca gggaagctgc ccgggagtgt 300
cgcaggaaga agaaagaata tgtcaaatgt cttgaaaatc gtgtggctgt gcttgaaaac 360
caaaacaaga ctctcattga ggaactcaag gccctcaaag atctttattg ccataaagta 420
gagtaactgt ctttgacttg gaccttgttt actctaacta aggcaggaga tgcagcagtc 480
ctacttattg ccatgtggac ttgtgggaag gacacgtgtg acctaagaat ccagtttgga 540
ttagtgtttg aaattgaatt gggaatgttg ttccaggatg tggaatgcag ccgtgatcac 600
acttaccgag cttactttga tctgtttgtc aatagcatgc aaaaaagctt tgtttgccct 660
ttgcttctgc tttttttcag ggaagctgcc aaagaatgtc gacgtcgaaa gaaagaatat 720
gtaaaatgtc tggagagccg agttgcagtg ctggaagtcc agaacaagaa gctgatagag 780
gaacttgaaa ccttgaaaga catttgttct cccaaaacag attactagaa attatttaac 840
tatgaactga aggcagcatg tatagttgct tttgaaggaa tacaatatat agctggcaag 900
aatggtggct tcttttcttt gtatcattca tcttcttctt taatcattca tcttcttctt 960
taatcactta acattcctaa aaatgcttca ctgtacgtag ttaagtcgta gctataactt 1020

caaatttttt aaaagggaca aactgtaaaa aatgtgtgta ttcttaaaat gcaatatttg 1080
taaggcttgt tccaatgcca catacttgca gctcccattc tatgtgtcat caatagtgtc 1140
ctatgcaata aattatttgc aggtctttaa atcattttag gaaggatgac aaaataagt 1199

<210> 292
<211> 3406
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D21063

<400> 292
ctgtagtggc ggagaggatc gtggtactgc tatggcggaa tcatcggaat ccttcaccat 60
ggcatccagc ccggcccagc gtcggcgagg caatgatcct ctcacctcca gccctggccg 120
aagctcccgg cgtactgatg ccctcacctc cagccctggc cgtgaccttc caccatttga 180
ggatgagtcc gaggggctcc taggcacaga ggggcccctg gaggaagaag aggatggaga 240
ggagctcatt ggagatggca tggaaaggga ctaccgcgcc atcccagagc tggacgccta 300
tgaggccgag ggactggctc tggatgatga ggacgtagag gagctgacgg ccagtcagag 360
ggaggcagca gagcgggcca tgcggcagcg tgaccgggag gctggccggg gcctgggccg 420
catgcgccgt gggctcctgt atgacagcga tgaggaggac gaggagcgcc ctgcccgcaa 480
gcgccgccag gtggagcggg ccacggagga cggcgaggag gacgaggaga tgattgagag 540
catcgagaac ctggaggatc tcaaaggcca ctctgtgcgc gagtgggtga gcatggcggg 600
cccccggctg gagatccacc accgcttcaa gaacttcctg cgcactcacg tcgacagcca 660
cggccacaac gtcttcaagg agcgcatcag cgacatgtgc aaagagaacc gtgagagcct 720
ggtggtgaac tatgaggact tggcagccag ggagcacgtg ctggcctact tcctgcctga 780
ggcaccggcg gagctgctgc agatctttga tgaggctgcc ctggaggtgg tactggccat 840
gtaccccaag tacgaccgca tcaccaacca catccatgtc cgcatctccc acctgcctct 900
ggtggaggag ctgcgctcgc tgaggcagct gcatctgaac cagctgatcc gcaccagtgg 960
ggtggtgacc agctgcactg gcgtcctgcc ccagctcagc atggtcaagt acaactgcaa 1020
caagtgcaat ttcgtcctgg gtcctttctg ccagtcccag aaccaggagg tgaaaccagg 1080
ctcctgtcct gagtgccagt cggccggccc ctttgaggtc aacatggagg agaccatcta 1140
tcagaactac cagcgtatcc gaatccagga gagtccaggc aaagtggcgg ctggccggct 1200
gccccgctcc aaggacgcca ttctcctcgc agatctggtg gacagctgca agccaggaga 1260
cgagatagag ctgactggca tctatcacaa caactatgat ggctccctca acactgccaa 1320
tggcttccct gtctttgcca ctgtcatcct agccaaccac gtggccaaga aggacaacaa 1380
ggttgctgta ggggaactga ccgatgaaga tgtgaagatg atcactagcc tctccaagga 1440
tcagcagatc ggagagaaga tctttgccag cattgctcct tccatctatg gtcatgaaga 1500
catcaagaga ggcctggctc tggccctgtt cggaggggag cccaaaaacc caggtggcaa 1560
gcacaaggta cgtggtgata tcaacgtgct cttgtgcgga gaccctggca cagcgaagtc 1620
gcagtttctc aagtatattg agaaagtgtc cagccgagcc atcttcacca ctggccaggg 1680
ggcgtcggct gtgggcctca cggcgtatgt ccagcggcac cctgtcagca gggagtggac 1740
cttggaggct ggggccctgg ttctggctga ccgaggagtg tgtctcattg atgaatttga 1800
caagatgaat gaccaggaca gaaccagcat ccatgaggcc atggagcaac agagcatctc 1860
catctcgaag gctggcatcg tcacctccct gcaggctcgc tgcacggtca ttgctgccgc 1920
caaccccata ggagggcgct acgacccctc gctgactttc tctgagaacg tggacctcac 1980
agagcccatc atctcacgct ttgacatcct gtgtgtggtg agggacaccg tggacccagt 2040
ccaggacgag atgctggccc gcttcgtggt gggcagccac gtcagacacc accccagcaa 2100
caaggaggag gaggggctgg ccaatggcag cgctgctgag cccgccatgc ccaacacgta 2160
tggcgtggag cccctgcccc aggaggtcct gaagaagtac atcatctacg ccaaggagag 2220
ggtccacccg aagctcaacc agatggacca ggacaaggtg gccaagatgt acagtgacct 2280
gaggaaagaa tctatggcga caggcagcat ccccattacg gtgcggcaca tcgagtccat 2340
gatccgcatg gcggaggccc acgcgcgcat ccatctgcgg gactatgtga tcgaagacga 2400
cgtcaacatg gccatccgcg tgatgctgga gagcttcata gacacacaga agttcagcgt 2460
catgcgcagc atgcgcaaga cttttgcccg ctacctttca ttccggcgtg acaacaatga 2520
gctgttgctc ttcatactga agcagttagt ggcagagcag gtgacatatc agcgcaaccg 2580

ctttggggcc cagcaggaca ctattgaggt ccctgagaag gacttggtgg ataaggctcg 2640
tcagatcaac atccacaacc tctctgcatt ttatgacagt gagctcttca ggatgaacaa 2700
gttcagccac gacctgaaaa ggaaaatgat cctgcagcag ttctgaggcc ctatgccatc 2760
cataaggatt ccttgggatt ctggtttggg gtggtcagtg ccctctgtgc tttatggaca 2820
caaaaccaga gcacttgatg aactcggggt actagggtca gggcttatag caggatgtct 2880
ggctgcacct ggcatgactg tttgtttctc caagcctgct ttgtgcttct caccttggg 2940
tgggatgcct tgccagtgtg tcttacttgg ttgctgaaca tcttgccacc tccgagtgct 3000
ttgtctccac tcagtacctt ggatcagagc tgctgagttc aggatgcctg cgtgtggttt 3060
aggtgttagc cttcttacat ggatgtcagg agagctgctg ccctcttggc gtgagttgcg 3120
tattcaggct gcttttgctg cctttggcca gagagctggt tgaagatgtt tgtaatcgtt 3180
ttcagtctcc tgcaggtttc tgtgcccctg tggtggaaga gggcacgaca gtgccagcgc 3240
agcgttctgg gctcctcagt cgcaggggtg ggatgtgagt catgcggatt atccactcgc 3300
cacagttatc agctgccatt gctccctgtc tgtttcccca ctctcttatt tgtgcattcg 3360
gtttggtttc tgtagtttta atttttaata aagttgaata aaatat 3406

<210> 293
<211> 605
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D23662

<400> 293
gaagtggccc ttgcaggcaa gagtgctgga gggcggcagc ggcgaccgga gcggtaggag 60
cagcaattta tccgtgtgca gccccaaact ggaaagaaga tgctaattaa agtgaagacg 120
ctgaccggaa aggagattga gattgacatt gaacctacag acaaggtgga gcgaatcaag 180
gagcgtgtgg aggagaaaga gggaatcccc ccacaacagc agaggctcat ctacagtggc 240
aagcagatga atgatgagaa gacagcagct gattacaaga ttttaggtgg ttcagtcctt 300
cacctggtgt tggctctgag aggaggaggt ggtcttaggc agtgatggac cctccatttt 360
acctctttac cctgtcgctc ataatgaggc atcatatatc ctctcactct ctgggacacc 420
atagccactg ccccctcccc tggatgccca gtaatgtatg tctactggtg ggagactgtg 480
aggatcccag gattcagtat tcctggccca gagggccttg ctggctactg ggtgttagtt 540
tgcagtcctg tgtgcttccc tctcttatga ctgtgtccct ggttgtcaat aaaatatttc 600
ctggc 605

<210> 294
<211> 996
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D28137

<400> 294
gtggaattca tggcatctac ttcgtatgac tattgcagag tgcccatgga agacggggat 60
aagcgctgta agcttctgct ggggatagga attctggtgc tcctgatcat cgtgattctg 120
ggggtgccct tgattatctt caccatcaag gccaacagcg aggcctgccg ggacggcctt 180
cgggcagtga tggagtgtcg caatgtcacc catctcctgc aacaagagct gaccgaggcc 240
cagaagggct ttcaggatgt ggaggcccag gccgccacct gcaaccacac tgtgatggcc 300
ctaatggctt ccctggatgc agagaaggcc caaggacaaa agaaagtgga ggagcttgag 360
ggagagatca ctacattaaa ccataagctt caggacgcgt ctgcagaggt ggagcgactg 420
agaagagaaa accaggtctt aagcgtgaga atcgcggaca agaagtacta ccccagctcc 480
caggactcca gctccgctgc ggcgccccag ctgctgattg tgctgctggg cctcagcgct 540
ctgctgcagt gagatcccag gaagctggca catcttggaa ggtccgtcct gctcggcttt 600
tcgcttgaac attcccttga tctcatcagt tctgagcggg tcatggggca acacggttag 660

cggggagagc acggggtagc cggagaaggg cctctggagc aggtctggag gggccatggg 720
gcagtcctgg gtgtggggac acagtcgggt tgacccaggg ctgtctccct ccagagcctc 780
cctccggaca atgagtcccc cctcttgtct cccaccctga gattgggcat ggggtgcggt 840
gtgggggca tgtgctgcct gttgttatgg gttttttttg cgggggggt tgctttttc 900
tggggtcttt gagctccaaa aaataaacac ttcctttgag ggagagcaaa aaaaaaaaaa 960
aaaaaaaaaa aaaaaaaaaa aaagaattcc accaca 996

<210> 295
<211> 124
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D28423

<400> 295
attttcgtgg acgccgggtg agtgagagag ttggttggtg ttgggccgga ggaaagcggg 60
aagactcatc ggagcgtgtg gatttgagcc gccgcatttt ttaaccctag atctcgaaat 120
gcat 124

<210> 296
<211> 792
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D28589

<400> 296
ggagttgcgc gggctgacgc gccactatgt agcgggtttc gggcgggcca cgcgtgcggg 60
acaggaaccc aaccccagcc gaccttgagc tccaggagtt cgtctcttac gtctgcggaa 120
gtgcagctgc ctcagttctt agcgcaggtt gacaactaca ggcacaagcc attgaagctg 180
gaatgtcctg ttgctggtat ttcaattgac ttaagccaac tatcccttca gttacaatag 240
gaaagtgcct ctaataaggc caaatatgcg tactaacttg tagcaaccac gtgtccgtgc 300
agtgccacag gagctagagc agtgacaatg ctggtggcaa cagggcagtg tagcaggtgc 360
ttcatgttca ccttttcaac cttttcattt aattgtcaca actcggaggt ggattctgtt 420
agggacaggc tgccccagga ccactccgcc cccgctaact caatgcagct gacccttacc 480
ctgaatactc tgcagctgca ttcctgaacc gttatctagg cgctatagca aggtcaccag 540
acttgctaca ccgaagccct ctgggtggca cgggggaggt catgagaaac gtggattaca 600
ccccccttgta aattcctatt ttcacaagat aatatattgt aagccggtca tgagattata 660
tgtggtaaag ttaattgact aacaacccca gggtctctct cccccatata aacccctcat 720
tttgtaagct cagggctgcc acctccgact ggtggagaag cctggcaggt taataaactt 780
acttggcctg ac 792

<210> 297
<211> 4080
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D29805

<400> 297
gcgcctgcgg cgccgcgggc gggtcgcctc ccctcctgta gcccacaccc ttcttaaagc 60
ggcggcggga agatgaggct tcgggagccg ctcctgagcc ggagcgccgc gatgccaggc 120
gcgtccctac agcgggcctg ccgcctgctc gtggccgtct gcgctctgca ccttggcgtc 180

accctcgttt actacctggc tggccgcgac ctgagccgcc tgccccaact ggtcggagtc 240
tccacaccgc tgcagggcgg gtcgaacagt gccgccgcca tcgggcagtc ctccggggac 300
ctccggaccg gaggggcccg gccgccgcct cctctaggcg cctcctccca gccgcgcccg 360
ggtggcgact ccagcccagt cgtggattct ggccctggcc ccgctagcaa cttgacctcg 420
gtcccagtgc cccacaccac cgcactgtcg ctgcccgcct gccctgagga gtccccgctg 480
cttgtgggcc ccatgctgat tgagtttaac atgcctgtgg acctggagct cgtggcaaag 540
cagaacccaa atgtgaagat gggcggccgc tatgccccca gggactgcgt ctctcctcac 600
aaggtggcca tcatcattcc attccgcaac cggcaggagc acctcaagta ctggctatat 660
tatttgcacc cagtcctgca gcgccagcag ctggactatg gcatctatgt tatcaaccag 720
gcgggagaca ctatattcaa tcgtgctaag ctcctcaatg ttggctttca agaagccttg 780
aaggactatg actacacctg ctttgtgttt agtgacgtgg acctcattcc aatgaatgat 840
cataatgcgt acaggtgttt ttcacagcca cggcacattt ccgttgcaat ggataagttt 900
ggattcagcc taccttatgt tcagtatttt ggaggtgtct ctgcttcaag taaacaacag 960
tttctaacca tcaatggatt tcctaataat tattggggct ggggaggaga agatgatgac 1020
atttttaaca gattagtttt tagaggcatg tctatatctc gcccaaatgc tgtggtcggg 1080
acgtgtcgca tgatccgcca ctcaagagac aagaaaaatg aacccaatcc tcagaggttt 1140
gaccgaattg cacacacaaa ggagacaatg ctctctgatg gtttgaactc actcacctac 1200
caggtgctgg atgtacagag atacccattg tatacccaaa tcacagtgga catcgggaca 1260
ccgagctagc gttttggtac acggataaga gacctgaaat tagccaggga cctctgctgt 1320
gtgtctctgc caatctgctg ggctggtccc tctcattttt accagtctga gtgacagctc 1380
cccttggctc atcattcaga tggctttcca gatgaccagg acaggtggga tattttgccc 1440
ccaacttggc tcggcatgtg aattcttagc tctgcaaggt gtttatgcct ttgcgggttt 1500
cttgatgtgt tcgcagtgtc acccaagagt cagaactgta gacatcccaa aatttggtgg 1560
ccgtggaaca cattcccggt gatagaattg ctaaattgtc gtgaaatagg ttagaatttt 1620
tctttaaatt atggttttct tattcgcgaa aattcggaga gtgctgctaa aattggattg 1680
gtgtcatctt tttggtagtt gtaatttaac agaaaaacac aaaatttcaa ccattcttaa 1740
tgttacgtcc tccccccacc cccttctttc agtggtatgc aaccactgca atcaatgtgt 1800
catatgtctt ttcttagcaa aaggatttaa aacttgagcc ctggaccttt tgcctatgtg 1860
tgtggattcc agggcaactc tagcatcaga gcaaaagcct tgggtttctc gcattcagtg 1920
gcctatctcc agattgtctg atttctgaat gtaaagttgt tgtgtttttt tttaaatagt 1980
aggtttgtag tattttaaag aaagaacaga tcgagttcta attatgatct agcttgattt 2040
tgtgttgatc caaatttgca tagctgttta atgttaagtc atgacaattt atttttcttg 2100
gcatgctatg taaacttgaa tttcctaagt atttttattc tggtgtttta aatatgggga 2160
ggggtattga gcatttttta gggagaaaaa taaatatatg ctgtagtggc cacaaatagg 2220
cctatgattt agctggcagg ccaggttttc tcaagagcaa aatcaccctc tggccccttg 2280
gcaggtaagg cctcccggtc agcattatcc tgccagacct cggggaggat acctgggaga 2340
cagaagcctc tgcacctact gtgcagaact ctccacttcc ccaaccctcc ccaggtgggc 2400
agggcggagg gagcctcagc ctccttagac tgacccctca ggcccctagg ctgggggttt 2460
gtaaataaca gcagtcaggt tgtttaccag ccctttgcac ctccccaggc agagggagcc 2520
tctgttctgg tgggggccac ctccctcaga ggctctgcta gccacactcc gtggcccacc 2580
ctttgttacc agttcttcct ccttcctctt ttcccctgcc tttctcattc cttccttcgt 2640
ctccctttt gttcctttgc ctcttgcctg tcccctaaaa cttgactgtg gcactcaggg 2700
tcaaacagac tatccattcc ccagcatgaa tgtgcctttt aattagtgat ctagaaagaa 2760
gttcagccgc acccacaccc caactccctc ccaagaactt cggtcctaaa gcctcctgtt 2820
ccacctcagg ttttcacagg tgctcacacc acagttgagg ctcacacaca ggtctgtctg 2880
tcacaaaccc acctctgttg ggagctattg agccacctgg gatgagatga cacaagacac 2940
tcctaccact gagcgccttt gtccaggtgc cagcctgggc tcaggttcca agactcagct 3000
gcctaatccc agggttgagc cttgtgctcg tgtcggaccc caaaccactg ccctcctggt 3060
accagccctc agtgtggagg ctgagctggt gcctggcccc agtcttatct gtgcctttac 3120
tgctttgcgc atctcagatg ctaacttggt tctttttcca gaaggctttg tattggttaa 3180
aaattatttt ctattgcaga gagcagctgt gactcatgca aaaagtattt tctctgtcag 3240
atccccactc tataccaagg atattattaa aactagaaat gactgcattg agagggagtt 3300
gtgggaaata agaagaatga aagcctctct ttctgtccgc agatcctgac ttttccaaag 3360
tgccttaaaa gaaatcagac aaatgccctg agtggtaact tctgtgttat tttactctta 3420
aaaccaaact ctacctttc ttgtttttt ttttttttt ttttttttt ttggttacct 3480
tctcattcat gtcaagtatg tggttcattc ttagaaccaa gggaaatact gctcccccca 3540

tttgctgacg tagtgctctc atgggctcac ctgggcccaa ggcacagcca gggcacagtt 3600
aggcctggat gtttgcctgg tccgtgagat gccgcgggtc ctgtttcctt actggggatt 3660
tcagggctgg gggttcaggg agcatttcct tttcctggga gttatgtacc gcgaagtgtg 3720
tcatgtgccg tgccctttc tgtttctgtg tatcctattg ctggtgactc tgtgtgaact 3780
ggcctttggg aaagatcaga gaggcagagg tggcacagga cagtaaagga gatgctgtgc 3840
tgcctacagc ctggacaggg tctctgctgt actgccaggg gcgggggctc tgcatagcca 3900
ggatgacgcc tttcatgtcc cagagacctg ttgtgctgtg tattttgatt tcctgtgtat 3960
gcaaatgtgt gtatttacca ttgtgtaggg ggctgtgtct gatcttggtg ttcaaaacag 4020
aactgtattt ttgcctttaa aattaaataa tataacgtga ataaatgacc ctaactttgt 4080

<210> 298
<211> 300
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D31134

<400> 298
cccgcccgac accagctgtt gtccacttca aggtgtcagc ccagggcatt acactgacgg 60
acaaccaaag gaagctcttc tttcgccgcc attatccagt gaacagcatc accttctcca 120
gcactgaccc tcaagaccgg agatggacca acccagacgg gaccacctcc aagatctttg 180
gtttcgtggc caagaagccg ggaagcccct gggagaatgt gtgtcacctc tttgcagagc 240
ttgacccaga tcagcctgct ggcgccattg tcaccttcat caccaaagtt ctactgggcc 300

<210> 299
<211> 2104
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D42073

<400> 299
gctgttgtcg ctcgctcagc gtctccctct cggccgccct ctcctcggga cgatggcgcg 60
cggtggccgc ggccgccgcc tggggttagc cctggggctg ctgctggcgc tggtgctggc 120
gccgcgggtt ctgcgggcca agcccacggt gcgcaaagag cgcgtggtgc ggcccgactc 180
ggagctgggc gagcggcccc ctgaggacaa ccagagcttc cagtacgacc acgaggcctt 240
cctgggcaag gaggactcca agaccttcga ccagctcacc ccggacgaga gcaaggagag 300
gctagggaag attgttgatc gaatcgacaa tgatggggat ggctttgtca ctactgagga 360
gctgaaaacc tggatcaaac gggtgcagaa aagatacatc tttgataatg tcgccaaagt 420
ctggaaggat tatgataggg acaaggatga taaaatttcc tgggaagaat acaaacaagc 480
cacctatggt tactacctag gaaaccccgc agagtttcat gattcttcag atcatcacac 540
ctttaaaaag atgctgccac gtgatgagag aagattcaaa gctgcagacc tcaatggtga 600
cctgacagct actcgggagg agttcactgc ctttctgcat cctgaagagt ttgaacatat 660
gaaggaaatt gtggttttgg aaaccctgga ggacatcgac aagaacgggg atgggtttgt 720
ggatcaggat gagtatattg cggatatgtt ttcccatgag gagaatggcc ctgagccaga 780
ctgggtttta tcagaacggg agcagtttaa cgaattccgg gatctgaaca aggacgggaa 840
gttagacaaa gatgagattc gccactggat cctccctcaa gattatgatc acgcacaggc 900
tgaggccagg catctggtat atgaatcaga caaaaacaag gatgagaagc taactaaaga 960
ggaaatattg gagaactgga acatgtttgt tggaagccaa gctaccaatt acggggaaga 1020
tctcacaaaa aatcatgatg agctttgata gacactcacc agaatatggc agactgtcat 1080
aggcattctg ttattgtctt ggattgttgc tacaattgtc taattacagc agttgtgatc 1140
ccacaaaaag caagtttata cctcagattg gggtataaaa attgtttttc gctcagtatt 1200

tactggaaaa tggacatcac tagtctttca gtaagatttc tctcaaaaca cgtgaaaacc 1260
ttggtaaatt gcaattcttt ctggggatat attggtacaa catgacttaa aacttttttt 1320
tttctattaa aacttaaagg ggaacaaaac ttgaaaaagc cctgttcttc agaaggtgag 1380
tgggttgagg gaggcagtaa tatgaagtga ctgctgtgta ttttaactac cagattttta 1440
tatttgccac tgttagatag ttggaaaggg gaaattctgt ttaagcgaaa gtggtatcat 1500
cctaggtaag cttatttcag aacaagtcta atatatcaga ttctttcttt tcgactttat 1560
actctgagtt attacttact gtaagtggtg tatatgaaac ctccatgcat tttccagtat 1620
ggatctgcta atatgcacag taaatccatg tctttgtttg tttttctatt aagaagcaat 1680
caagaaagat aatgtgaaaa agaaaggaat ttagaggtag ggaaaagatg aatgtcagac 1740
atgtgaagaa ctatagtaaa aatgataaac cacctaaata tccttgaacc taccttaaaa 1800
tgccaatgag gtaggcctga tctttgaata gtggctagga tacaatgcat ttcctcagtg 1860
atcactgatt agaatgagtt ggtgggatcc ttgggaagcc aaacggagcg gggttctgga 1920
tcatgtccca tccagtccag tgaatccccg acccgcagac ctgccccccc cgcaacagct 1980
tataccatgg aatgaggaca aggtgatact ctgagctgtg gactgaactg gcagacacaa 2040
cctgtacaga ttgaaatttc accttgtaag gaggaagtga atgaaataaa ggatcccccc 2100
aagg 2104

<210> 300
<211> 419
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D45370

<400> 300
ctcttgacga ctccacagat accccgaagc catggcaagc aagggcttgc aggacctgaa 60
gcaacaggtg gaggggaccg cccaggaagc cgtgtcagcg gccggagcgg cagctcagca 120
agtggtggac caggccacag aggcggggca gaaagccatg gaccagctgg ccaagaccac 180
ccaggaaacc atcgacaaga ctgctaacca ggcctctgac accttctctg ggatcgggaa 240
aaaattcggc ctcctgaaat gacagcaggg agacttgggt cggcctcctg aaatgatagc 300
agggagactt gggtgacccc ccttccaggc gccatctagc acagcctggc cctgatctcc 360
gggcagccac cacctcctcg gtctgccccc tcattaaaat tcacgttccc accctgaaa 419

<210> 301
<211> 3233
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D50928

<400> 301
tgcgactgag tcggtggcga agacgggaac gcgacgatgg cggagactct gcccgggtcg 60
ggcgactcgg gccctggcac ggcttctctc ggcccgggcg ttgcggagac tgggacgagg 120
cggctcagcg agctgcgggt gatcgatctg cgggcggagc tgaagaagcg gaacctggac 180
acgggcggca acaagagcgt cctgatggag cggctcaaga aggcggttaa agaagagggg 240
caagatcctg atgaaattgg catcgagtta gaagccacca gcaagaagtc agccaagaga 300
tgtgttaaag gactgaagat ggaggaggaa ggcacagaag ataatggcct ggaagacgat 360
tccagagacg ggcaggagga catggaagca agtctggaga acctgcagaa tatgggcatg 420
atggacatga gtgtgctaga cgaaactgaa gtggcgaata gcagtgctcc agattttggg 480
gaggatggca cggacggcct tctcgattcc ttttgtgata gtaaagaata cgtggctgca 540
cagctgagac agctcccggc tcagccccca gagcatgctg tggatgggga aggatttaag 600
aacactttgg aaacttcatc gttgaacttc aaagtaactc cggacattga agaatccctt 660
ttggagccag aaaatgagaa aatactcgac attttggggg aaacttgtaa atctgagcca 720
gtaaaagaag aaagttccga gctggagcag ccatttgcac aggacacaag tagcgtgggg 780

ccagacagaa agcttgcgga ggaagaggac ctatttgaca gcgcccatcc ggaagagggt 840
gatttagatt tggccagcga gtcaacagca cacgctcagt cgagcaaggc agacagcctg 900
ttagcggtag tgaaaaggga gcccgcggag cagccaggcg atggcgagag gacggactgt 960
gagcctgtag ggctagagcc ggcagttgag cagagtagtg cggcctccga gctcgcggag 1020
gcctctagcg aggagctcgc agaagcaccc acggaagccc caagcccaga agccagagat 1080
agcaaagaag acgggaggaa gtttgatttt gacgcttgta atgaagtccc tccggctcct 1140
aaagagtcct caaccagtga gggcgctgat cagaaaatga gctcttttaa ggaagaaaaa 1200
gatataaagc caatcattaa agatgaaaaa ggtcgggtcg gcagcggttc tggtcggaac 1260
ctgtgggtca gcgggctgtc ctccacaaca cgcgctacgg atctcaagaa ccttttcagc 1320
aagtatggga aggttgtcgg ggccaaagtg gtaacgaacg cccgcagccc gggggctcga 1380
tgctatggat tcgtcaccat gtcgacatct gacgaggcga ccaagtgcat cagccatctc 1440
cacagaactg agctgcatgg acgaatgatc tccgtagaga aggccaaaaa tgagcctgct 1500
gggaaaaagc tttccgacag aaaagagtgc gaagtgaaga aggaaaaatt atcgagtgtc 1560
gacagacatc attctgtgga gatcaaaatt gaaaaaactg taattaagaa ggaagagaag 1620
attgagaaga aggaggaaaa aaagcctgaa gacattaaga aggaagaaaa agaccaggat 1680
gagctgaaac ccggacctac aaatcggtct agagtcacca aatcaggaag cagaggaatg 1740
gagcggacgg tcgtgatgga taaatcgaaa ggagagcccg tcattagcgt gaaaaccaca 1800
agcaggtcca aagagagaag ctccaagagt caggatcgca agtcagaaag caaagaaaag 1860
agagacatct tgtcgtttga taaaatcaaa gaacaaaggg agagagagcg ccagaggcag 1920
cgggaacggg agatccgcga aacggagagg cggcgggagc gcgagcagcg ggagcgggag 1980
caacgcctcg aggccttcca tgagcggaag gagaaggccc ggctacagcg ggaacgcctg 2040
cagctcgagt gccagcgcca gcggctggag cgggagcgca tggagcggga gcggctggag 2100
cgcgagcgca tgcgcgtgga gcgtgagcgc aggaaggagc aggagcgcat ccaccgcgag 2160
cgcgaggagc tgcggcgcca gcaggagcag ctgcgttacg agcaggagcg gcggcccggg 2220
cggaggccct acgacctgga ccgacgagat gatgcctatt ggccagaagg aaagcgtgtg 2280
gcaatggagg accgatatcg tgcagacttt ccccggccag accaccgctt tcacgacttc 2340
gatcatcgag accggggcca gtaccaggac cacgccatcg acaggcggga gggttcgagg 2400
ccaatgatgg gagaccaccg ggatgggcag cactatggag atgaccgcca tggccacgga 2460
ggacccccag agcgccacgg ccgggactcc cgtgatggct gggggggcta cggctccgac 2520
aagaggctga gtgaaggccg ggggctgccc cctcccccca ggggtggccg tgactgggga 2580
gagcacaacc agcggctaga ggagcaccag gcacgcgcct ggcagggtgc catggacgca 2640
ggcgcggcta gccgggagca cgccaggtgg caaggtggcg agaggggcct gtctgggccc 2700
tcggggccgg ggcacatggc aagccgcggt ggagtggcgg ggcgaggcgg ctttgcacaa 2760
ggtggacatt cccagggcca cgtggtgcca ggtggcggac tggaaggtgg cggagtggcc 2820
agccaggacc ggggcagcag agtccctcac ccacaccctc atccccccc gtacccccac 2880
ttcacccgcc gctactaagt cccactcgct gtgagttttc gggtgggcag acgcactgtt 2940
gaatctggta gccagggttc cctcgaactt gggggatctt tttaaaagca aagtaaatcc 3000
tgccaccatg ttgtagctca atacaatgtg aactcacttt ttttttttt tttaataaat 3060
gtgttcttgt tctgccattt ttaaatcaag gtttctgtta acgaggcatt ccattttcca 3120
ttaataaagt ttaccattcg caaaaaaaaa atgtgttctt gttctgccat ttttaaatca 3180
aggtttctgt taacgaggca ttccattttc cattaataaa gtttaccatt cgc 3233

<210> 302
<211> 404
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D51060

<400> 302
actttyccaa tagtttwatt tgtatttttc tttaaatatc cttttctgga atttttcaga 60
aacaaaacat aaaaaaatta tatactttat tacaaatkgg aaactcagag tgctccaaat 120
ctcttattta caaacaacac tgggcaggat acccaaacaa acaaacaaga aatwcttaca 180
aaggcatgaa gctgtttatt gacagtaatc agctttcatc aaattaaaaa atatatatwt 240
btwcatacac agttaacgag gcaggccaga aagagttyat ctgtaggctc agcctcgctc 300

tcacctcgtg ccgaattcct kcagcccggg ggayccacta gttctagagc ggccgccacc 360
gcggtggagc tccagctttt tttccyttta gtgaggggta attg 404

<210> 303
<211> 283
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D51069

<400> 303
ctgggacaat taagctttat ttttcatata tatatatayy yycatatata tatatacata 60
catatataaa gggaacaatt tkcaaattta cacaactgac aaaaccatat atacacacat 120
atgtatgcat acacacagac agacacacac acccgaagtc tctagccagg cgccgtttym 180
catcccyaag taccattctc tcatttgggc ccytctaggg ktggggcccy cgtgccgaat 240
tcctkmagcc cgggggatcc mctagttyta gagcggcccc acc 283

<210> 304
<211> 347
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D60074

<220>
<221> unsure
<222> (1)..(347)
<223> n = a or c or g or t

<400> 304
gtaaaaactg gtttatttttt ttaaaaataa atacaaaaat ataaatvtan nnnnntvgca 60
gatagamtty gatgaaatga aattgcacaa atgtctgtat accaggttgc atatcacacc 120
tactaacatc acatgtacat ttttgttttt ttaatttaat gtacagaaca ggatatactg 180
taaaabtytt cttcaccttt ttaaaagctt catttgcaag ggcaggvcat gtacctaaca 240
gaagcggctt gtttgtgagg ttgcttaagg grgaactatc ctgttcatgt ttctgaaatt 300
atcttttatt tactaagrtg gacaacactg tatttccata gctttgg 347

<210> 305
<211> 293
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D60755

<400> 305
cgttcgttaa atctttattg aygcgtggac actcctbccc ctccagcccc gccccccagc 60
cccagaaata ctagaaagcg caccataaaa cgagggcacg agattgtbgt cccattcacg 120
acggagctga gggggaggtg tgcaggttcc agcctagatg ttcaggattg agatgtgggt 180
cgtgaaagga aagtgggttt tccgggatgt gggggctttt ctvagcactg ggtccactga 240
cgctgctgyt cccaagggga tgctaggacy ccgytcaggc aggggtgggc tcg 293

<210> 306
<211> 354

<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D62584

<400> 306
catttttaag catttgcttc tgttttccct acctagaatg tcagatgttt ttcagttatc 60
tccccatttg tcaaagttga cctcaagata acatttttca ttaaagcatc tgagatctaa 120
gaacacaatt attattctaa caatgattat tagctcattc acttattttg ataactaatg 180
atcacagcta ttatactact ttctcgttat tttgtgtgca tgcctcattt cctgacttaa 240
acctcactga gagcgcaaaa tgcagcttta tacttttttac tttcaattgc ctagcacaat 300
agtgagtaca tttgaattga atatataata aatattgcaa aataaaatcc mtct 354

<210> 307
<211> 482
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D62965

<400> 307
aaaatatctc attaaaaagc ccataaataa taggggagaa gaaagcctta ggtatcaatt 60
ccaaaacagt gattgaaatt tcccaaaata attatggctt ctgtcatctc cagagataat 120
ctggcttggt ttaccccata atctaatttc agaaaagaaa gctttatttt aacactcatc 180
tgaatcaaca ttaaagcctt ttctctcaaa gcgtttattg agaaactcaa atgaatatac 240
tttttgaatt actgtcatca aaagtgtacg gcttcctgtg ctgcttgtgt caaatggaac 300
ctgccctcta aagcactttc tttcctttac ttgcgtggtt tcatgtaagc tgtgctgttt 360
agaacaacat ctcagacttt acaaagaatg acaagaaggc aattgcactt tttagggata 420
tcgccaagca gtttctgttt tctaaaggcc aaaatacaga gtgtgtgtca tttttattag 480
at 482

<210> 308
<211> 383
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D80059

<400> 308
gggtctgtga gccaataaaa ctttatttac aaaagcaggc gacaagtcag accyagcctg 60
attgggcctt gttttccaac ccttagactg catccacttt gagaaaagty ttgtcaaaag 120
catcatttta gcgctttctt ttagaggcag ggtcctgaca actcttgatt aacacacaca 180
tccaggcact ttgtytctyt tcctccgttg tcctttkata aacaccaact ggcagagggg 240
acatggagca ttttttcttc aattgcagtg attctttkag ggaaaggggc cytcaggagc 300
attgttcaca ttctccgbyt tgtcctggga ggcagttaga ggatgtkgtc actccagaat 360
aatttwttka ktcacatact tyt 383

<210> 309
<211> 328
<212> DNA
<213> Homo sapiens

<220>

<223> Genbank Accession No. D80063

<400> 309
agtttttatt mggaattgtc cattgaatgt tagctaaaac agtcaataaa aygcattamg 60
tgccagctgc atgcaagccc ctamgttaga tacaatcmgc cctcttcatc agcaggtcca 120
catcttcmga ttcaactmga ygcggctgaa tatttgamgg aagaaaaaat aaaaatacaa 180
atmgaamgaw acagtataac aacygttkcc attatacaat atctatacat ttcgttagtg 240
atgacttcaa gtacayggga ccaggcacgg tgactcacac ttgtatycca acacttcgga 300
ggscaacctg ggagsatagt gagacctt 328

<210> 310
<211> 377
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D80237

<400> 310
ccycatgcag ccccaaaggg vaaaaagrga ctttaattag gggagggagg atccaccaga 60
atcagaaaag ggacagytag cgtgggagca gaggrgccag aacaggcagg rggrgggccc 120
ggccaggaag ytytggrgga ctcacctcgc cacctytggc acaggcactg gcactgacgg 180
acaaggsgaa acagcggccc ctctcaactg ggrgggcacc aatggcccct gtagccagag 240
gttgcccggc ttttgggccc caggtcctag gcatgactgg tggtcaccaa tttggccctt 300
ktccccaacc agtgctgggg ggccatcttt aggcagaact caggaagcct cgtsccgaat 360
tcctgcagcc cggggga 377

<210> 311
<211> 295
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D80617

<400> 311
aacaaacaat tgtgtttatt gacaagttca tacatcagta caaacgggca cgttaaaaac 60
agcgccccg ccccatgcag ccgaggatga ggcaggaagc gccgcgacct gcacaaagta 120
taaaagttat aaataagggg ctttcaaaac agggcggggg caaatctgga gtggggcggc 180
ggttgccggt ggcctcagac atgcagaagg ggacggggcg ccggccgggc cacgaggccc 240
cccacccaca tggggcagag ggcaggaaaa gggcggccac attctcctcg tgccg 295

<210> 312
<211> 313
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D81655

<400> 312
tctgccccga agccctcgcg aggccctcct ggaggccccc gtgctggtgg agtttggggg 60
ccaggggggac aagttgcctt ctctctctgc cctggtcctc cctgctgtct ggatggtgct 120
gccctcctct gccccatgcc tttggggtct gttcgtccgt ctttttttgtt gttgttttta 180
tatattgaag cgcctggccc agcccccagc cccccagccc cgcactgsgg ttaatttatg 240
tgttgtttaa aatgcggctg ctctgcttcc tgcctctgct tctgccsgat ccchaawaaa 300

atgkgggggc ccc 313

<210> 313
<211> 1425
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D82346

<400> 313
cgcggagcga ggtggccgca gcgtctccgc gcgcggccca agcccggcag gagtgcggaa 60
ccgccgcctc ggccatgcgg ctcccggccg gggggcctgg gctggggccc gcgccgcccc 120
ccgcgctccg cccccgctga gcctgagccc gacccggggc gcctcccgcc aggcaccatg 180
gtgcagaagt cgcgcaacgg cggcgtatac cccggcccga gcggggagaa gaagctgaag 240
gtgggcttcg tggggctgga ccccggcgcg cccgactcca cccgggacgg ggcgctgctg 300
atcgccggct ccgaggcccc caagcgcggc agcatcctca gcaaacctcg cgcgggcggc 360
gcgggcgccg ggaagccccc caagcgcaac gccttctacc gcaagctgca gaatttcctc 420
tacaacgtgc tggagcggcc gcgcggctgg gcgttcatct accacgccta cgtgttcctc 480
ctggttttct cctgcctcgt gctgtctgtg ttttccacca tcaaggagta tgagaagagc 540
tcggaggggg ccctctacat cctggaaatc gtgactatcg tggtgtttgg cgtggagtac 600
ttcgtgcgga tctgggccgc aggctgctgc tgccggtacc gtggctggag ggggcggctc 660
aagtttgccc ggaaaccgtt ctgtgtgatt gacatcatgg tgctcatcgc ctccattgcg 720
gtgctggccg ccggctccca gggcaacgtc tttgccacat ctgcgctccg gagcctgcgc 780
ttcctgcaga ttctgcggat gatccgcatg gaccggcggg gaggcacctg gaagctgctg 840
ggctctgtgg tctatgccca cagcaaggag ctggtcactg cctggtacat cggcttcctt 900
tgtctcatcc tggcctcgtt cctggtgtac ttggcagaga agggggagaa cgaccacttt 960
gacacctacg cggatgcact ctggtggggc ctgatcacgc tgaccaccat tggctacggg 1020
gacaagtacc cccagacctg gaacggcagg ctccttgcgg caaccttcac cctcatcggt 1080
gtctccttct tcgcgctgcc tgcaggcatc ttggggtctg ggtttgccct gaaggttcag 1140
gagcagcaca ggcagaagca ctttgagaag aggcggaacc cggcagcagg cctgatccag 1200
tcggcctgga gattctacgc caccaacctc tcgcgcacag acctgcactc cacgtggcag 1260
tactacgagc gaacggtcac cgtgcccatg tacaggtacc gccgccgggc acctgccacc 1320
aagcaactgt ttcatttttt attttccatt tgttcttaaa ccccactttt tgttgttcat 1380
tattttgatt gatttttttt ctttaaaatg tatttttcac aaagg 1425

<210> 314
<211> 493
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D82534

<220>
<221> unsure
<222> (1)..(493)
<223> n = a or c or g or t

<400> 314
aagcagtatg cctgtttgca cgatttaact aacaagggca ttggagaaga aatagataat 60
gaacaccccc ggactaagcc tgtttcttct ganaatttca cttctcctta tgtgtggatg 120
ttagatgctg aanatttggc tgatattgaa natactgtgg aatggagaca tagaaatgtt 180
gaaagtcttt gtgtaatgga aacagcatcc aactttagtt gttccacctc tggttgtttt 240
agtaaggaca ttgttggact aaggactagt gtctgttggc agcagcattg tgcttctcca 300
nccttgcgt attgtggtca ctcattttgt tgtacaggaa cagctttaan aactatgtca 360

tcactcccan aatcttctgc aatgtgtaga aaagcagcaa ggactagatt gcctagggga 420
aaagacttaa tttactttgg gagtgaaaaa tctgatcaag aaactgggac gttgttactt 480
cctgtttcct cca 493

<210> 315
<211> 3198
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. D83018

<400> 315
ttgggaggag cagtctctcc gctcgtctcc cggagctttc tccattgtct ctgcctttac 60
aacagaggga gacgatggac tgagctgatc cgcaccatgg agtctcgggt cttactgaga 120
acattctgtt tgatcttcgg tctcggagca gtttgggggc ttggtgtgga ccccttccta 180
cagattgacg tcttaacaga gttagaactt ggggagtcca cgaccggagt gcgtcaggtc 240
ccggggctgc ataatgggac gaaagccttt ctctttcaag atactcccag aagcataaaa 300
gcatccactg ctacagctga acagtttttt cagaagctga gaaataaaca tgaatttact 360
attttggtga ccctaaaaca gacccactta aattcaggag ttattctctc aattcaccac 420
ttggatcaca ggtacctgga actggaaagt agtggccatc ggaatgaagt cagactgcat 480
taccgctcag gcagtcaccg ccctcacaca gaagtgtttc cttacatttt ggctgatgac 540
aagtggcaca agctctcctt agccatcagt gcttcccatt tgattttaca cattgactgc 600
aataaaattt atgaaagggt agtagaaaag ccctccacag acttgcctct aggcacaaca 660
ttttggctag gacagagaaa taatgcgcat ggatatttta agggtataat gcaagatgtc 720
caattacttg tcatgcccca gggatttatt gctcagtgcc cagatcttaa tcgcacctgt 780
ccaacttgca atgacttcca tggacttgtg cagaaaatca tggagctaca ggatatttta 840
gccaaaacat cagccaagct gtctcgagct gaacagcgaa tgaatagatt ggatcagtgc 900
tattgtgaaa ggacttgcac catgaaggga accacctacc gagaatttga gtcctggata 960
gacggctgta agaactgcac atgcctgaat ggaaccatcc agtgtgaaac tctaatctgc 1020
ccaaatcctg actgcccact taagtcggct cttgcgtatg tggatggcaa atgctgtaag 1080
gaatgcaaat cgatatgcca atttcaagga cgaacctact ttgaaggaga aagaaataca 1140
gtctattcct cttctggagt atgtgttctc tatgagtgca aggaccagac catgaaactt 1200
gttgagagtt caggctgtcc agctttggat tgtccagagt ctcatcagat aaccttgtct 1260
cacagctgtt gcaaagtttg taaaggttat gacttttgtt ctgaaaggca taactgcatg 1320
gagaattcca tctgcagaaa tctgaatgac agggctgttt gtagctgtcg agatggtttt 1380
agggctcttc gagaggataa tgcctactgt gaagacatcg atgagtgtgc tgaagggcgc 1440
cattactgtc gtgaaaatac aatgtgtgtc aacaccccgg gttcttttat gtgcatctgc 1500
aaaactggat acatcagaat tgatgattat tcatgtacag aacatgatga gtgtatcaca 1560
aatcagcaca actgtgatga aaatgcttta tgcttcaaca ctgttggagg acacaactgt 1620
gtttgcaagc cgggctatac agggaatgga acgacatgca aagcattttg caaagatggc 1680
tgtaggaatg gaggagcctg tattgccgct aatgtgtgtg cctgcccaca aggcttcact 1740
ggacccagct gtgaaacgga cattgatgaa tgctctgatg gttttgttca atgtgacagt 1800
cgtgctaatt gcattaacct gcctggatgg taccactgtg agtgcagaga tggctaccat 1860
gacaatggga tgttttcacc aagtggagaa tcgtgtgaag atattgatga gtgtgggacc 1920
gggaggcaca gctgtgccaa tgataccatt tgcttcaatt tggatggcgg atatgattgt 1980
cgatgtcctc atggaaagaa ttgcacaggg gactgcatcc atgatggaaa agttaagcac 2040
aatggtcaga tttgggtgtt ggaaaatgac aggtgctctg tgtgctcatg tcagaatgga 2100
ttcgttatgt gtcgacggat ggtctgtgac tgtgagaatc ccacagttga tctttttgc 2160
tgccctgaat gtgacccaag gcttagtagt cagtgcctcc atcaaaatgg ggaaactttg 2220
tataacagtg gtgacacctg ggtccagaat tgtcaacagt gccgctgctt gcaaggggaa 2280
gttgattgtt ggcccctgcc ttgcccagat gtggagtgtg aattcagcat tctcccagag 2340
aatgagtgct gcccgcgctg tgtcacagac ccttgccagg ctgacaccat ccgcaatgac 2400
atcaccaaga cttgcctgga cgaaatgaat gtggttcgct tcaccgggtc ctcttggatc 2460
aaacatggca ctgagtgtac tctctgccag tgcaagaatg gccacatctg ttgctcagtg 2520
gatccacagt gccttcagga actgtgaagt taactgtctc atgggagatt tctgttaaaa 2580

gaatgttctt tcattaaaag accaaaaaga agttaaaact taaattgggt gatttgtggg 2640
cagctaaatg cagctttgtt aatagctgag tgaactttca ttatgaaat ttgtggagct 2700
tgacaaaatc acaaaaggaa aattactggg gcaaaattag acctcaagtc tgcctctact 2760
gtgtctcaca tcaccatgta gaagaatggg cgtacagtat ataccgtgac atcctgaacc 2820
ctggatagaa agcctgagcc cattggatct gtgaaagcct ctagcttcac tggtgcagaa 2880
aattttcctc tagatcagaa tcttcagaat cagttaggtt cctcactgca agaaataaaa 2940
tgtcaggcag tgaatgaatt atattttcag aagtaaagca aagaagctat aacatgttat 3000
gtacagtaca ctctgaaaag aaatctgaaa caagttattg taatgataaa aataatgcac 3060
aggcatggtt acttaatatt ttctaacagg aaaagtcatc cctatttcct tgttttactg 3120
cacttaatat tatttggttg aatttgttca gtataagctc gttcttgtgc aaaattaaat 3180
aaatatttct cttaccttt 3198

<210> 316
<211> 217
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F01920

<220>
<221> unsure
<222> (1)..(217)
<223> n = a or c or g or t

<400> 316
aacagggata ggcaaacagc tctttattcc aactccatta gtgatatgaa agaaagacaa 60
tccaagtcag taatggaaat atgcaagang ttcaatttag gtgaggtgaa tttttgcatg 120
tgctttaacg gttgaggttt agtgtatatt gtacttttta cccttaaggc caagtaattg 180
gcaactgtga accattaatg taaaatattg ataataa 217

<210> 317
<211> 205
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F02204

<400> 317
caggagaagc ctgtttatta ggcaggagaa gcagcagggc agccaggctc ccctcccagc 60
caccagctgg ccaaatgtcc tcccttaact caggggtacc caaggctcca tggccatgtg 120
accagaggcg tgtaccctca agaggcggcc cctcagccct gggcagccca gccactgggt 180
ctcgcccttc aggggcctgc gcccc 205

<210> 318
<211> 298
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F02245

<400> 318
gggggtggca gtgcacttta ttaacaaaca aaacagtacc atacaggcaa aatcttactt 60
cagtggcaaa gcacacacat aggtatactc caacgtgtag cactggggca aacttcagac 120

atggaacatt aggcaccaag ttcacaatca cactaaacat agttcacaat ccttcaatcc 180
atactcttca gtggaggatg aggccttatt taacagttaa ctgggacaga cagatgaagt 240
tttaaaatct aattcttggc ctaactgtgg agtggggctg actcagcctt cagaactg 298

<210> 319
<211> 212
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F02333

<400> 319
gcattaacag taaccccaag aaaggcatca gggttctgga gtggttgttt gagtgacaca 60
gcacaaggcc ttgatttcat catgcttttg ctgtggatgt agtgtagctt gctgaacagg 120
tatggaagct gtctttgctg ttaagtactt ctcccgtttg tttatcaacc tgcagctaac 180
aggatgtctg ctttttttaca ggtttatttc ac 212

<210> 320
<211> 221
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F02470

<400> 320
gtttcacatg agtgaaaaaa ttaacagctg ccctcatttc tgaaaacaaa aaactataaa 60
caatcactgt tgctcccaat gggaccgttg gacataagcc ctgaggcttt ggggtcaacg 120
ggctagactc tagaagccca ggaccccgcc aaggtcatgt ctgcatactt ggggcagggc 180
gagctgttga accatcgcat ttctctgctg cttctttaca t 221

<210> 321
<211> 312
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F02992

<220>
<221> unsure
<222> (1)..(312)
<223> n = a or c or g or t

<400> 321
aagaatttta gtttttttct tcccccagac tttttttttt tttttttttt tttttttaag 60
gaaaaaaacc cccgccaaat ctgaaccgcg ttgtagctcg gtccccgcct cctcagcggg 120
ctgtcgcgtg caacaaacct cccccatcat cttagaaaat aattatagag cgcggcgccc 180
cgccctcgnt cctgccagtg ggcgntttgg tcctattttt tggattattt cattacgaag 240
cacgtgaatg aatctagccc ccacaccttc aagaaagaaa ctcgcggact ggggttgaaa 300
agcccaggtg gg 312

<210> 322
<211> 202
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. F03254

<220>
<221> unsure
<222> (1)..(202)
<223> n = a or c or g or t

<400> 322
attcatggtc gantattatt tattgtcaga aaggtacagc attcacacca atatcagaca 60
aaatagattt taactaaaaa attatttcgn gacaaaaata acaatatatg tnaataaaag 120
gctcaattaa aaatgtataa caattataaa cacatacaca tcaaacaaca gtnccccaaa 180
atacataaag caaacattga ca 202

<210> 323
<211> 305
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F03969

<220>
<221> unsure
<222> (1)..(305)
<223> n = a or c or g or t

<400> 323
gaactttggg aaaattattt atttctcccc acggggttca gacaagtaat ttcacatttc 60
attgtaagtc aagggtaaga aaacattttt tgtacatcca tcactaatag agatcacagt 120
atgtcaatga aatatttaaa tacactgtac agagattgct ttttaatgga tttctataag 180
tagtattaat aggaaaaagc atataataca atctactctg tatctaagag ctttaattta 240
ttcaaatatt ggaagaaatt catctnctga attttnctta tttaaaaagc attatgagaa 300
ctgat 305

<210> 324
<211> 335
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F04112

<400> 324
aatagagatg ggggatctca tcgtcaccca ggttggaatg cagtgatacc atcacagctc 60
gctgcagcct ccacctcctg ggatcaaccc ctacctcatt ctcctgactg ggactacagg 120
cactcaccac cacactgggc taattaaaaa aaaaaattct tttttgtagg gaagtggtct 180
tgctatgtca cccaggttga tctagaactc ctgacctcaa gtcacccgtc cgcattatcc 240
tcccaaagtg ctgagattac agacgtgagc cactgcactt ggcctattta gggcttctaa 300
ttcactttcc ttttccttct tgtctaattc ttgtg 335

<210> 325
<211> 178
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. F04492

<400> 325
gtagagacgg agccatccat gtttcccagg ctggtctcga actcctgggc tcaagcaatc 60
ctgccgcatt ggcctctcaa agtgctgcga ttacaggtgt gagccattgt gcctggccaa 120
aatgtgtatt tttaatatgc tgctgagttg actcttgtat gatcaggagg agcatttg 178

<210> 326
<211> 211
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F04816

<220>
<221> unsure
<222> (1)..(211)
<223> n = a or c or g or t

<400> 326
gatgtaacat ttgtnatttt attggaaaaa gctggtatta acatatttat agttttattc 60
aacaattggg taatttgtga gacaccaaag aaaaaaagaa tgcacctatg agttacagag 120
tccaaactga tcagggctga caacttgacc accatgtntc ccacaccacc acccccacca 180
ccaccaccac caacagcttc gtcctcagag a 211

<210> 327
<211> 276
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F09281

<220>
<221> unsure
<222> (1)..(276)
<223> n = a or c or g or t

<400> 327
actgtttaaa tataattgaa gtttttnata tgatgaagtg ctccataatt taaatgtaaa 60
aaaccaatag gaaatatatg aaataaaata aaattatacg taaaagtgac aatgcctcta 120
ttagatttaa cagtatctta caatagaata agttgaaacc tacaaaatgg aagaaagttt 180
aaaattaggc agatattatc ancctggtga agaataaata catatgtcaa taagcattta 240
atgtatttgg tcttagattt tacatgaaat aataaa 276

<210> 328
<211> 293
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F09315

<400> 328
acagaaattg acctttattt gttgtactaa agcctgttta acttttgata caaagtaaca 60
ttttagtaca gaaaatccca gtctgtcagc tcagtacctg tctgtgcaca ctgtaccatc 120
tcagtcccac tctgcctgta acttagaaaa cagcccctac ccccagaggt ctgcgagtta 180
ataccttgag aatagtctac agtttttcat agtttgtctg agctagaaaa cttgtacctg 240
taaaacaaag gacagcattg aggactgaaa cttgtctctt ttttgaacaa ctg 293

<210> 329
<211> 214
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F09684

<400> 329
gctttacata aacttataag gatttttat ttaaaggatt taaaaatata acacagtcaa 60
tataaacatg tactgggaat tataaaccat tctttcttct aagcactgga tgagatacta 120
aaaacataca gtatcttacc aatagccatt aaaataggct aaaatgaaaa agaaaccgtt 180
gtaacaaggt tactaatccc ccaactttca atgc 214

<210> 330
<211> 332
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F09748

<400> 330
gaatgaaaga atccagcaga tatttattaa gcaagatgaa agtgaaatta caaacacagg 60
tcaactttta aactcagcac tctgttggag tggaggtgca cggtccttca tcataggcag 120
cctatgcgag atgcatctta ggaagggagc tttcgctgct cagaaatcaa agctccatcg 180
gaggtgtcct actggaggca tcagacaaca agctaaatga cgttagggct acacaacaca 240
aaggggaaag ttgacaacaa ttcaggggct ttgagtagtc aagacaatta gcttagtact 300
tcaggtcaat aaatgctaca atttatgggc aa 332

<210> 331
<211> 247
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F10078

<220>
<221> unsure
<222> (1)..(247)
<223> n = a or c or g or t

<400> 331
catgccttga ggaaagctat ttatttccaa gatatagact gtacttttaa gacaggactt 60
ttcagaagca ggaaatttta gttgttgcca gagaggtgtg tcaaggacac agtgaaagga 120
gccatgcgga catggggtgg aaggctttnt ccaacactgt tacaacactt ttgtaaatga 180
gcaaaacatc tttaaaaatc cttataaatt ctttataata tgttacacat ttagagacaa 240

tatttac 247

<210> 332
<211> 243
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. F13763

<400> 332
ttttttttt actttaattt ttcttttatt ttcactgaca gaaaaatttt ctggagagta 60
caatcaagat agtgtattat tagaaataac attaatagaa gcttggtcag aaatgataat 120
agtcataata agcatctctc tcaccaaggc attccacaca gagagatcac agcacaataa 180
ataaaggatt tctcatttgc cacacaacaa ataaaacaat tgcagtaaca aaaatatgac 240
ttt 243

<210> 333
<211> 415
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H01824

<220>
<221> unsure
<222> (1)..(415)
<223> n = a or c or g or t

<400> 333
attcacaana annnntttta ttattcttaa cagtactcac tttaaaggaa taagaggata 60
gcatacattt tttacagaca atatataaat gttgtacata attaacaata acttagttca 120
ctaatccaaa ataaaacaag ccaaataaaa cataaaaaca gaaaatactg ccgnttcttt 180
ttcttatgcg ggacactagn tacaaaataa gttacttctg ggccgtgggt gctccctgca 240
ggcgactgcc cgcccatatt gcacttgggt cactaacatc aggcacaatc ctcctccggg 300
ggccggggcc ccttcancag ggcccaccac accccgccgt tcaccggcat tacaggaatc 360
ttaggcttgg gggacaggtt tattattaca gctgttacct tgggggngng ggttc 415

<210> 334
<211> 309
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H02308

<220>
<221> unsure
<222> (1)..(309)
<223> n = a or c or g or t

<400> 334
tgatagcaca ttttagtttt taataaaatc tgctttttac ttatatttaa ataaattgcc 60
cagttactga atcagaagca tttcttacaa agcaaacaaa ataagcatcc cttctatgtt 120
aataacatgt taatagtatg ttggcaagtt gatttagaac aacttgccaa caatacaaac 180

agaaaaaagg agtgggtcaa agaaatctag tttggcttta ttttcaatag atcatactgt 240
ctgttgaaaa aggaataaat aattatggag cctatctaat aatatactca atagnttgaa 300
attattgag 309

<210> 335
<211> 277
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H03387

<220>
<221> unsure
<222> (1)..(277)
<223> n = a or c or g or t

<400> 335
acgcaagtta gannanttat tatgataact ctgcaatctt ttcagccact ctttaaggtt 60
cctgggcatc cattctgggc acagtgtgac atttacctga acagagagga gantggcact 120
agaagatgag ggagatttgg tgcctaaaaa ttactacaaa caggcagggt gcagtggctc 180
acgcatgtaa tcccagcact ttgggaggcc gaggtgggtg catcacgagg tcaggagttt 240
gagatctgcc tggccaacat ggtgaaaccc catctct 277

<210> 336
<211> 372
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H05084

<220>
<221> unsure
<222> (1)..(372)
<223> n = a or c or g or t

<400> 336
ttttttttttt ttcacagtga gcattaaatt attattccat acagccctgg ccctggccct 60
tcttgaggga gtggggtttn tggggtntgc ccagcaggga tcctgccaga tgatgtccac 120
atgagaaggc aggtgtccaa cagcttcagc ttcacccagt gccccccaga caaataatga 180
caagtccagg gtcttctgat gtgtcaggcc agcactcccc ttgctgatgg gaaaaccggg 240
gctcggccag ccccactgca tcccctcaca tgatgatacg aggctctngc actgactcgc 300
caatagactt gtggggcagc angctggctc cgttgaggta ggagctcatc attaactatt 360
gacgtcctnc ac 372

<210> 337
<211> 353
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H05625

<220>
<221> unsure

<222> (1)..(353)
<223> n = a or c or g or t

<400> 337
ttttttttttt ttttttttttt gcttcacaaa tgtcaatttt attgacacta gtgcacaact 60
aaatacaata attgcaaagg aagtggaacg tgttcaaaca gaaatggtga caatgagtta 120
gaactgcagt tntttcaagg tactacacta ttatttaaaa aaaaaatcac aaanagaaaa 180
atgttatcac tacaagtagg gatttaggaa gngagnaaat tctgggcagt ctgtctagna 240
gggttaaaac atttcatggc atttgtgagt tgctgttgga gagttgtttt ttatttgtcc 300
accgtaatct gggcaacatc cgggggctta ccttcagctc tcggcactgt gcg 353

<210> 338
<211> 501
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H05704

<220>
<221> unsure
<222> (1)..(501)
<223> n = a or c or g or t

<400> 338
ttttttttttc cttctgtagt cgtctttatt tagagcagaa ttcagactca gctggtatcc 60
cccagggcaa ccccaggatg ggganagggc tggtctgtcc ccacccactt ctccaggatc 120
ctcccagccc ccaggctgnc ttttccctcc aactgtcagc tgcttagctg ctcatctggg 180
gattggagct ggagcatctg tcaaggttgt ctccttgaca aacagcttcc tctttggaaa 240
tggcttcact caggtcctgc aggtcatcga gcaggacaga gagggacccg gggaaggaag 300
acagcagatg agcaccagac aagggaaggt gctcgtggtt acagagggaa acagggttgg 360
gcacagggaa atgagggaat ggggagagag ggaggctctt tgggtccaag ctggggcatc 420
ncttaaaaga ggtttaaggg tntcgaagga ccncagagaa caacattctt cntgcgagat 480
ttttaagagg gagttttctn a 501

<210> 339
<211> 465
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H08548

<220>
<221> unsure
<222> (1)..(465)
<223> n = a or c or g or t

<400> 339
ttttttttca caaatattgg cttggttttt atttctatgc ttataaaaaa aatatgaagc 60
ttctttgtgt ggactgaagg ggtgttagcc tgtggatgtt ggtcttcggt gcctgtaccc 120
cagtggctgt ttacattcca ggncctgct aaataaagna ggctccactg ccagctgtct 180
gtacactttt tcttgggga agagttcttg tcttcagttt actgcagtag ggttcctggc 240
tctgttacat gctcatgtgt tccggaagaa catatgaaat atcatcccac ggatgacgat 300
acagcccctg cttcagcctn ttctgatcaa gatagtntcc aatgaacccc atactccttc 360
ccagcacaaa gatgccattg agggctccaa tgtcaatatt attgcatcag cttcctcccg 420

agtaaaggga cccacagttt tttaaggatg ttttacaatt gcgat 465

<210> 340
<211> 313
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H15143

<400> 340
ttttttttttt tgtgggtcac agttgagggt ttattgccag tgttaggaag aatgggggt 60
ctgggtggcc aggggtcttg ggaggaattc caaatgagca ctgcagggcc tgtgagtggg 120
gaggagagct gctgcccccc tgccacccag gaggccccag ggctgatgcc accatatcct 180
gactgctagt ggtgccttaa aaggtggcct ccccacagga ggggagcctt gggggccccc 240
aggagtcagc cctcaccaac aagccctctc tcaaggggc caggggcttt tattcctcat 300
gggacaggct ggg 313

<210> 341
<211> 295
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H16171

<220>
<221> unsure
<222> (1)..(295)
<223> n = a or c or g or t

<400> 341
ttttttttttt ttttttttaaa ttaaacaccc ntatganttt attaaatcca gaactgtgtt 60
aaagggcggc ggtctncgag ggggagtntg gtagggggac gagggacaag atgatgaacg 120
gccgtgggca tcccntaggg ngacccggnc caccccccgcc caacccaccc cctcngcaac 180
gctgcatcag cttcaccatg attcccagtg gtgctgggct gggcagggcg agatggctgg 240
gaaacacaga gggacagagg gacagacaga cgccttccac aaacaaaccc tggnc 295

<210> 342
<211> 389
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H16676

<400> 342
ttttttttta gttttgtggt actacatatg ttttattaaa aattcaaact ttttttcaga 60
tcgaagcata atttatcttc cattaacaaa aacgaagatc ttaaatttga cacgattaca 120
attaaaatgc tgaaaggagt tatgaggcat ttaaatcatt cttcaattag aatgtttgca 180
gcatatttct cagaggctga cctggaacac attacctttg ttggcaggca tcaaaggcag 240
gataaatcct gtggctggaa atcaattgtg agtcccatta ggatgacttt ctaggcacac 300
atgcataggg tcttgcactg tatccgttct acttctagga aggttgctgt ctggaaggct 360
ctttcccctg ggcgaggtca ctttcccgg 389

<210> 343

<211> 471
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H16768

<220>
<221> unsure
<222> (1)..(471)
<223> n = a or c or g or t

<400> 343
ttttttttta atttataaaa atgaaaagtt tatttgtctc atggttctga caggctgtac 60
aagaaacatg gcaccaacat ctatttctgg tgagggcttt aggctgcttc cactcatggt 120
agaaggcaaa aaggagctgg catgtgcaga gatcacgtag ncaagagagg atacaaggag 180
atttccaggn ctctttttaa cagtcagctc tcatgagaag taatagagga agnaagtcac 240
ttactactga gagagtggct ccaagccatt ncataaggaa tcaaccacca tgacacacta 300
gggcctcacc tccaaaactg gggaatcaca tttcaacatg aggatttggg aagggtcaaa 360
tatccaaact ataggcattc taccctgga acgcctaagt atcctgtcct tctcacaagg 420
caaattacat tattttattc ccattagttt cccgaaaact taacttgttt t 471

<210> 344
<211> 354
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H17333

<220>
<221> unsure
<222> (1)..(354)
<223> n = a or c or g or t

<400> 344
ttttttttta attgttaata ttgctaattt gtacaatggt taatgatctt ataaaatagt 60
tgtatgaaag caccaaccac cttagaaagt ctgaccagca ttcatatcta ctttccagac 120
cctcatccct cctccccact cacctgactc tgctcggctc attcatgggc tttcctgtgc 180
tctgccattg ctcaggtgag tgagcagttc gcccggcaca ttgaccaggc agatccaggg 240
canccgatcg gtggagccca ggaaatggag aggctggcac agctgcagca atgcctgnaa 300
gctgtcctga ttttctccgg cttngagata gccaccactt ttgagcatta ttac 354

<210> 345
<211> 486
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H17550

<220>
<221> unsure
<222> (1)..(486)
<223> n = a or c or g or t

<400> 345
tttttttat ttttaaaaat ctatttattt atcaaaacag tattggcaca gtaattctca 60
tattatcatc aaataataaa attgctactt tctgtactca attctttaga atcctagaaa 120
ttgcaaatgc attcaattta acaatattgt aaataacaat acaaaagaaa gaactctgca 180
tatttatgga aacattgttg atggtacagt tctactgaaa ctcatacaca tttcactatt 240
taatttacat atggncttgt tgaaaaaaac cagtatgttt tacttttca atttccttat 300
ggctaaaata catgtaattc taaagggata tctcttgggt gttataaaaa ccagggaggg 360
tccaccacca ggtcaaggtt ggngtcaagg ntacttcaaa ggttccctgg aatggatccg 420
gaaaacaaat tttaacccna aaatgtggta ccgntttggg ggggcccttc ncgggccccc 480
caacgg 486

<210> 346
<211> 371
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H18947

<220>
<221> unsure
<222> (1)..(371)
<223> n = a or c or g or t

<400> 346
ttttttttt ctttttttag gnttcatgtt tgttttattt aaagtctggt tgggtacaga 60
aaacacacac acacttaaca ggttaaaata tccaaataaa atttactgca acttttgtag 120
aattttattt gtgctacaag acacgttgca taagaaacta tttaaagccc ctgaggaaaa 180
aatatccatg gtttaaggtg caactggttt tgtttcttct ttggggaaaa ggtgatagat 240
ggtctctggg agaaattatg gggtggagtt gagaagcaca atcgaaggtt atatggtggg 300
atgattggcg aattgtgtgt cctgggttct tggcagcatt aaaatagcct aatgttttgt 360
tctttttttc a 371

<210> 347
<211> 187
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H21814

<220>
<221> unsure
<222> (1)..(187)
<223> n = a or c or g or t

<400> 347
ttattgaggg tttattgagt gcagggagaa gggtcttgat gccttggggt gggaggagag 60
acccctcccc gggatcctgc agtctctagt ctcccgtggt ggggggtgag ggatgagaac 120
ccatgaacat tctgtagggg ccactntctt ctccacggtg ctcccttcat gtcgtgacct 180
gggcagc 187

<210> 348
<211> 432
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H22453

<220>
<221> unsure
<222> (1)..(432)
<223> n = a or c or g or t

<400> 348
ttctcttgtt gctggagttg taaaaatcaa tgtcccattg ctgagatcga agctccctgt 60
gtctctgggg ggctcagcag ggacgatggc ctccagagtg gacctctgag aaattgcaga 120
ggcatcagag ctgtgggctc agcatatgag gtccccaggg gccatagacc ccctcctcct 180
gggaagagtg ctcctgcaga gcttatttgc aatctcctgg gagtcccaga ctcaccaaag 240
gattcagatc ctcttctttt tgcctcctac atagagcaca ttatagacct gaaacaggaa 300
tcagaattcc agactccctt agtgaggaga caaagtgtta ggtcttagct ttttcccttc 360
taaattaagg gtcctccctg ggattcaggt tgcctgatag cttatncctg aaantggtng 420
gagataggga aa 432

<210> 349
<211> 233
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H26288

<400> 349
aaaaacacca gtttgaaaca cattactgaa agtgagtgta cacaataaat agaaaatagg 60
gatgcatagt gctggagaca ttcaaccaac ttatcttcat ctgttgccta ctgttgtaga 120
caaaatttga cacacaatta gcattactga aagagcagcc aaactacctc ggagaaagtg 180
ggcaaactac tggaaaagta gcttaaagct ctgggaccac tcaccaaaaa taa 233

<210> 350
<211> 290
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H27180

<220>
<221> unsure
<222> (1)..(290)
<223> n = a or c or g or t

<400> 350
aggntttatt ttggaccaaa aaaaaaacca caattgtttt ctagctggaa gantgggcaa 60
ggggggtccc agacagtaaa ctcccccacg ggtgggttga gcctcaggtg gggggtctcc 120
tgttgtctgt gcttccccac acagcagcct ccctcctggn gtctgtggca gccacgggag 180
gggcagacta ggaggagctg ccacagttnt tcacttgggc aggaagtcag aggactcaga 240
caccagcttc ccatcgcggg tntcgatctt cttnanaacc acggccctgg 290

<210> 351
<211> 292
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. H27675

<220>
<221> unsure
<222> (1)..(292)
<223> n = a or c or g or t

<400> 351
gtgtctccat ggcgagtggg agcgtgaaga tgaccagctt tgcggagagg aagctccaga 60
gactcaacag ctgtgagacc aagtccagca ccagcagctc ccagaagacc acgccagatg 120
cgtctgagag ctgcccagcc cctctgacga cgtggaggca gaagagggag cagagtccga 180
gccagcatgg caaaggntcc cgccagcctc ctggcatctg agctggtaca gtggcacatg 240
cantcgaagg agaagcgcag ggccatcgag gccaggaaga agaagatgga gg 292

<210> 352
<211> 327
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H40424

<220>
<221> unsure
<222> (1)..(327)
<223> n = a or c or g or t

<400> 352
ctgtatantt tnncttnttt tttctcttgt gatttggcac ttaaggctta agcgcnaaaa 60
aaaaaggcat ctactgacaa aatatgggac ttgtctgtna tgcatggtaa gtgggctata 120
aaatccaggg agggggtttc aagccagaag aagctactga caaattgact tgtccttatg 180
ttaggtgggg ttatgagggg gagagggagg gcacattctg aggtgctggg ggaaaggggt 240
tgagcttaac cttgttaatg tagggcctgt ggggaatggg atgggtaggg agaagagggt 300
atgggatgtg ggtgcagggt aggggct 327

<210> 353
<211> 448
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H44631

<220>
<221> unsure
<222> (1)..(448)
<223> n = a or c or g or t

<400> 353
actcagcatn cnttttattt tnctatctga catttctaac aaaacgccag ggagacggag 60
ttaaaaagaa tccaccccac gaaaggtaaa caaaggagac cctcagaaac tccctggcaa 120
ggatgttccc ctccccagat tgggcccagt ttcaccagca actgggtctc agactcagcc 180
ttatgccttt ccactgacac cccccacccc tccacantct cgtgattcag accagggaac 240

ttctcgggct gattgtgtcc gtgtgtctga gggaggggca cgctggaacc tgggaaccta 300
ctgggcacct ctaatgcaga tgagaaaaac ttgagaatgt gaaaggagat cagtccccgn 360
tcccacccga aggtgcagag acgcgggaca ttaaccagca gnacgcgggg gtgaaggaac 420
tcagggcaat ttctcccant gccagggg 448

<210> 354
<211> 346
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H48793

<220>
<221> unsure
<222> (1)..(346)
<223> n = a or c or g or t

<400> 354
gatttaggag attccaagtg atacctttaa ttcactactc tatgtcctta ttaataaata 60
catatttaaa aaaacctata caatatagtg tatttacagc atggaagagc agagactctg 120
aagccagact gcctgagttc aaatcctgac acttctactc aaatatgtgt gagtgacttt 180
gggcaattta cttactcttt ctgtgtttct atttactcgt ctacaacaat aatttctacc 240
tcatcaaatt aaattaaaaa aaaaacggct taaataggtt aacatttgta aataggctta 300
ggaaaacact acatttaaaa aaataancat tcctaaccca ccttcc 346

<210> 355
<211> 458
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H49440

<220>
<221> unsure
<222> (1)..(458)
<223> n = a or c or g or t

<400> 355
ggagtttcac catgttggcc aggctggtct caaactcctg acctcaggtg atccacctgc 60
ctcagcctcc caaagtgctg ggattacagg catgagtcat tgctcccagc cattagaaag 120
attgttaatc ctatgaactc ccttttgtag gagagaaagg gccaatctgt aggggtagcc 180
ctgtccaggt aaagttgttt tcagcctcat gtctactgtt aggtgaggga gtcacagcca 240
gacagagagt attgctggag ggtgagagaa ttgtggagac caactaccac atagcaagag 300
cccagctctt gggagcattg agatgtaagc tcagggttac acagttccaa atcttgggga 360
aggggctttt tcagacagac tgtttgcttt ctgctgagat taaggaattg catcantctg 420
ccagagtatt gacttttaa cagattatta aataaagg 458

<210> 356
<211> 446
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H52835

<220>
<221> unsure
<222> (1)..(446)
<223> n = a or c or g or t

<400> 356
cggataccct gggggcctct gctcctctct ttgtggagac gtcgtttcac cggcggcgcg 60
tgaccccggc agctgtccag agacccagag atgtccaatc acaggcgcac ggtgcacagg 120
cgcgcagggc tgcctggaac gggcccaggc aggcagtgac cgggacctct ccggagggag 180
aggaacggtg ccctcccggg aggagctggc caggcaggcg ctgcccaggg cggccttccc 240
tgctggacta cggcattgcn actgagttat ataaagacac tatttgggga aggacagcgg 300
gtgaggactn ggcgcggcgg cacacgcttt gcctgttgtn ttcagctctt ctgggggcca 360
aggcagggag ttccagggtt tacagtgagc ctgatngcca attgctttcc aaaagagaga 420
aacagagaga aagggattna ggcttc 446

<210> 357
<211> 386
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H54764

<220>
<221> unsure
<222> (1)..(386)
<223> n = a or c or g or t

<400> 357
gatggagttt cgctcttctt gcccaggctg gagtgcaatg gtgcaatctc ggctcactgc 60
aacctccacc tcctgagttt gagattctcc tgcctcagcc tcccactggg attacaggcg 120
cctgccacca cgcccagcta attattgcat ttttagtaga gatggggttt caccatgaaa 180
atttttattt ttattaaaag agtgcatgag ttagtcatga aggcagagcc agggcggcct 240
gcataccaaa tgtgaaggaa cagtaccaat tgacaaagga aggcacaaaa ctaggacaaa 300
ggaaaaggga cttcaattaa ataaggtaat ttggaactaa ctggaaaatt gaggaggggg 360
aaatngcaaa taaaatnggg gaggca 386

<210> 358
<211> 384
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H56673

<220>
<221> unsure
<222> (1)..(384)
<223> n = a or c or g or t

<400> 358
gttaccaaga cacaatttta agatcaaaca agtgtcaagg taggccatgg cttgttggca 60
gtagtagggg ccctatggct atttccaggt atgggtggcc ccttttcctt ggttatctgg 120
ggaatctgcc acagcagaca gcaaaaggta aaaagcatcc ctttaataac tacaccccac 180
tccagcaatt gaggtttatt caggggtggg tcaaagtagt acaagacaaa aatagcttag 240

tgaaatggnt tagaatccag actgaggtgc cagactgcct gcatctgagg tctcaggtcc 300
caccatgtat ggaggccgtg tggaccttgg gggtgaggtt actaggcctc cccggggttt 360
caaatcttct tcacctgtaa aatg 384

<210> 359
<211> 440
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H58873

<220>
<221> unsure
<222> (1)..(440)
<223> n = a or c or g or t

<400> 359
actataactt agtgtctgta tttaatattg acaaccaaaa atatatatan ttttnttgca 60
tctatacaca acagggcagg agtctccatg tnttcttgag cagtgagttt gcaggctccc 120
acaggccctc ttctcatggt aatagtgtgg ccctagtgca aaggagacta gaacccggca 180
gcccagactg gcccttcccc tctcctccct gcactccagt gcttcccaac tggtctcagg 240
taaagaaagn ttantttgag tggttgggta ggaagagatg ggaaggggca aatcctaatg 300
ggagcctgac ccctagagtg gggagttcca gggccagcag aacgggtggg ccatagccct 360
ncctggggnt agaagctttg tagttcatag ttcgattagt ntgtccntag ggcatnaggt 420
nccagcccta cagattagct 440

<210> 360
<211> 284
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H60595

<400> 360
aagacagagt ggactgttac aaatgatttt gcaaaataca aaaatagata tacttccact 60
gaatgcttta atcatttttc cgggcactct catcttttgg ttcttcctca tctgagtaca 120
cagtgggctc ctccccctcc ttcagcagtt tgcccacgtg atgatacttg aaagtgaact 180
gagactccca gtcactcaga gtctcctgct gggcgcagtg aggtcagaaa ggtcatcgta 240
ctcatccttc agtgcttcct tatccgggga aaatgtgggc aagg 284

<210> 361
<211> 317
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H61295

<400> 361
gaaccctcta agggacctca aaggtgattg tgccaggctc tgcgcctgcc ccacaccctc 60
ccttaccctc ctccagacca ttcaggacac agggaaatca gggttacaaa tcttcttgat 120
ccacttctct caggatcccc tctcttccta cccttcctca ccacttccct cagtcccaac 180
tccttttccc tatttccttc tcctcctgtc tttaaagcct gcctcttcca ggaagacccc 240
cctattgctg ctggggctcc ccatttgctt actttgcatt tgtgcccact ctccaccccc 300

gctcccctga gctgaaa 317

<210> 362
<211> 370
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H64493

<220>
<221> unsure
<222> (1)..(370)
<223> n = a or c or g or t

<400> 362
gggtgcttta tttccatgct gggcgcccgg gaagtatgta cacggggtac gtgccaagca 60
tcctcgcgcg accccgagag cccggggagc gggngcttgc cggccgtcgc actcatttac 120
ccggagacag ggagaggctc ttctgcgtga agcggttgtg cagagcctca tgcatcacgg 180
agcatgagaa gatgttcccc tgctgccacc tgctcttgtc cacggtgagc ttgctgtaga 240
ggaagaagga gccgtcggag tncagcatgg ggaggcntgg gtnttgtagt tnttctccgg 300
ctgcccgctg ctttcccant ccacgggcga tgtcgctggg ggtagaagcc tttgaacagg 360
gaagtcaggc 370

<210> 363
<211> 460
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H66642

<220>
<221> unsure
<222> (1)..(460)
<223> n = a or c or g or t

<400> 363
ttaaagacag agtttcgctc ttgttgccca ggctgtagtg caatggcgcg atattggctc 60
actgcaaccc ctgcctccca ggttcaagtg attctcctgc ctcaccaagt agctgtgatt 120
acaggtaccc gccaccatgg ccagctaatt ttttctattt ttagtagagc cggggtttca 180
ccatgttggc caggctggtc tcgaactcct gatctcaggt gatccacctg tcttggcctc 240
ccgtgctggg attataggca tgagccacca cgtccggcca aattttactt cttaaaagtg 300
cttttctctc agtgatatca aggtcttctg tctactatta taaccataag cttctttagg 360
cattaaggag ggaaaatgtt taataaaatg taattaaact gggatggaat ggtcagtgta 420
tttaaatgta aatatactta aatgtaatta ccggggnggt 460

<210> 364
<211> 291
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H68097

<220>

<221> unsure
<222> (1)..(291)
<223> n = a or c or g or t

<400> 364
tgaagtttat ttnctctggc agtatgtttt agtttcttgt ttttnatttt gttgtgtgtg 60
tatgtgttgt agattttatg atttgaggtt accatgaggc ttgcaaataa cataacatgt 120
tattttaaag tgacaacttg acactgattg caaaaacaaa cagggcgaag agaactaata 180
aaaactgtac actttaactt cattcctcct gtttttnaag gtttttatgg gtttctattt 240
atatctcctt gtactatttt gaaaagggna ttgcaggtta tcatttgttc a 291

<210> 365
<211> 317
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H77597

<220>
<221> unsure
<222> (1)..(317)
<223> n = a or c or g or t

<400> 365
tcaagtctaa gtgtttaatt attattcaca tatttcacag aaaaaaagga atgtagcaaa 60
tgagtcggag ttgtagaaaa aaaaaatcct ggnttttacg tgtcattctg ttttcatctg 120
acagcagggc tgtcccgaca tcaggcacag cagctgcact tctctgacgc ccctttgcag 180
atgcagccct gggcacactt gggcacagcc caggggnaaa caggagcagc agcctggggg 240
aaaaagggag agagaaggtc acaggcagac ttnaccaggg ganctccctt tcccaacagc 300
aggcctgggc tcaagct 317

<210> 366
<211> 340
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H81070

<220>
<221> unsure
<222> (1)..(340)
<223> n = a or c or g or t

<400> 366
caggtctaaa gtgtttaatt atcactcaca tatttcacag gaaaaggaat gtagcaaatg 60
ggtcaaggtg gtataaaaaa aaaatccagg tttgtacatg tctctctgtt tacatctggg 120
agaaaggttg tcctgggcat cagtcgcagc agctgcactt ctctgacgcc cctttgcaaa 180
cacagccctg gggcacactt gctacagccc acgggnagnc agggagcagg cagctctttc 240
ttgcaggagg gtgcatttgc ctctttgcac ttgcgggaac cagcgcggtg cagggaggac 300
accagcggcg cagggagcag ttgggggggtc cattngcaag 340

<210> 367
<211> 330
<212> DNA

<213> Homo sapiens

<220>
<223> Genbank Accession No. H81379

<220>
<221> unsure
<222> (1)..(330)
<223> n = a or c or g or t

<400> 367
ttaannttttt ttaaaaccaa aagaacaact ttaataagct tttacggcac tgcaattaca 60
ggaacatcga cccataacat gcaacaaaaa tgattttgcc ttttggacat atttaacaga 120
taaacttgac attacaagta acagcaacac attcccattc tactgaagaa aacaaatgcg 180
atttaacttt caggttagaa aacgtatctt cttactgcaa tctcaagtng gcatttngaa 240
agtttagttt tccctttttct aacctctaaa agatgatatg atttttaatg caatcataca 300
caactgtttt cacattgggg aatantcacg 330

<210> 368
<211> 419
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H81413

<220>
<221> unsure
<222> (1)..(419)
<223> n = a or c or g or t

<400> 368
ngagccagaa aaggattttt tttaattcaa gtaactgaaa taggaaacca gaggggggagc 60
cccaggctgg gataaatcat ggctaccccct ccccaacaga acaggggggag gaggtggccc 120
ctacacccat tatggtcgat tcgggccccc ttgctcactc tgctgcagca tcctagaggc 180
agggccccac cttccctggg actggggtag tcggtcaccc agcctgcatt gccccagccc 240
ctnttcccca caaagagtat cttgggggag ggnttcgtgg ggcagaacag gagggcaatg 300
agggatgaac attgctcaaa ctcctttcaa aggggcacct gaccgcacag gggaggntgg 360
gcaggaaggg caagggntgg gggatgccgt ntaaggaggg cggangcagg cantttgg 419

<210> 369
<211> 386
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H83380

<220>
<221> unsure
<222> (1)..(386)
<223> n = a or c or g or t

<400> 369
ttaattgcag aaaaatttat taaattggaa aatcttgcgt ttttcaatgg cgctggcccc 60
gggtcagcgg cgattttctc tgcatcaaga tgggctttgc gtttccgtag tgggcaccag 120

tggtggcctg attgtcagtc ttctcccggc atttttaagg ccagggagcc gaagcgctgc 180
ttgtaggcga ataccctaca gagcggtttg gctttttaaa ttactgttat tattttgggc 240
agagaacagt cggtctgggt gcaccccgtc ctcgctgcag aagaggctgc gagtccgagg 300
tggggtctct cgggaaggtg aaattccttc tnggggntna gcgagccccg gccccgcgcg 360
gcagtccagc ggccccggtg ttgttg 386

<210> 370
<211> 335
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H84761

<220>
<221> unsure
<222> (1)..(335)
<223> n = a or c or g or t

<400> 370
cggcacttta ttagtgggga aacndgccnt ggnctggcag agactgggat caacaggacc 60
ngcacccatc tcgaggnggt attttcngta agancaggng ttccnccctc gtaggtttag 120
aggaaacacc ctcatagatg aaaacccccc cgagacagca gcactgcaac tgccaagcag 180
ccggggtagg aggggcgccc taggcacagc tgggcccttg agacagcagg gcttcgatgt 240
caggctcgat gtcaatggtc tggaagcggc ggctgtacct gcgtaggggc acaccgtcag 300
ggacccacca ggggactttc ttcaaagttc cnggg 335

<210> 371
<211> 178
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H86112

<220>
<221> unsure
<222> (1)..(178)
<223> n = a or c or g or t

<400> 371
gcttaatggg gccaaagggg caacacaaag cattgaaaac atcactggct cacaaaacca 60
gtcaccttgt taccttctca gttgcatttg tttatttcac aaggcttcat tcacacataa 120
aancaagata ctantccaat tcangttcat aacggttata anggtaanca tttgttgg 178

<210> 372
<211> 287
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H88338

<400> 372
atgcatgttt aaacatttaa tctagaactt gattacaaag taatttaatg aagaaaataa 60
tctgttataa ttcttataga tgtttattag tttttagatt taaaaaaaaa acagggctta 120

taattaaagc aattgactaa tgatctcaca gcctcaaggt tgtatgcaaa cctagattag 180
aaatactttg gtctctaaaa ataacaaaat ggaccataac attttttttc ttacaagttt 240
gaagtgggtc aattatgggg gaaacacata cattcctaag gggaaat 287

<210> 373
<211> 337
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H88798

<220>
<221> unsure
<222> (1)..(337)
<223> n = a or c or g or t

<400> 373
nactttaata agtataaagt atataaacaa ttaggtaagc ttgtggagaa gctgaccaag 60
atacataaat taggaaatac aagtgtccat ctaaattttc tatatttcat ttttttcata 120
atatttatta aaggtgttta atatacagtt tctcatctgt cattttggaa gtcctttatt 180
gtaaagacaa ttctattgtc tgatgacaaa cagcagccac catggttatt caggacctcc 240
acgttggata aattccattt cttcttgaga cacaagtttc cttctggtat ttctgaggta 300
atggntttta ttatttctgg cagtgtctgg tggaccc 337

<210> 374
<211> 321
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H91703

<220>
<221> unsure
<222> (1)..(321)
<223> n = a or c or g or t

<400> 374
ccataagaca agtgacatat ccaaccaacc atccatcccc acctgtgccc tattctttcc 60
ttgtgtttct ttagagcctt ttcagctatt tcctgtgaag caaactgcac gaaggcctcc 120
cccgtactcc tcccctggaa gtccaccggc aatgttatcc catttggcac gatttccaac 180
ccttcaaccc aaggacaaat aaccccagta gggggncaat attaacatca caagcccagn 240
aaatgattct tcttataggc tttaaataaa ccaggacttt ttaactttag ggtgaatggg 300
tatgctttca acaagtactc t 321

<210> 375
<211> 395
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H94471

<220>
<221> unsure

<222> (1)..(395)
<223> n = a or c or g or t

<400> 375
tttgttactt ttacatgatc tttattattt aagaaaaacc tcttttaacc atttatataa 60
cagaaaaaaa atagggaggc tggtagatca tcacatatat agtagctaaa atatgaaagg 120
ccagggaatt tattattaat gaagtcataa aacagactta accaaaagtg tgtgctagga 180
aacaagcagt ttcacttcag agacttcatt gcaggaaccc agtttcctta tgtggaaaaa 240
agtgattata aataacagtt atctgaaagg tggttgagag gattaaatga gatcacctat 300
gcaaacaaat acatgtaggt atgaaagacc atccgtcctg ggggtngtgg aaagtttaag 360
tttccccncc agaacccttc cctttaaggg cctta 395

<210> 376
<211> 373
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H94475

<220>
<221> unsure
<222> (1)..(373)
<223> n = a or c or g or t

<400> 376
tttttgccca ttcattcttt attcaggtgg cataaaaatc actacaaaaa ccttacaaaa 60
gagccttaag gagctcatgg gatccttccc tgcctcggtt cctgagctcc cgggcagagg 120
agggagacag gagaggaagg aagggaaatg ctggcagtgt tgggatctcg aggagccgtg 180
ggaagtctgg cgtgacaagg cacagggggt aggatggagg ctgatggact ctcggcaggt 240
taggccacag ccaaggctgt gccangacac gagttccacg cggggctgag gacaacgctt 300
cgcctcccga gccaccacca gggcccgtct ctccccaccc taagcctagg tgtcccggga 360
caagtccaaa ggc 373

<210> 377
<211> 417
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H95960

<220>
<221> unsure
<222> (1)..(417)
<223> n = a or c or g or t

<400> 377
ttttattgtt ttagtaatct taacataact taaaataaga gaggggaaat gacatctgga 60
gatctaggta tgtggcccat tgcaattgag cacatttctt gggtctgttt ctctatctct 120
aagggcagtc tcaaaacccc agctcaaaat acgacactaa catgatgaac atgcatgagc 180
tttgaaaagt gctctgtagt cttatgatga tctagaagag cactgtccaa tagaactttc 240
tgtgatgatg aaaagattct acttctgacc tattcaatag ggtaaccact aatcatgcat 300
ggctctcaag cacttgaaat gttgctagtg tgattgggga gctgcgtttt gaatgttaac 360
naatttanat tttaaatcnt taaaaagttt acatgtgggt tagtgggncg ccgtacg 417

<210> 378
<211> 439
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H97538

<400> 378
atttttgtag ttttgggcaa aacattcact gttctgtttc agcatatttc cttggaacat 60
cttcatctct ttccattttg cggacactcc ccttcttcta ttctccttta ctcaaaacat 120
atggtttaga cccacatcat ggctttcttg tgggaagcct ggatgggact aggaaaacac 180
atgtttccaa catggtgcat atctgtttgt gcagatatca gacaagattt aatcttgtct 240
aacttatgcg tattgttttg atgtttgcct gtggttattc tgggcacagc aatggtggac 300
attattgaaa atgaacttta ttggcagatg aaagataata gaacatgaag atttatgaac 360
taccataagc tctgcatctc tgggtcttca tttccaaagc agcacttgga aaaccaagcc 420
cagtttcagg caaagagtt 439

<210> 379
<211> 440
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H98835

<220>
<221> unsure
<222> (1)..(440)
<223> n = a or c or g or t

<400> 379
caagatcctg cctcccaagc ctataagctt taccaggaga gaggcaggcc ccaccccaag 60
atccactatc cactctttga agaaagatta gagccatgtt ctcagacttt gggctgcatc 120
ctaatccctg cgaagtgcac aatgtgtgat gactccaccc tccacccgat ccagagggtc 180
tggggtgaga cccaaggctg agaggcctcg atggcttcct ggccccatct ccggcagcag 240
ctctatggct gggctctcct gcaggctggg tgcaccccag gccctcagat ggttctaacc 300
agaatcgatg ggcagcagtg acttcgactg tatcatcaat cttggctgcc acaaggttgg 360
gttgtccagg ccctcagctt ganccttgga ggtggggccc ccacacagag ctttgtctgc 420
ccccagccca ccctcattta 440

<210> 380
<211> 495
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H99035

<220>
<221> unsure
<222> (1)..(495)
<223> n = a or c or g or t

<400> 380
tgagctttgg acaaatttat tgaaacatac aggcggctgt tagcagagaa atcattccat 60

gattgatgtg ttacatttgg ccactacctt gaatgtataa tttaaaaatt atatttttca 120
caactaagcc tttgncaaaa aagtcattta gcacatcttt aaagatcaat aagaaatgga 180
ttttggacat taaaaagatc aagtcactga attaaacagt agcaaccccc attaatctag 240
aatcccatag tgctgaaggt agaggtgtct gtgcaaagct agtcatttgt taacagcaat 300
cagaaganga tgggggcagg cacacctgtc agaggtggca gcagactggc aggacaggac 360
ggctgggctg gtctggtcag gtgagcatgt cccagagaca gcagcaacag agagccgtcc 420
agcaggctgt gaggcaggtg gatggtccta gctcatctcc tccttgggtc ttctaccaca 480
tacactgtgg gnttt 495

<210> 381
<211> 424
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H99648

<220>
<221> unsure
<222> (1)..(424)
<223> n = a or c or g or t

<400> 381
ggggtatata attttatttt aagtttatat ttcctgcagg atagcaacat acatcttttc 60
ctacccagag gcaaaataca ttttccaaaa acgtggacac tgcccactgc attaagttta 120
aagtgctccc tatatatata gacagtaaaa gtaagcaaag aaacttacaa cacattccaa 180
tctttaatat ctcaaaaatg tttccaaggc aacattatta aaataattat accacagtcc 240
ctaatataac atcaagctcc agtaggaagg tacagagagg gcaggaagtt tccatccagt 300
ctggtttagg tgctcttctt ttcttcaccc agtaaattca cggtagcttt cttcgcttct 360
ttagtgatgg catctgcagt ccccttggcc ntgtctttaa gggtccctga ccacactggt 420
ccat 424

<210> 382
<211> 438
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. H99694

<220>
<221> unsure
<222> (1)..(438)
<223> n = a or c or g or t

<400> 382
attttnatat atgtatatat ttattatgtc acaaatagct acatactgga taagccagaa 60
agatgaggaa acatgtttgc atctcacact agtgcagaga ttctgaaaaa gaccccactt 120
ggaataccaa accacacatt agattgttct gttcccaatt gtgtgccaaa gtgcactctg 180
aactgttttg gtaaagccga ccgtggagtc atatgaggct gaataacttg ggagaatgta 240
agtctgcaaa ataaacctag gactggattg atcctcaggc cacttggcag gtgaatgtct 300
cgggagtgaa tatgagacaa gcttcctgaa aaggcttata tgacttaaag aacttttgt 360
ttaagtgttt ggtcccaaat aaactattaa gatatataaa gtaattcact gctcaaaaat 420
taccgtcaga taaatatn 438

<210> 383

<211> 749
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. J00073

<400> 383
taggtaagtg gagaggttcc attttaataa tagaatatat ctttaataat ataaatgatg 60
aaatagaggt gagttcatat aacttgattg gccatattat ttcgtggtat gacatatccc 120
acattatagc gaattaatat ctaatggttt ttctgtgaat cctcccaatg tgttatttgc 180
tcccttgctt ggaacttcag agttcactgg aagtttttgt tttcttctgc agattattgc 240
tccccctgag cgtaaatact ctgtctggat tgggggctcc atcttggcct ctctgtccac 300
cttccagcaa atgtggatta gcaagcaaga gtacgatgag gcaggcccat ccattgtcca 360
ccgcaaatgc ttctaagatg ccttctctct ccatctacct tccagtcagg atgacggtat 420
tatgcttctt ggagtctccc aaaccacctt ccctcatctt tcatcaatca ttgtacagtt 480
tgtttacaca cgtgcaattt gtttgtgctt ctaatattta ttgctttata aataaaccag 540
actaggactt gcaacctata aaagcctctc gtttgttttt ggggtaggcg tggggtgggg 600
caggtgtttg ctttgacacc ctgagcattg tcaaagttca gtagcacaay gttcatccag 660
atgaattaat atgacagtta gcrgggagtt ataatgctaa ctttgattca tatttggaca 720
gaatcatgaa tatattcata tccgaagcg 749

<210> 384
<211> 1056
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. J00123

<400> 384
ttctttttat cattacatca aattgttttc ccaggcttgc gtaatggaat gtgaaggtaa 60
actgccttct ctgaaaattt gggaaacctg caaggagctc ctgcagctgt ccaaaccaga 120
gcttcctcaa gatggcacca gcaccctcag agaaaatagc aaaccggaag aaagccattt 180
gctagccaaa aggtatgggg gcttcatgaa aaggtatgga ggcttcatga agaaaatgga 240
tgagctttat cccatggagc cagaagaaga ggccaatgga agtgagatcc tcgccaagcg 300
gtatgggggc ttcatgaaga aggatgcaga ggaggacgac tcgctggcca attcctcaga 360
cctgctaaaa gagcttctgg aaacagggga caaccgagag cgtagccacc accaggatgg 420
cagtgataat gaggaagaag tgagcaagag atatgggggc ttcatgagag gcttaaagag 480
aagcccccaa ctggaagatg aagccaaaga gctgcagaag cgatatgggg gcttcatgag 540
aagagtaggt cgcccagagt ggtggatgga ctaccagaaa cggtatggag gtttcctgaa 600
gcgctttgcc gaggctctgc cctccgacga agaaggcgaa agttactcca aagaagttcc 660
tgaaatggaa aaaagatacg gaggatttat gagattttaa tatcttttcc cactagtggc 720
ccccaggccc cagcaagcct ccctccatcc tccagtggga aactgttgat ggtgttttat 780
tgtcatgtgt tgcttgcctt gtatagttga cttcattgtc tggataacta tacaacctga 840
aaactgtcat ttcaggttct gtgctctttt tggagtcttt aagctcagta ttagtctatt 900
gcagctatct cgtttttcat gctaaaaata gtttttttgtt atcttgtctc ttatttttg 960
acaaacatcc aataaatgct tacttgtata tagagataat aaacctatta ccccaagtgc 1020
ataatatcct tgtaagtctc tttttctcca aggctc 1056

<210> 385
<211> 1089
<212> DNA
<213> Homo sapiens

<220>

<223> Genbank Accession No. J00231

<220>
<221> unsure
<222> (1)..(1089)
<223> n = a or c or g or t

<400> 385
cctggacctc ctgtgcaaga acatgaaaca nctgtggttc ttccttctcc tggtggcagc 60
tcccagatgg gtcctgtccc aggtgcacct gcaggagtcg ggcccaggac tggggaagcc 120
tccagagctc aaaaccccac ttggtgacac aactcacaca tgcccacggt gcccagagcc 180
caaatcttgt gacacacctc ccccgtgccc acggtgccca gagcccaaat cttgtgacac 240
acctccccca tgcccacggt gcccagagcc caaatcttgt gacacacctc ccccgtgccc 300
nnngtgccca gcacctgaac tcttgggagg accgtcagtc ttcctcttcc ccccaaaacc 360
caaggatacc cttatgattt cccggacccc tgaggtcacg tgcgtggtgg tggacgtgag 420
ccacgaagac ccnnnngtcc agttcaagtg gtacgtggac ggcgtggagg tgcataatgc 480
caagacaaag ctgcgggagg agcagtacaa cagcacgttc cgtgtggtca gcgtcctcac 540
cgtcctgcac caggactggc tgaacggcaa ggagtacaag tgcaaggtct ccaacaaagc 600
cctcccagcc cccatcgaga aaaccatctc caaagccaaa ggacagcccn nnnnnnnnnn 660
nnnnnnnnnn nnnnnnnnnn nnnnngagga gatgaccaag aaccaagtca gcctgacctg 720
cctggtcaaa ggcttctacc ccagcgacat cgccgtggag tgggagagca atgggcagcc 780
ggagaacaac tacaacacca cgcctcccat gctggactcc gacggctcct tcttcctcta 840
cagcaagctc accgtggaca agagcaggtg gcagcagggg aacatcttct catgctccgt 900
gatgcatgag gctctgcaca accgctacac gcagaagagc ctctccctgt ctccgggtaa 960
atgagtgcca tggccggcaa gcccccgctc cccgggctct cggggtcgcg cgaggatgct 1020
tggcacgtac cccgtgtaca tacttcccag gcacccagca tggaaataaa gcacccagcg 1080
ctgccctgg 1089

<210> 386
<211> 2133
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. J03040

<400> 386
cgggagagcg cgctctgcct gccgcctgcc tgcctgccac tgagggttcc cagcaccatg 60
agggcctgga tcttctttct cctttgcctg gccgggaggg ccttggcagc ccctcagcaa 120
gaagccctgc ctgatgagac agaggtggtg gaagaaactg tggcagaggt gactgaggta 180
tctgtgggag ctaatcctgt ccaggtggaa gtaggagaat ttgatgatgg tgcagaggaa 240
accgaagagg aggtggtggc ggaaaatccc tgccagaacc accactgcaa acacggcaag 300
gtgtgcgagc tggatgagaa caacaccccc atgtgcgtgt gccaggaccc caccagctgc 360
ccagccccca ttggcgagtt tgagaaggtg tgcagcaatg acaacaagac cttcgactct 420
tcctgccact tctttgccac aaagtgcacc ctggagggca ccaagaaggg ccacaagctc 480
cacctggact acatcgggcc ttgcaaatac atccccccct gcctggactc tgagctgacc 540
gaattccccc tgcgcatgcg ggactggctc aagaacgtcc tggtcaccct gtatgagagg 600
gatgaggaca acaaccttct gactgagaag cagaagctgc gggtgaagaa gatccatgag 660
aatgagaagc gcctggaggc aggagaccac cccgtggagc tgctggcccg ggacttcgag 720
aagaactata acatgtacat cttccctgta cactggcagt tcggccagct ggaccagcac 780
cccattgacg ggtacctctc ccacaccgag ctggctccac tgcgtgctcc cctcatcccc 840
atggagcatt gcaccacccg ctttttcgag acctgtgacc tggacaatga caagtacatc 900
gccctggatg agtgggccgg ctgcttcggc atcaagcaga aggatatcga caaggatctt 960
gtgatctaaa tccactcctt ccacagtacc ggattctctc tttaaccctc cccttcgtgt 1020
ttccccaat gtttaaaatg tttggatggt ttgttgttct gcctggagac aaggtgctaa 1080
catagattta agtgaataca ttaacggtgc taaaaatgaa aattctaacc caagacatga 1140

cattcttagc tgtaacttaa ctattaaggc cttttccaca cgcattaata gtcccatttt 1200
tctcttgcca tttgtagctt tgcccattgt cttattggca catgggtgga cacggatctg 1260
ctgggctctg ccttaaacac acattgcagc ttcaactttt ctctttagtg ttctgtttga 1320
aactaatact taccgagtca gactttgtgt tcatttcatt tcagggtctt ggctgcctgt 1380
gggcttcccc aggtggcctg gaggtgggca aagggaagta acagacacac gatgttgtca 1440
aggatggttt tgggactaga ggctcagtgg tgggagagat ccctgcagaa tccaccaacc 1500
agaacgtggt ttgcctgagg ctgtaactga gagaaagatt ctggggctgt cttatgaaaa 1560
tatagacatt ctcacataag cccagttcat caccatttcc tcctttacct ttcagtgcag 1620
tttcttttca cattaggctg ttggttcaaa cttttgggag cacggactgt cagttctctg 1680
ggaagtggtc agcgcatcct gcagggcttc tcctcctctg tcttttggag aaccagggct 1740
cttctcaggg gctctaggga ctgccaggct gtttcagcca ggaaggccaa aatcaagagt 1800
gagatgtaga aagttgtaaa atagaaaaag tggagttggt gaatcggttg ttctttcctc 1860
acatttggat gattgtcata aggtttttag catgttcctc cttttcttca ccctcccctt 1920
tgttcttcta ttaatcaaga gaaacttcaa agttaatggg atggtcggat ctcacaggct 1980
gagaactcgt tcacctccaa gcatttcatg aaaaagctgc ttcttattaa tcatacaaac 2040
tctcaccatg atgtgaagag tttcacaaat ctttcaaaat aaaaagtaat gacttagaaa 2100
ctgaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 2133

<210> 387
<211> 5416
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. J03464

<400> 387
gtgtcccata gtgtttccaa acttggaaag ggcgggggag ggcgggagga tgcggagggc 60
ggaggtatgc agacaacgag tcagagtttc cccttgaaag cctcaaaagt gtccacgtcc 120
tcaaaaagaa tggaaccaat ttaagaagcc agccccgtgg ccacgtccct tcccccattc 180
gggccctcct ctgcgccccc gcaggctcct cccagctgtg gctgcccggg cccccagccc 240
cagccctccc attggtggag gccctttttgg aggcacccta gggccaggga aacttttgcc 300
gtataaatag ggcagatccg ggatttgtta ttttagcacc acggcagcag gaggtttcgg 360
ctaagttgga ggtactggcc acgactgcat gcccgcgccc gccatgtgat acctccgccg 420
gtgacccagg gctctgcgac acaaggagtc gcatgtctaa gtgctagaca tgctcagctt 480
tgtggatacg cggactttgt tgctgcttgc agtaacctta tgcctagcaa catgccaatc 540
tttacaagag gaaactgtaa gaaagggccc agccggagat agaggaccac gtggagaaag 600
gggtccacca ggccccccag gcagagatgg tgaagatggt cccacaggcc ctcctggtcc 660
acctggtcct cctggccccc ctggtctcgg tgggaacttt gctgctcagt atgatggaaa 720
aggagttgga cttggccctg gaccaatggg cttaatggga cctagaggcc cacctggtgc 780
agctggagcc ccaggccctc aaggtttcca aggacctgct ggtgagcctg gtgaacctgg 840
tcaaactggt cctgcaggtg ctcgtggtcc agctggccct cctggcaagg ctggtgaaga 900
tggtcaccct ggaaaacccg gacgacctgg tgagagagga gttgttggac cacagggtgc 960
tcgtggtttc cctggaactc ctggacttcc tggcttcaaa ggcattaggg gacacaatgg 1020
tctggatgga ttgaagggac agcccggtgc tcctggtgtg aagggtgaac ctggtgcccc 1080
tggtgaaaat ggaactccag gtcaaacagg agcccgtggt cttcctggtg agagaggacg 1140
tgttggtgcc cctggtccag ctggtgcccg tggaagtgat ggaagtgtgg gtcccgtagg 1200
tcctgctggt cctaatgggt ctgctggccc tccaggtttc ccaggtgccc ctggtcccaa 1260
gggtgaaatt ggagctgttg gtaacgctgg tcctactgga cccgccggtc cccgtggtga 1320
agtgggtctt ccaggcctct ccggccccgt tggacctcct ggtaatcctg gagcaaacgg 1380
ccttactggt gccaagggtg ctgctggcct tcccggcgtt gctggggctc ccggcctccc 1440
tggaccccgc ggtattcctg gccctcctgg tgctgccggt actactggtg ccagaggact 1500
tgttggtgag cctggtccag ctggctccaa aggagagagc ggtaacaagg gtgagcccgg 1560
ctccgctggt ccccaaggtc ctcctggtcc cagtggtgaa gaaggaaaga gaggccctaa 1620
tggggaagct ggatctgccg gccctccagg acctcctggg ctgagaggta gtcctggttc 1680
tcgtggtctt cctggagctg atggcagagc tggcgtcatg ggccctcctg gtagtcgtgg 1740

tgcaagtggc cctgctggag tccgaggacc taatggagat gctggtcgcc ctggggagcc 1800
tggtctcatg ggacccagag gtcttcctgg ttcccctgga aatatcggcc ccgctggaaa 1860
agaaggtcct gtcggcctcc ctggcatcga cggcaggcct ggcccaattg gccccgttgg 1920
agcaagagga gagcctggca acattggatt ccctggaccc aaaggcccca ctggtgaccc 1980
tggcaaaaac ggtgataaag gtcatgctgg tcttgctggt gctcggggtg ctccaggtcc 2040
tgatggaaac aatggtgctc agggacctcc tggaccacag ggtgttcaag gtggaaaagg 2100
tgaacagggt cccgctggtc ctccaggctt ccagggtctg cctggcccct caggtcccgc 2160
tggtgaagtt ggcaaaccag gagaaagggg tctccatggt gagtttggtc tccctggtcc 2220
tgctggtcca agaggggaac gcggtccccc aggtgagagt ggtgctgccg gtcctactgg 2280
tcctattgga agccgaggtc cttctggacc cccagggcct gatggaaaca agggtgaacc 2340
tggtgtggtt ggtgctgtgg gcactgctgg tccatctggt cctagtggac tcccaggaga 2400
gaggggtgct gctggcatac ctggaggcaa gggagaaaag ggtgaacctg gtctcagagg 2460
tgaaattggt aaccctggca gagatggtgc tcgtggtgct catggtgctg taggtgcccc 2520
tggtcctgct ggagccacag gtgaccgggg cgaagctggg gctgctggtc ctgctggtcc 2580
tgctggtcct cggggaagcc ctggtgaacg tggcgaggtc ggtcctgctg gccccaacgg 2640
atttgctggt ccggctggtg ctgctggtca accgggtgct aaaggagaaa gaggaggcaa 2700
agggcctaag ggtgaaaacg gtgttgttgg tcccacaggc cccgttggag ctgctggccc 2760
agctggtcca aatggtcccc ccggtcctgc tggaagtcgt ggtgatggag gccccctgg 2820
tatgactggt ttccctggtg ctgctggacg gactggtccc ccaggaccct ctggtatttc 2880
tggccctcct ggtcccctg gtcctgctgg gaaagaaggg cttcgtggtc ctcgtggtga 2940
ccaaggtcca gttggccgaa ctggagaagt aggtgcagtt ggtcccctg gcttcgctgg 3000
tgagaagggt ccctctggag aggctggtac tgctggacct cctggcactc caggtcctca 3060
gggtcttctt ggtgctcctg gtattctggg tctccctggc tcgagaggtg aacgtggtct 3120
acctggtgtt gctggtgctg tgggtgaacc tggtcctctt ggcattgccg gccctcctgg 3180
ggcccgtggt cctcctggtg ctgtgggtag tcctggagtc aacggtgctc ctggtgaagc 3240
tggtcgtgat ggcaaccctg ggaacgatgg tcccccaggt cgcgatggtc aacccggaca 3300
caagggagag cgcggttacc ctggcaatat tggtcccgtt ggtgctgcag gtgcacctgg 3360
tcctcatggc cccgtgggtc ctgctggcaa acatggaaac cgtggtgaaa ctggtccttc 3420
tggtcctgtt ggtcctgctg gtgctgttgg cccaagaggt cctagtggcc cacaaggcat 3480
tcgtggcgat aagggagagc ccggtgaaaa ggggcccaga ggtcttcctg gcttcaaggg 3540
acacaatgga ttgcaaggtc tgcctggtat cgctggtcac catggtgatc aaggtgctcc 3600
tggctccgtg ggtcctgctg gtcctagggg ccctgctggt ccttctggcc ctgctggaaa 3660
agatggtcgc actggacatc ctggtacggt tggacctgct ggcattcgag gccctcaggg 3720
tcaccaaggc cctgctggcc cccctggtcc ccctggccct cctggacctc caggtgtaag 3780
cggtggtggt tatgactttg gttacgatgg agacttctac agggctgacc agcctcgctc 3840
agcaccttct ctcagaccca aggactatga agttgatgct actctgaagt ctctcaacaa 3900
ccagattgag acccttctta ctcctgaagg ctctagaaag aacccagctc gcacatgccg 3960
tgacttgaga ctcagccacc cagagtggag cagcggttac tactggattg accccaacca 4020
aggatgcact atggaagcca tcaaagtata ctgtgatttc cctaccggcg aaacctgtat 4080
ccgggcccaa cctgaaaaca tcccagccaa gaactggtat aggagctcca aggacaagaa 4140
acacgtctgg ctaggagaaa ctatcaatgc tggcagccag tttgaatata atgttgaagg 4200
agtgacttcc aaggaaatgg ctacccaact tgccttcatg cgcctgctgg ccaactatgc 4260
ctctcagaac atcacctacc actgcaagaa cagcattgca tacatggatg aggagactgg 4320
caacctgaaa aaggctgtca ttctacaggg ctctaatgat gttgaacttg ttgctgaggg 4380
caacagcagg ttcacttaca ctgttcttgt agatggctgc tctaaaaaga caaatgaatg 4440
gggaaagaca atcattgaat acaaaacaaa taagccatca cgcctgccct tccttgatat 4500
tgcacctttg gacatcggtg gtgctgacca tgaattcttt gtggacattg gcccagtctg 4560
tttcaaataa atgaactcaa tctaaattaa aaaagaaaga aatttgaaaa aactttctct 4620
ttgccatttc ttcttcttct tttttaactg aaagctgaat ccttccattt cttctgcaca 4680
tctacttgct taaattgtgg gcaaaagaga aaaagaagga ttgatcagag cattgtgcaa 4740
tacagtttca ttaactcctt cccccgctcc cccaaaaatt tgaatttttt tttcaacact 4800
cttacacctg ttatggaaaa tgtcaacctt tgtaagaaaa ccaaaatataa aattgaaaaa 4860
taaaaaccat aaacatttgc accacttgtg gcttttgaat atcttccaca gagggaagtt 4920
taaaacccaa acttccaaag gtttaaacta cctcaaaaca ctttcccatg agtgtgatcc 4980
acattgttag gtgctgacct agacagagat gaactgaggt ccttgttttg ttttgttcat 5040
aatacaaagg tgctaattaa tagtatttca gatacttgaa gaatgttgat ggtgctagaa 5100

gaatttgaga agaaatactc ctgtattgag ttgtatcgtg tggtgtattt tttaaaaaat 5160
ttgatttagc attcatattt tccatcttat tcccaattaa aagtatgcag attatttgcc 5220
caaagttgtc ctcttcttca gattcagcat ttgttctttg ccagtctcat tttcatcttc 5280
ttccatggtt ccacagaagc tttgtttctt gggcaagcag aaaaattaaa ttgtacctat 5340
tttgtatatg tgagatgttt aaataaattg tgaaaaaaat gaaataaagc atgtttggtt 5400
ttccaaaaga acatat 5416

<210> 388
<211> 3890
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. J03507

<400> 388
atgaaggtga taagcttatt cattttggtg ggatttatag gagagttcca aagtttttca 60
agtgcctcct ctccagtcaa ctgccagtgg gacttctatg ccccttggtc agaatgcaat 120
ggctgtacca agactcagac tcgcaggcgg tcagttgctg tgtatgggca gtatggaggc 180
cagccttgtg ttggaaatgc ttttgaaaca cagtcctgtg aacctacaag aggatgtcca 240
acagaggagg gatgtggaga gcgtttcagg tgcttttcag gtcagtgcat cagcaaatca 300
ttggtttgca atggggattc tgactgtgat gaagacagtg ctgatgaaga cagatgtgag 360
gactcagaaa ggagaccttc ctgtgatatc gataaacctc ctcctaacat agaacttact 420
ggaaatggtt acaatgaact cactggccag tttaggaaca gagtcatcaa taccaaaagt 480
tttggtggtc aatgtagaaa ggtgtttagt ggggatggaa aagatttcta caggctgagt 540
ggaaatgtcc tgtcctatac attccaggtg aaaataaata atgattttaa ttatgaattt 600
tacaatagta cttggtctta tgtaaaacat acgtcgacag aacacacatc atctagtcgg 660
aagcgctcct tttttagatc ttcatcatct tcttcacgca gttatacttc acataccaat 720
gaaatccata aaggaaagag ttaccaactg ctggttgttg agaacactgt tgaagtggct 780
cagttcatta ataacaatcc agaattttta caacttgctg agccattctg gaaggagctt 840
tcccacctcc cctctctgta tgactacagt gcctaccgaa gattaatcga ccagtacggg 900
acacattatc tgcaatctgg gtcgttagga ggagaataca gagttctatt ttatgtggac 960
tcagaaaaat taaaacaaaa tgattttaat tcagtcgaag aaaagaaatg taaatcctca 1020
ggttggcatt ttgtcgttaa attttcaagt catggatgca aggaactgga aaacgcttta 1080
aaagctgctt caggaaccca gaacaatgta ttgcgaggag aaccgttcat cagaggggga 1140
ggtgcaggct tcatatctgg ccttagttac ctagagctgg acaatcctgc tggaaacaaa 1200
aggcgatatt ctgcctgggc agaatctgtg actaatcttc ctcaagtcat aaaacaaaag 1260
ctgacacctt tatatgagct ggtaaaggaa gtaccttgtg cctctgtgaa aaaactatac 1320
ctgaaatggg ctcttgaaga gtatctggat gaatttgacc cctgtcattg ccggccttgt 1380
caaaatggtg gtttggctac tgttgagggg acccattgtc tgtgccattg caaaccgtac 1440
acatttggtg cggcgtgtga gcaaggagtc ctcgtaggga atcaagcagg aggggttgat 1500
ggaggttgga gttgctggtc ctcttggagc ccctgtgtcc aagggaagaa aacaagaagc 1560
cgtgaatgca ataacccacc tcccagtggg ggtgggagat cctgcgttgg agaaacgaca 1620
gaaagcacac aatgcgaaga tgaggagctg gagcacttga ggttgcttga accacattgc 1680
tttcctttgt ctttggttcc aacagaattc tgtccatcac ctcctgcctt gaaagatgga 1740
tttgttcaag atgaaggtcc aatgtttcct gtggggaaaa atgtagtgta cacttgcaat 1800
gaaggatact ctcttattgg aaacccagtg gccagatgtg gagaagattt acggtggctt 1860
gttggggaaa tgcattgtca gaaaattgcc tgtgttctac ctgtactgat ggatggcata 1920
cagagtcacc cccaaaaacc tttctacaca gttggtgaga aggtgactgt ttcctgttca 1980
ggtggcatgt ccttagaagg tccttcagca tttctctgtg gctccagcct taagtggagt 2040
cctgagatga agaatgcccg ctgtgtacaa aaagaaaatc cgttaacaca ggcagtgcct 2100
aaatgtcagc gctgggagaa actgcagaat tcaagatgtg tttgtaaaat gccctacgaa 2160
tgtggacctt ccttggatgt atgtgctcaa gatgagagaa gcaaaaggat actgcctctg 2220
acagtttgca agatgcatgt tctccactgt cagggtagaa attacaccct tactggtagg 2280
gacagctgta ctctgcctgc ctcagctgag aaagcttgtg gtgcctgccc actgtgggga 2340
aaatgtgatg ctgagagcag caaatgtgtc tgccgagaag catcggagtg cgaggaagaa 2400

gggtttagca tttgtgtgga agtgaacggc aaggagcaga cgatgtctga gtgtgaggcg 2460
ggcgctctga gatgcagagg gcagagcatc tctgtcacca gcataaggcc ttgtgctgcg 2520
gaaacccagt aggctcctgg aggccatggt cagcttgctt ggaatccagc aggcagctgg 2580
ggctgagtga aaacatctgc acaactgggc actggacagc ttttccttct tctccagtgt 2640
ctaccttcct cctcaactcc cagccatctg tataaacaca atcctttgtt ctcccaaatc 2700
tgaatcgaat tactcttttg cctccttttt aatgtcagta aggatatgag cctttgcaca 2760
ggctggctgc gtgttcttga aataggtgtt accttctctg ggccttggtt ttttaaaatc 2820
tgtaaaatta gaggattgca ctagagaaac ttgaatgctc cattcaggcc tatcatttta 2880
ttaagtatga ttgacacagc ccatgggcca gaacacactc tacaaaatga ctaggataac 2940
agaaagaacg tgatctcctg attagagagg gtggttttcc tcaatggaac caaatataaa 3000
gaggacttga acaaaaatga cagatacaaa ctatttctat cctgagtagt aatctcacac 3060
ttcatcctat agagtcaacc accacagata ggaattcctt attcttttt taatttttt 3120
aagacagagt ctcactttgt tgcccaggct ggagcgcagt ggggtgatct catctccctg 3180
caacctccgc ctcctgggtt gaagcgattc ttgtgcctca gcttcccaag cagctgggat 3240
tacaggtgcc cgccaccacg cccagctaat ttttgcattt ttagtagaga tgggtttcac 3300
catgttggcc atgctcgtct ccaactcctg acctcaggta atccgtctgc cttggcctcc 3360
caaatgctgg gattacagac atgaaccacc acgcctggct ggaatactta ctcttgtcgg 3420
gagattgaac cactaaaatg ttagagcaga attcattatg ctgtggtcac aggggtgtct 3480
tgtctgagaa caaatacaat tcagtcttct ctttggggtt ttagtatgtg tcaaacatag 3540
gactggaagt ttgcccctgt tctttttttct tttgaaagaa catcagttca tgcctgaggc 3600
atgagtgact gtgcatttga gatagttttc cctattctgt ggatacagtc ccagagtttt 3660
cagggagtac acaggtagat tagtttgaag cattgacctt ttatttattc cttatttctc 3720
tttcatcaaa acaaaacagc agctgtggga ggagaaatga gagggcttaa atgaaattta 3780
aaataagcta tattatacaa atactatctc tgtattgttc tgaccctggt aaatatattt 3840
caaaacttca gatgacaagg attagaacac tcattaagat gctattcttc 3890

<210> 389
<211> 1922
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. J03910

<400> 389
gagacctggg cgttggtgaa ggcgagggga aagccagaat actggggtgg cggacgccaa 60
ggggcgggtg tagcaggcaa cctcagggaa gctgggaagg cctagcaggg tgagagaacc 120
cgcacacggg gggcacagcg cctccctcgc gagccggtgc gaaaggggcc gcctgcggtg 180
tgcgcccagc tgcgctcaag ggaccttgca cttggcccat ctcctgcgca cagcccaggc 240
cgggaccgcg ggcggtgcgg actcagcggg ctgggtgcaa gggcggggcg gggcgtctgc 300
gcccggcccc gtctcctgac tataaaagca gccgctggct gttgggctcc actccgcctt 360
ccacgtgcac ccactgcctc ttcccttctc gcttgggaac tctagtctcg cctcgggttg 420
caatggaccc caactgctcc tgtgccgctg gtaagggacg cccgggttct gtgccttgga 480
atgccaaatt cccagacacc atagagagtg tccctgggtt tgaggaggtc gtattttgct 540
atcagaggta aggggactcc tttattggtc cagtgctttc ctgttggcca agctcctgag 600
ggcattttcc tcctccctgt tcctctatgt cagagttgag ggtcctgagg ctcaaggctg 660
tcctgctcat gtcagagttg agggtcctga ggctcaaggc tgtcctgcct cacgtcacct 720
agttggtcac agggctgctg gctgagcccc aattctctaa cctgactctg agctaccgga 780
ttggatagga gacattggat aggagggaca ttgcctcttc caagttcagg acagaaagtc 840
gaagtcttcc taggccgtga tctgcaggga ctttcctttg gagtagaaat aggagggtgc 900
ttggttttcc cagcatgaat ggagaggaca tggggcttct cttcctcgtc tctgagtggg 960
aaaggagctc tgacggctgg ctctggcaca gagaaggggg aagtggacac tcattgaccc 1020
actgctgtac cttctgcatc tcactcaccg ttcactggct ttttctcttc tagcaggtgt 1080
ctcctgcacc tgcgccagct cctgcaagtg caaagagtgc aaatgcacct cctgcaagaa 1140
gagtgagtgc ggggccatct ccaggaatct ggggctgtgg ctaaggttgg gagggaaccc 1200
aaggctgtcc ctgagtgcct gcttctgggg aaccggcctt cctttgtccc tgtaggttgt 1260

cacgcctgtc tagtcttctg cactttccaa ggcttatgtg aggtggggca gctttctcaa 1320
aggaagaccc attccaatgt ccaccagttg tctcctgaca aaaaccatgc catcatgaac 1380
taagggtcct ctggggctgg agggatggag acaggcctct gttggggcag ggagttctat 1440
gatcgagtct gctctgacct ctcaatctcc tttcctcccc aaggctgctg ctcctgctgc 1500
cctgtgggct gtgccaagtg tgcccaaggc tgcatctgca aaggggcatc ggagaagtgc 1560
agctgctgcg cctgatgtcg ggacagccct gctcccaagt acaaatagag tgacccgtaa 1620
aatctaggat tttttgtttt ttgctacaat cttgacccct ttgctacatt ccctttttc 1680
tgtgaaatat gtgaataata attaaacact tagacttgat tcccgttctg gttcctgttg 1740
tgtttttgga atgagggact ggggtgggag attgaactgg gagttcacac tgggctctgg 1800
acggaaatgt gagtgctaaa caagctgagc gccttcaggc agccccgtta cttctctgac 1860
ctccttcctc tgtaaaaggc acctgcaccg tgccggatga tatggggatg gggacatacg 1920
cg 1922

<210> 390
<211> 3622
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. J04111

<400> 390
cccggggagg ggaccgggga acagagggcc gagaggcgtg cggcaggggg gagggtagga 60
gaaagaaggg cccgactgta ggagggcagc ggagcattac ctcatcccgt gagcctccgc 120
gggcccagag aagaatcttc tagggtggag tctccatggt gacgggcggg cccgcccccc 180
tgagagcgac gcgagccaat gggaaggcct tggggtgaca tcatgggcta tttttagggg 240
ttgactggta gcagataagt gttgagctcg ggctggataa gggctcagag ttgcactgag 300
tgtggctgaa gcagcgaggc gggagtggag gtgcgcggag tcaggcagac agacagacac 360
agccagccag ccaggtcggc agtatagtcc gaactgcaaa tcttattttc ttttcacctt 420
ctctctaact gcccagagct agcgcctgtg gctcccgggc tggtggttcg ggagtgtcca 480
gagagccttg tctccagccg gccccgggag gagagccctg ctgcccaggc gctgttgaca 540
gcggcggaaa gcagcggtac cccacgcgcc cgccgggggа cgtcggcgag cggctgcagc 600
agcaaagaac tttcccggcg gggaggaccg gagacaagtg gcagagtccc ggagcgaact 660
tttgcaagcc tttcctgcgt cttaggcttc tccacggcgg taaagaccag aaggcggcgg 720
agagccacgc aagagaagaa ggacgtgcgc tcagcttcgc tcgcaccggt tgttgaactt 780
gggcgagcgc gagccgcggc tgccgggcgc cccctccccc tagcagcgga ggaggggaca 840
agtcgtcgga gtccgggcgg ccaagacccg ccgccggccg gccactgcag ggtccgcact 900
gatccgctcc gcggggagag ccgctgctct gggaagtgag ttcgcctgcg gactccgagg 960
aaccgctgcg cccgaagagc gctcagtgag tgaccgcgac ttttcaaagc cgggtagcgc 1020
gcgcgagtcg acaagtaaga gtgcgggagg catcttaatt aaccctgcgc tccctggagc 1080
gagctggtga ggagggcgca gcggggacga cagccagcgg gtgcgtgcgc tcttagagaa 1140
actttccctg tcaaaggctc cgggggggcgc gggtgtcccc cgcttgccag agccctgttg 1200
cggccccgaa acttgtgcgc gcacgccaaa ctaacctcac gtgaagtgac ggactgttct 1260
atgactgcaa agatggaaac gaccttctat gacgatgccc tcaacgcctc gttcctcccg 1320
tccgagagcg gaccttatgg ctacagtaac cccaagatcc tgaaacagag catgaccctg 1380
aacctggccg acccagtggg gagcctgaag ccgcacctcc gcgccaagaa ctcggacctc 1440
ctcacctcgc ccgacgtggg gctgctcaag ctggcgtcgc ccgagctgga gcgcctgata 1500
atccagtcca gcaacgggca catcaccacc acgccgaccc ccacccagtt cctgtgcccc 1560
aagaacgtga cagatgagca ggaggggttc gccgagggct tcgtgcgcgc cctggccgaa 1620
ctgcacagcc agaacacgct gcccagcgtc acgtcggcgg cgcagccggt caacggggca 1680
ggcatggtgg ctcccgcggt agcctcggtg gcaggggggca gcggcagcgg cggcttcagc 1740
gccagcctgc acagcgagcc gccggtctac gcaaacctca gcaacttcaa cccaggcgcg 1800
ctgagcagcg gcggcggggc gccctcctac ggcgcggccg gcctggcctt tcccgcgcaa 1860
ccccagcagc agcagcagcc gccgcaccac ctgccccagc agatgcccgt gcagcacccg 1920
cggctgcagg ccctgaagga ggagcctcag acagtgcccg agatgcccgg cgagacaccg 1980
cccctgtccc ccatcgacat ggagtcccag gagcggatca aggcggagag gaagcgcatg 2040

aggaaccgca tcgctgcctc caagtgccga aaaaggaagc tggagagaat cgcccggctg 2100
gaggaaaaag tgaaaacctt gaaagctcag aactcggagc tggcgtccac ggccaacatg 2160
ctcagggaac aggtggcaca gcttaaacag aaagtcatga accacgttaa cagtgggtgc 2220
caactcatgc taacgcagca gttgcaaaca ttttgaagag agaccgtcgg gggctgaggg 2280
gcaacgaaga aaaaaaataa cacagagaga cagacttgag aacttgacaa gttgcgacgg 2340
agagaaaaaa gaagtgtccg agaactaaag ccaagggtat ccaagttgga ctgggttcgg 2400
tctgacggcg cccccagtgt gcacgagtgg gaaggacttg gtcgcgccct cccttggcgt 2460
ggagccaggg agcggccgcc tgcgggctgc cccgctttgc ggacgggctg tccccgcgcg 2520
aacggaacgt tggactttcg ttaacattga ccaagaactg catggaccta acattcgatc 2580
tcattcagta ttaaaggggg gaggggggagg gggttacaaa ctgcaataga gactgtagat 2640
tgcttctgta gtactcctta agaacacaaa gcgggggggag ggttggggag gggcggcagg 2700
agggaggttt gtgagagcga ggctgagcct acagatgaac tctttctggc ctgctttcgt 2760
taactgtgta tgtacatata tatatttttt aatttgatta aagctgatta ctgtcaataa 2820
acagcttcat gcctttgtaa gttatttctt gtttgtttgt ttgggtatcc tgcccagtgt 2880
tgtttgtaaa taagagattt ggagcactct gagtttacca tttgtaataa agtatataat 2940
ttttttatgt tttgtttctg aaaattccag aaaggatatt taagaaaata caataaacta 3000
ttggaaagta ctcccctaac ctcttttctg catcatctgt agatcctagt ctatctaggt 3060
ggagttgaaa gagttaagaa tgctcgataa aatcactctc agtgcttctt actattaagc 3120
agtaaaaact gttctctatt agacttagaa ataaatgtac ctgatgtacc tgatgctatg 3180
tcaggcttca tactccacgc tcccccagcg tatctatatg gaattgctta ccaaaggcta 3240
gtgcgatgtt tcaggaggct ggaggaaggg gggttgcagt ggagagggac agcccactga 3300
gaagtcaaac atttcaaagt ttggattgca tcaagtggca tgtgctgtga ccatttataa 3360
tgttagaaat tttacaatag gtgcttattc tcaaagcagg aattggtggc agattttaca 3420
aaagatgtat ccttccaatt tggaatcttc tctttgacaa ttcctagata aaaagatggc 3480
ctttgtctta tgaatattta taacagcatt ctgtcacaat aaatgtattc aaataccaat 3540
aacagatctt gaattgcttc cctttactac ttttttgttc ccaagttata tactgaagtt 3600
tttatttta gttgctgagg tt 3622

<210> 391
<211> 696
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. J04130

<400> 391
ttcccccccc ccccccccc ccccgcccga gcacaggaca cagctgggtt ctgaagcttc 60
tgagttctgc agcctcacct ctgagaaaac ctcttttcca ccaataccat gaagctctgc 120
gtgactgtcc tgtctctcct catgctagta gctgccttct gctctccagc gctctcagca 180
ccaatgggct cagaccctcc caccgcctgc tgcttttctt acaccgcgag gaagcttcct 240
cgcaactttg tggtagatta ctatgagacc agcagcctct gctcccagcc agctgtggta 300
ttccaaacca aaagaagcaa gcaagtctgt gctgatccca gtgaatcctg ggtccaggag 360
tacgtgtatg acctggaact gaactgagct gctcagagac aggaagtctt cagggaaggt 420
cacctgagcc cggatgcttc tccatgagac acatctcctc catactcagg actcctctcc 480
gcagttcctg tcccttctct taatttaatc ttttttatgt gccgtgttat tgtattaggt 540
gtcatttcca ttatttatat tagtttagcc aaaggataag tgtcctatgg ggatggtcca 600
ctgtcactgt ttctctgctg ttgcaaatac atggataaca catttgattc tgtgtgtttt 660
ccataataaa actttaaaat aaaatgcaga cagtta 696

<210> 392
<211> 853
<212> DNA
<213> Homo sapiens

<220>

<223> Genbank Accession No. J04164

<400> 392
ctagtcctga cttcacttct gatgaggaag cctctctcct tagccttcag cctttcctcc 60
caccctgcca taagtaattt gatcctcaag aagttaaacc acacctcatt ggtccctggc 120
taattcacca atttacaaac agcaggaaat agaaacttaa gagaaataca cacttctgag 180
aaactgaaac gacaggggaa aggaggtctc actgagcacc gtcccagcat ccggacacca 240
cagcggccct tcgctccacg cagaaaacca cacttctcaa accttcactc aacacttcct 300
tccccaaagc cagaagatgc acaaggagga acatgaggtg gctgtgctgg gggcaccccc 360
cagcaccatc cttccaaggt ccaccgtgat caacatccac agcgagacct ccgtgcccga 420
ccatgtcgtc tggtccctgt tcaacaccct cttcttgaac tggtgctgtc tgggcttcat 480
agcattcgcc tactccgtga agtctaggga caggaagatg gttggcgacg tgaccggggc 540
ccaggcctat gcctccaccg ccaagtgcct gaacatctgg gccctgattc tgggcatcct 600
catgaccatt ggattcatcc tgtcactggt attcggctct gtgacagtct accatattat 660
gttacagata atacaggaaa aacggggtta ctagtagccg cccatagcct gcaacctttg 720
cactccactg tgcaatgctg gccctgcacg ctggggctgt tgcccctgcc cccttggtcc 780
tgcccctaga tacagcagtt tatacccaca cacctgtcta cagtgtcatt caataaagtg 840
cacgtgcttg tga 853

<210> 393
<211> 2099
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. K02215

<400> 393
aagaagctgc cgttgttctg ggtactacag cagaagggta tgcggaagcg agcaccccag 60
tctgagatgg ctcctgccgg tgtgagcctg agggccacca tcctctgcct cctggcctgg 120
gctggcctgg ctgcaggtga ccgggtgtac atacacccct tccacctcgt catccacaat 180
gagagtacct gtgagcagct ggcaaaggcc aatgccggga agcccaaaga ccccaccttc 240
atacctgctc caattcaggc caagacatcc cctgtggatg aaaaggccct acaggaccag 300
ctggtgctag tcgctgcaaa acttgacacc gaagacaagt tgagggccgc aatggtcggg 360
atgctggcca acttcttggg cttccgtata tatggcatgc acagtgagct atggggcgtg 420
gtccatgggg ccaccgtcct ctccccaacg gctgtctttg gcaccctggc ctctctctat 480
ctgggagcct tggaccacac agctgacagg ctacaggcaa tcctgggtgt tccttggaag 540
gacaagaact gcacctcccg gctggatgcg cacaaggtcc tgtctgccct gcaggctgta 600
cagggcctgc tagtggccca gggcagggct gatagccagg cccagctgct gctgtccacg 660
gtggtgggcg tgttcacagc cccaggcctg cacctgaagc agccgtttgt gcagggcctg 720
gctctctata cccctgtggt cctcccacgc tctctggact tcacagaact ggatgttgct 780
gctgagaaga ttgacaggtt catgcaggct gtgacaggat ggaagactgg ctgctccctg 840
atgggagcca gtgtggacag caccctggct ttcaacacct acgtccactt ccaagggaag 900
atgaagggct tctccctgct ggccgagccc caggagttct gggtggacaa cagcacctca 960
gtgtctgttc ccatgctctc tggcatgggc accttccagc actggagtga catccaggac 1020
aacttctcgg tgactcaagt gcccttcact gagagcgcct gcctgctgct gatccagcct 1080
cactatgcct ctgacctgga caaggtggag ggtctcactt tccagcaaaa ctccctcaac 1140
tggatgaaga aactgtctcc ccggaccatc cacctgacca tgccccaact ggtgctgcaa 1200
ggatcttatg acctgcagga cctgctcgcc caggctgagc tgcccgccat tctgcacacc 1260
gagctgaacc tgcaaaaatt gagcaatgac cgcatcaggg tgggggaggt gctgaacagc 1320
attttttttg agcttgaagc ggatgagaga gagcccacag agtctaccca acagcttaac 1380
aagcctgagg tcttggaggt gaccctgaac cgcccattcc tgtttgctgt gtatgatcaa 1440
agcgccactg ccctgcactt cctgggccgc gtggccaacc cgctgagcac agcatgaggc 1500
cagggcccca gaacacagtg cctggcaagg cctctgcccc tggcctttga ggcaaaggcc 1560
agcagcagat aacaaccccg gacaaatcag cgatgtgtca ccccagtct cccacctttt 1620
cttctaatga gtcgactttg agctggaaag cagccgtttc tccttggtct aagtgtgctg 1680

catggagtga gcagtagaag cctgcagcgg cacaaatgca cctcccagtt tgctgggttt 1740
attttagaga atgggggtgg ggaggcaaga accagtgttt agcgcgggac tactgttcca 1800
aaaagaattc caaccgacca gcttgtttgt gaaacaaaaa agtgttccct tttcaagttg 1860
agaacaaaaa ttgggtttta aaattaaagt atacattttt gcattgcctt cggtttgtat 1920
ttagtgtctt gaatgtaaga acatgacctc cgtgtagtgt ctgtaatacc ttagtttttt 1980
ccacagatgc ttgtgatttt tgaacaatac gtgaaagatg caagcacctg aatttctgtt 2040
tgaatgcgga acaatagctg gttatttctc ccttgtgtta gtaataaacg tcttgccac 2099

<210> 394
<211> 8090
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. K02405

<400> 394
ggatcctttt gtaacattaa acaagtcata ttaatcttaa atttgtatat gtgaagatct 60
agatgtaaaa tgcatgaaac atgatccaca ttttacaaag agaagcctgg ggcaaaataa 120
attcagtaat ttgttgactc tcataaagca cattagtggt ggaactgcaa ctcaccatta 180
tttccttcta agaactttgc tctttcacca aaacttaagg ctcctcaggg tgtgtctaag 240
acaacagcag taaaaatgtc tatgacagca attttctctc ccctgaaata tgatccccac 300
ttaatttgcc ctattgaaag atcccaagta taagaacaac tggtttttaa tcaatattac 360
aaagatgttt actgttgaat gcatttttct ttggcttctt aaaatccctt aggcattcaa 420
tcttcagctc ttccataatt gagaggaatt ttcacctcaa atgttcatcc agtgcaattg 480
aaagacgtcc agtgcaggca ctggattcag aaccttcaca aaaaaaaaat ctgcccagag 540
acagatgagg tccttcagct ccagtgctga ttggttcctt tccaagggac catccaatcc 600
taccacgcat ggaaacatcc acagattttt attctttctg ccaggtacat cagatccatc 660
aggtccgagc tgtgttgact accacttttc ccttcgtctc aattatgtct tggaaaaagg 720
ctttgcggat ccccggaggc cttcgggcag caactgtgac cttgatgctg tcgatgctga 780
gcaccccagt ggctgagggc agagactctc ccggtaagtg cagggcagct gctctccaga 840
gccgctactc tgggaacagg ctctccttgg gctggggtac ggggatggtg atctccataa 900
tctcggacac aatcttttat caacatttcc tctgttttgg gaaagagagc tatgttgcat 960
ttccatttat cttttaatga tgaagtgagg acaatccaat cccatcctac ggacttaagc 1020
cgaagaggag gagagaggag agaaaagagg agacaaagtg ttcatttact accagtgata 1080
ggacaaagtg agcatggggt tatttttgaa agatatgaat ttctccaaag acacagcagg 1140
atttgccatt taggcgtgtc ccaagacttg cctgactaaa tattatgatt tcctgcattg 1200
ggaaatgcaa ggcagcaatg gtgtctgtag tctccgtatt tggggaaaag ttgtctgcat 1260
tcctgaccca gtggagcgtt tgtggaggca aaatcttggt actgagggaa gctgactggc 1320
actccacaga aagagagcct tcaggtttcg gcaaatggtg acctgagtgg gattccagat 1380
acccgagttg atgatggact aaatttagta gaaaggagga tgtaaagaag ggaaataaca 1440
catactgtga aaccaactca tttcagacac ggaacaatac tttacataaa ttctctctca 1500
ctccttctaa catcctgtgt gtagatatca tgattttctt ttacacaatt atacttgtag 1560
tatggatatt ctgttacata aactgcccgg gctggtgact gccacagttc aatgggaatc 1620
tagtttatca aattcaaaag cttgtgctct ttcggtgaat aaatgtttct ttctaggact 1680
cagagatcta ggactccctt ctttctaaca cagcgtgagt gaacctcaca gggcacttgg 1740
gagggtaaat ccaggcatgg gaaggaaggt attttaccca gggaccaaga gaataggcgt 1800
atcggaagag gacaggttta attctgaacc tgtctcgtca ttcccttgaa ctgtcaggtt 1860
tatgtggata actttatctc tgaggtaccc aggagctcca tggaaaatga gatttcatgc 1920
gagaacgccc tgatccctct aagtgcagag gtccatgtaa aatcagcccg actgcctctt 1980
cacttggttc acaggccgag acagggacag ggctttcctc cctttcctgc ctgtaggaag 2040
gcggattccc gaagaccccg agaggggcgg gcagggctgg cagagttcgg gaggatccca 2100
ggtctgcagc gcgaggcacg ggccggcggg aacttgtggt cgcgcgggct gttccacacg 2160
tccgggccgg gtcagggtgg cggctgcggg ggcggacggg ctgggcgcac tgactggccg 2220
gtgattcctc gcagaggatt tcgtgtacca gtttaagggc atgtgctact tcaccaacgg 2280
gacagagcgc gtgcgtcttg tgagcagaag catctataac cgagaagaga tcgtgcgctt 2340

cgacagcgac gtgggggagt tccgggcggt gacgctgctg gggctgcctg ccgccgagta 2400
ctggaacagc cagaaggaca tcctggagag gaaacgggcg gcggtggaca gggtgtgcag 2460
acacaactac cagttggagc tccgcacgac cttgcagcgg cgaggtgagc ggcgtcgccc 2520
ctctgcgagg cccacccttg gccccaagtc tctgcgccag gaggggcgaa gggtcgtggc 2580
ctctggaacc tgagccccgt ttgttccacc ccagaggaca ggaggcagcg gcgagagtgg 2640
tgggggcagg gtcatcggag gtgcggggac ctaggcagag caggggggaca ggcagagttg 2700
gccaggctgc ctagtgtcgc cccagcctac ccgttcgtcg gccttgtcct ctgctctgca 2760
tgttcttgcc tcgtgcctta tgcatttgcc tccttttgcc ttacctttgc taagcagctc 2820
tctctgctca gaatgcccgc cctcttcccc tgcccgcccg cccgccccac tagcactgcc 2880
ccacccagca aggcccatcg tgcacagctc ttgcagcagg aagcttcagg cttagcctgg 2940
tggagttagg gctgttccac aactgcgcgc aggacattca gcaattacag ttgtgaaata 3000
agatatttta acttttggct tcaaatcatt attcatcgta attctgtttt cttaaatggc 3060
tctcattcat ggcagagatc tttgaggtga gggtgtttta atcattgcat gcctagtacc 3120
tgacacattg actggtatgt ggtgtgagct caatgatctt ctgttaaatt aatgaataaa 3180
tgtactcagc tgcccatcca cttaggctca agaaaaaaaa agaggtaaac agagccttaa 3240
aaatggactt tattaattat tttctataat tttgcttaat gctttaaagt aaactcttat 3300
tgacttggat cttaatagag tttgtgaata caaaatctga ggaaaaaagt ttttgctaaa 3360
aataaaaaca acgcttgaaa gatattgtaa ggcagttcaa atttcttttc ttttcttttt 3420
ttttttttt tgagacggat tctcactctg tcgcccaggc cggagtgcag tggcgcatct 3480
cggctcactg caagctccgc ctcccgggtt cacgccattc tcctgcctca gcctcctgag 3540
taggtgggat tacaggcgcg tgccaccacg cccggctaat ttttttgtat ttttagtaga 3600
ggcggggttt caccgtgtta gccaggatgg tctggatctc ctgacctcat gatccgcccg 3660
cctcggcctc ccaaagtgct gggattacag gtgtgagcca cagtgcccgg ccggcacttt 3720
aatttcttag aaaaagctga acaaatggca caatgcaaag agcaaaagtt ttggaataaa 3780
tagattgaag ccattaaatt attggataaa aatagtttcg ggttgctttt ggcctaggtt 3840
ctcccctccc cccatgacta tccacttcag gaataaacat tctgaaagtc aattttaccc 3900
atttgatgag acatttattt ctagacagtt gccttatcaa ataccatcta tgttacgtca 3960
tttaatctca cagttacttg tgcatcagag attagcatca ccactttata tattggtaca 4020
tgataaacac tttattggtc atggatgggg agatggtcac tgtaggctaa tattggtaca 4080
tgataaacac tttaagtaat cagcccataa ttgctcacca agaccttaag cctcccaaag 4140
tacacaacat tctttgtgtt cttcactaca catccataga gtctaaggga cgtaagcctc 4200
gttaaagcca gttttagacc gagaagcagc aatgagtcta tcctgtgtga tttccatgtt 4260
aatgggacaa aatgatactt tcaaggcatt gaaaattcat gattaatcaa tccctagtct 4320
gaccccagtg ttatctatgc aggtttgcaa aacctttagt tcactaatac tcccccttgcc 4380
ttcttttgat tcacatccta atgccagcaa atacttattt tttgctattt cagttccatt 4440
tccataaaat ttattttatc atcttttctc ataaatttat gccctctatt tttactccca 4500
atctgttcaa gatgaacaaa tcttataagg ccacatagct gactgttatt tctgttggat 4560
ctcaggaagg agaacctaaa gaaaagttca agtccaagca gaaaccgtga tttcttccag 4620
atgatggctc atgagtgcca tttaattggg gtgccacctg gtgacctcag caaatcccag 4680
ctatatttat gtgttcacat tacaggatca ttaacccaga ccgaccactg cacaagatct 4740
cagaatattt tctatgggag aacatacata ataatgcctg atttcagaag aagaaagtaa 4800
ttctcaatag caaggggatg gagtagggta gacagctgta attaaactca cttgtgtgat 4860
aaaaagaaat taagggaaaa agaaaatgag gagaacatat tactaaataa agaaagcata 4920
cattaaatat ttactatagt ttcacactaa gagaataaag gaaatgcaat aaagtggcct 4980
gaaaggtaaa ggatgagatg tgtaaagggg tgtagtattt ttcatatgac gacgaactga 5040
gaagataaag gaatcgagtt acgggcaaac atgatgtttg atcagtgtta tttgttttca 5100
aggcctgcct aaatttttt caaatattac aaacttttga aataacattt ctttttgttt 5160
tttgctgtct gttactaggt tgcacatttc ataaaggcag ggaccatggt atgttgtttg 5220
tctttggatt ctcagtgatt gttatattta tatttgttga aggaacctta atccaagact 5280
tggactccaa gtatctttcc actctggttc caaggaggga cctccctcca gcaggcatgc 5340
tgtgtggtct cacatctcac tcctatatct ttccctgtct gttactgccc tcagtggagc 5400
ccacagtgac catctcccca tccaggacag aggccctcaa ccaccacaac ctgctggtct 5460
gctcggtgac agatttctat ccagcccaga tcaaagtccg gtggtttcgg aatgaccagg 5520
aggagacagc tggcgttgtg tccacccccc ttattaggaa tggtgactgg accttccaga 5580
tcctggtgat gctggaaatg actccccagc gtggagacgt ctacacctgc cacgtggagc 5640
accccagcct ccagagcccc atcaccgtgg agtggcgtaa ggggatattg agtttctgtt 5700

actgtgggcc ccacaagaca aaggacagag ctccttctga cccatccctt cccatctctt 5760
atccctgatg tcactgctga gctgggaatc acaggagact agagcacctc tagttccatg 5820
gcgagtgcat cagaagaatc ctgatctcat caccttttcca gatgctaggg aaattactct 5880
acatactgtt gctctggatc cagtcctgat tgctctgagg aactgattat tagggctggt 5940
gactgggatc ttagggtcta agtttatgga tgagttcctg aggagtggag atctgcttcc 6000
ccactctgtc acctactcac tgtatccaag gacctattgg ctggcctttc cctcccttag 6060
gggtggtctg aatggagaac taggttcctt tgatgccttc acctcctgca tctcagactg 6120
gacttcaagc tcctcatcag ggaaactatg gggtatgggg acaaacactg acactcaggc 6180
tctgcttctc aggggctcaa tctgaatctg cccagagcaa gatgctgagt ggcattggag 6240
gcttcgtgct ggggctgatc ttcctcgggc tgggccttat catccatcac aggagtcaga 6300
aaggtgagga accccagggg aaaaggggaa gatggcctgt gacccagacc ctctgttcag 6360
agaggtcctg tctctagatg tagctctttc ctcctgaccc tgagaggaag aaagctgagc 6420
tggaagtgga aggagacagg acaaggttgg aggaggcatt ggaatctgat tttactagct 6480
gaagggtagc cctgtcacag agctgactga tagagcttat tccagggcat ccttaccatt 6540
catcattgtc tcactggctc ctttccaaaa acttcctcca ttaagagggt cagagcctcg 6600
gcctccttac cttctagtga caatttcctt cattttaggg gatttcaaat tagggtgctc 6660
aaggactcga agaacatgaa tgggaagaga atataactct aattaagtca catgtgtcat 6720
tttcctttgg ggtgagagag tgactgttca tgtaatgaga cctttctctg cataacttcc 6780
ttttgtaaga cctcaagggc caccagcagg taatatttcg agccggcatc cagtgtgggg 6840
agggcacagg tgtaagaggg aagagcatga gctgagtgta cctgacagta gtggtctctg 6900
ttcatggtat atttgctgct ataggatcaa gacttagggg tgaagtttgc cagtttctag 6960
gaatctccag aggttgttcc ccagaaccaa gccttaactt tggtggtatc ttcctgttaa 7020
atgtggagcc agaaccacgg cttaaatgtt agacactagg atgatgccca ctttgtgcca 7080
catgatggtg gctactgcct gtaggcattt tccagtgact gaaagaggct gctagtggta 7140
gggatgaggt atcatccaat ttcctaaaaa gattgaaccc ttcatattca ccagaagagt 7200
aacagctgtt cccccacctc ccacacatct gcatcaagct gaagttctgt gtcttcatga 7260
gctgatttct cctttgcaca gatcttgggg gaggtgatga caatacactc tggacctcag 7320
ctttgtctgt ctgaagctgc aggaggcccc tgaggggtgg ggaagatggc aggcccacca 7380
gcgtaccctg tgctgatcat ccctcttctc tcttcttcag ggctcctgca ctgactcctg 7440
agactatttt aactgggatt ggttatcact tttctgtaac gcctgcttgt ccctgcccag 7500
aattcccagc tgtctgtgtc agcctgtccc cctgagatca gagtcctaca gtggctgtca 7560
cgcagccacc aggtcatctc ctttcatccc caccttgagg cggatggctg tgaccctact 7620
tcctgcactg acccacagcc tctgcctgtg cacggccagc tgcatctact caggccccaa 7680
ggggtttctg tttcctattc tctcctcaga ctgctcaaga gaagcacatg aaaaccatta 7740
cctgacttta gagcttttt acataattaa acatgatcct gagttatctg tattctgaac 7800
ttccttaatt gagcagaggc aggaaatcac tgcagaatga aggaacatac cttgaggtga 7860
cccagccaac ctgtgcccag aaggagggtt gtaccttgaa agacactgaa agaatttggg 7920
gtgcaaagtc atggtgggca gaggaggtag aaaatcaact cagttgttgc atcattcatg 7980
gttctttcat attgatgttc agtgcagtgg cctgagaata tcccagcctc tcttctggtt 8040
tggtgagtgc tatataagta aacatggtgg aattgtttgg gggcagatag 8090

<210> 395
<211> 1552
<212> DNA
<213> Homo sapiens

<220>
<223> Genbank Accession No. L02321

<400> 395
caaagtctga gccccgctcc gctgatgcct gtctgcagaa tccgcaccac cagcaccatg 60
cccatgactc tggggtactg ggacatccgt gggctggccc acgccatccg cttgctcctg 120
gaatacacag actcaagcta tgtggaaaag aagtacacga tgggggacgc tcctgactat 180
gacagaagcc agtggctgaa tgaaaaattc aagctgggcc tggactttcc caatctgccc 240
tacttgattg atggggctca caagatcacc cagagcaatg ccatcctgcg ctacattgcc 300
cgcaagcaca acctgtgtgg ggagacagaa gaggagaaga ttcgtgtgga cattttggag 360